

# GWR RESOURCES INC.

Lac La Hache Mt. Timothy Project

Hole: AZ06-06

Date: 2007/07/03

Northing: 5757913

Easting: 617943

Elevation: 1377

Area: Aurizon

Length: 335.6

Azimuth: 310°

Dip: -60°

Logged By: BGD

Project: GWR			Hole Number: AZ06-06					
From	To	Rocktype & Description	From	To	Sample	Width	Cu %	Au g/t
0.00	3.00	Casing						
3.00	74.90	Monzonite Orange	3.00	5.00	17301	2.00	0.01	0.04
		<i>Medium to fine grain, orange/gray with feldspar alteration. Dark green</i>	5.00	7.00	17302	2.00	0.01	0.30
		<i>hornblende with chlorite alteration. Feldspar laths as phenocrysts in potassium</i>	7.00	9.00	17303	2.00	0.01	0.04
		<i>feldspar-flooded matrix. Section very broken.</i>	9.00	11.00	17304	2.00	0.01	0.06
		<i>« Mafic-dyke » Very fine grained with pyroxene phenocrysts to 5mm diameter.</i>	11.00	13.00	17305	2.00	0.01	0.08
		<i>39.5 Equigranular to sparsely porphyritic, pink and grey fine grained.</i>	13.00	15.00	17306	2.00	0.01	0.05
		<i>Generally unaltered to weakly potassic altered. Almost the entire section is</i>	15.00	17.00	17307	2.00	0.01	0.05
		<i>crushed and broken with many fragments displaying slickensides.</i>	17.00	19.00	17308	2.00	0.01	0.10
			19.00	21.00	17309	2.00	0.01	0.05
			21.00	23.00	17310	2.00	0.01	0.05
			23.00	25.00	17311	2.00	0.01	0.07
			25.00	27.00	17312	2.00	0.01	0.08
			27.00	29.00	17313	2.00	0.01	0.04
			29.00	31.00	17314	2.00	0.01	0.03
			31.00	33.00	17315	2.00	0.01	0.04
			33.00	35.00	17316	2.00	0.03	0.04
			35.00	37.00	17317	2.00	0.03	0.06
			37.00	39.00	17318	2.00	0.03	0.40
			39.00	41.00	17320	2.00	0.06	0.17
			41.00	43.00	17321	2.00	0.03	0.71
			43.00	45.00	17322	2.00	0.01	0.16
			45.00	47.00	17323	2.00	0.05	0.13
			47.00	49.00	17324	2.00	0.03	0.09
			49.00	51.00	17325	2.00	0.01	0.42
			51.00	53.00	17326	2.00	0.01	0.14
			53.00	55.00	17327	2.00	0.02	0.12
			55.00	57.00	17328	2.00	0.02	0.06
			57.00	59.00	17329	2.00	0.01	0.03
			59.00	61.00	17330	2.00	0.02	0.05

From	To	Rocktype & Description	From	To	Sample	Width	Cu %	Au g/t
			61.00	63.00	17331	2.00	0.02	0.03
			63.00	65.00	17332	2.00	0.01	0.05
			65.00	67.00	17333	2.00	0.01	0.04
			67.00	69.00	17334	2.00	0.02	0.05
			69.00	71.00	17335	2.00	0.06	0.10
			71.00	73.00	17336	2.00	0.03	0.07
			73.00	75.00	17337	2.00	0.06	0.18
<b>74.90</b>	<b>98.90</b>	<b>Monzonite Hydrothermal Breccia</b>	75.00	77.00	17338	2.00	0.14	0.27
		<i>Hydrothermally brecciated monzonite, varying from crackle breccia to framework supported and matrix supported. Epidote as blotches and veinlets. Irregular brecciated equigranular to weakly porphyritic. Breccia tends to be texturally heterolithic. Some large mafic clasts could be pre-brecciation xenoliths.</i>	77.00	79.00	17339	2.00	0.22	0.60
		<i>« 93.60- 96.70 Felsic Dyke » Crowded porphyry probably monzonitic, and which is also represented as clasts within the breccia. Trace to 0.5% chalcopyrite, often in epidote. Native copper as disseminations and fracture fillings. Trace bornite. Very little magnetite.</i>	79.00	81.00	17340	2.00	0.11	0.23
			81.00	83.00	17341	2.00	0.10	0.24
			83.00	85.00	17342	2.00	0.13	0.33
			85.00	87.00	17343	2.00	0.05	0.24
			87.00	89.00	17344	2.00	0.07	0.36
			89.00	91.00	17345	2.00	0.12	0.14
			91.00	93.00	17346	2.00	0.20	0.21
			93.00	95.00	17347	2.00	0.11	0.10
			95.00	97.00	17348	2.00	0.11	0.12
			97.00	99.00	17349	2.00	0.12	0.07
<b>98.90</b>	<b>298.00</b>	<b>Monzonite Hydrothermal Breccia</b>	99.00	101.00	17350	2.00	0.06	0.09
		<i>Hydrothermally brecciated monzonite, varying from crackle breccia to framework supported and matrix supported. Fine grained crowded feldspar porphyry, weakly to postassically altered. Some disseminated magnetite. Blocky and crushed for the most part. This unit may be included in the above unit as late brittle deformation has ocscured primary features..</i>	101.00	103.00	17351	2.00	0.13	0.09
		<i>Native copper and minor chalcopyrite, commonly as veinlets and disseminations throughout but probably &lt;0.5% Cu.</i>	103.00	105.00	17352	2.00	0.11	0.07
		<i>« 215.00- 225.00 Bn » Fracture controlled, low magnetite , weak epidote.</i>	105.00	107.00	17353	2.00	0.09	0.08
			107.00	109.00	17354	2.00	0.13	0.57
			109.00	111.00	17355	2.00	0.21	0.17
			111.00	113.00	17356	2.00	0.19	0.19
			113.00	115.00	17357	2.00	0.47	0.29
			115.00	117.00	17358	2.00	0.23	0.38
			117.00	119.00	17359	2.00	0.44	0.38
		<i>« 225.00- 240.00 Bn »</i>	119.00	121.00	17360	2.00	0.66	0.74
		<i>« 240.00- 255.00 Bn »</i>	121.00	123.00	17361	2.00	1.05	1.06
		<i>« 255.00- 270.00 Bn »</i>	123.00	125.00	17362	2.00	0.12	0.43
			125.00	127.00	17363	2.00	0.19	0.59

From	To	Rocktype & Description	From	To	Sample	Width	Cu %	Au g/t
			127.00	129.00	17364	2.00	0.24	0.77
			129.00	131.00	17365	2.00	0.11	1.48
			131.00	133.00	17366	2.00	0.45	5.83
			133.00	135.00	17367	2.00	0.23	1.07
			135.00	137.00	17368	2.00	0.22	1.78
			137.00	139.00	17369	2.00	0.36	0.76
			139.00	141.00	17370	2.00	0.08	0.82
			141.00	143.00	17371	2.00	0.33	0.53
			143.00	145.00	17372	2.00	0.12	0.50
			145.00	147.00	17373	2.00	0.03	0.20
			147.00	149.00	17374	2.00	0.06	0.47
			149.00	151.00	17375	2.00	0.06	0.26
			151.00	153.00	17376	2.00	0.02	0.27
			153.00	155.00	17377	2.00	0.09	0.15
			155.00	157.00	17378	2.00	0.07	0.11
			157.00	159.00	17379	2.00	0.05	0.13
			159.00	161.00	17380	2.00	0.04	0.13
			161.00	163.00	17381	2.00	0.04	0.09
			163.00	165.00	17382	2.00	0.04	0.34
			165.00	167.00	17383	2.00	0.03	0.11
			167.00	169.00	17384	2.00	0.05	0.14
			169.00	171.00	17385	2.00	0.12	0.16
			171.00	173.00	17386	2.00	0.06	0.08
			173.00	175.00	17387	2.00	0.07	0.07
			175.00	177.00	17388	2.00	0.06	0.06
			177.00	179.00	17389	2.00	0.08	0.16
			179.00	181.00	17390	2.00	0.03	0.37
			181.00	183.00	17391	2.00	0.05	0.13
			183.00	185.00	17392	2.00	0.08	0.09
			185.00	187.00	17393	2.00	0.16	0.45
			187.00	189.00	17394	2.00	0.13	0.27
			189.00	191.00	17395	2.00	0.14	0.50
			191.00	193.00	17396	2.00	0.09	0.21
			193.00	195.00	17397	2.00	0.11	0.07
			195.00	197.00	17398	2.00	0.06	0.31
			197.00	199.00	17399	2.00	0.09	0.11
			199.00	201.00	17400	2.00	0.05	0.04
			201.00	203.00	17401	2.00	0.08	0.13
			203.00	205.00	17402	2.00	0.12	0.25
			205.00	207.00	17403	2.00	0.05	0.07
			207.00	209.00	17404	2.00	0.06	0.17
			209.00	211.00	17405	2.00	0.03	0.05

From	To	Rocktype & Description	From	To	Sample	Width	Cu %	Au g/t
			211.00	213.00	17406	2.00	0.04	0.39
			213.00	215.00	17407	2.00	0.21	0.57
			215.00	217.00	17408	2.00	0.05	0.14
			217.00	219.00	17409	2.00	0.11	0.20
			219.00	221.00	17410	2.00	0.10	0.81
			221.00	223.00	17411	2.00	0.11	0.47
			223.00	225.00	17412	2.00	0.36	0.55
			225.00	227.00	17413	2.00	0.10	0.19
			227.00	229.00	17414	2.00	0.06	0.26
			229.00	231.00	17415	2.00	0.15	0.21
			231.00	233.00	17416	2.00	0.09	0.23
			233.00	235.00	17417	2.00	0.05	0.14
			235.00	237.00	17418	2.00	0.12	0.22
			237.00	239.00	17419	2.00	0.27	0.47
			239.00	241.00	17420	2.00	0.22	0.40
			241.00	243.00	17421	2.00	0.16	0.45
			243.00	245.00	17422	2.00	0.14	0.22
			245.00	247.00	17423	2.00	0.04	0.12
			247.00	249.00	17424	2.00	0.13	0.18
			249.00	251.00	17425	2.00	0.08	0.17
			251.00	253.00	17426	2.00	0.14	0.40
			253.00	255.00	17427	2.00	0.51	0.93
			255.00	257.00	17428	2.00	0.13	0.42
			257.00	259.00	17429	2.00	0.93	1.11
			259.00	260.00	17430	1.00	0.38	0.46
			260.00	261.00	17431	1.00	0.30	0.32
			261.00	262.00	17432	1.00	0.55	0.41
			262.00	263.00	17433	1.00	0.19	0.34
			263.00	264.00	17434	1.00	0.12	0.43
			264.00	265.00	17435	1.00	0.05	0.08
			265.00	266.00	17436	1.00	0.02	0.06
			266.00	267.00	17437	1.00	0.08	0.17
			267.00	268.00	17438	1.00	0.03	0.08
			268.00	269.00	17439	1.00	0.04	0.09
			269.00	270.00	17440	1.00	0.02	0.00
			270.00	271.00	17441	1.00	0.04	0.03
			271.00	272.00	17442	1.00	0.05	0.04
			272.00	273.00	17443	1.00	0.03	0.05
			273.00	274.00	17444	1.00	0.08	0.15
			274.00	275.00	17445	1.00	0.25	0.21
			275.00	276.00	17446	1.00	0.38	0.29
			276.00	277.00	17447	1.00	0.50	0.51

From	To	Rocktype & Description	From	To	Sample	Width	Cu %	Au g/t
			277.00	278.00	17448	1.00	0.43	0.53
			278.00	279.00	17449	1.00	0.25	0.22
			279.00	280.00	17450	1.00	0.33	0.52
			280.20	281.20	17451	1.00	0.39	0.75
			281.20	282.20	17452	1.00	0.16	0.19
			282.20	283.20	17453	1.00	0.05	0.03
			283.20	284.20	17454	1.00	0.15	0.23
			284.20	285.20	17455	1.00	0.16	0.21
			285.20	286.20	17456	1.00	0.57	1.56
			286.20	287.30	17457	1.10	0.30	0.69
			287.30	288.30	17458	1.00	0.99	3.09
			288.30	289.30	17459	1.00	0.66	0.60
			289.30	290.30	17460	1.00	0.37	1.12
			290.30	291.30	17461	1.00	0.71	2.17
			291.30	292.30	17462	1.00	0.43	0.40
			292.30	293.40	17463	1.10	0.32	0.49
			293.40	294.40	17464	1.00	0.68	0.81
			294.40	295.40	17465	1.00	0.49	0.91
			295.40	296.40	17466	1.00	0.33	0.54
			296.40	297.40	17467	1.00	0.22	0.41
			297.40	298.40	17468	1.00	0.19	0.65
<b>298.00</b>	<b>335.60</b>	<b>Monzonite Orange</b>	298.40	299.40	17469	1.00	0.11	0.26
		<i>Medium grain, orange/gray with feldspar alteration. Dark green hornblende with</i>	299.40	300.40	17470	1.00	0.35	0.63
		<i>chlorite alteration. Feldsparphyritic. Moderate potassic alteration with minor</i>	300.40	301.40	17471	1.00	0.24	0.34
		<i>epidote blotches and veinlets.</i>	301.40	302.50	17472	1.10	0.13	0.30
			302.50	303.50	17473	1.00	0.05	0.15
		<i>Comments: In this hole native copper and chalcopyrite often are seen within the</i>	303.50	304.50	17474	1.00	0.06	0.13
		<i>same sample and, although never seen in contact with each other, their</i>	304.50	305.50	17475	1.00	0.05	0.09
		<i>coexistence suggest that the composition of the copper bearing solutions may have</i>	305.50	306.50	17476	1.00	0.04	0.79
		<i>been on the Cu-CuS phase boundary. Thus, this suggests that the native copper</i>	306.50	307.50	17477	1.00	0.03	0.10
		<i>is not always the result of supergene hydrothermal process. This is the likely</i>	307.50	308.60	17478	1.10	0.04	0.08
		<i>explanation for the presence of native copper in some holes at depths of</i>	308.60	309.60	17479	1.00	0.07	0.11
		<i>serveral hundreds of metres.</i>	309.60	310.60	17480	1.00	0.09	0.11
			310.60	311.60	17481	1.00	0.09	0.12
			311.60	313.60	17482	2.00	0.12	0.17
			313.60	315.60	17483	2.00	0.18	0.15

From	To	Rocktype & Description	From	To	Sample	Width	Cu %	Au g/t
			315.60	317.60	17484	2.00	0.17	0.16
			317.60	319.60	17485	2.00	0.21	0.32
			319.60	321.60	17486	2.00	0.21	0.28
			321.60	323.60	17487	2.00	0.08	0.13
			323.60	325.60	17488	2.00	0.12	0.15
			325.60	327.60	17489	2.00	0.18	0.23
			327.60	329.60	17490	2.00	0.07	0.11
			329.60	331.60	17491	2.00	0.02	0.00
			331.60	333.60	17492	2.00	0.03	0.04
			333.60	335.60	17493	2.00	0.02	0.00
335.60	335.60	EOH 335.6						