

GWR RESOURCES INC.

Lac La Hache Mt. Timothy Project

Hole: AZ06-08

Date: 2007/07/03

Northing: 5758002

Easting: 617996

Elevation: 1358

Area: Aurizon

Length: 480.4

Azimuth: 310°

Dip: -60°

Logged By: BGD

Project: GWR			Hole Number: AZ06-08					
From	To	Rocktype & Description	From	To	Sample	Width	Cu %	Au g/t
0.00	3.00	Casing						
3.00	69.80	Polyolithic Felsic Tuff Breccia	3.00	5.30	17551	2.30	0.01	0.06
		<i>Medium grain, Dark to light gray, hornblende with chlorite alteration</i>	5.30	6.70	17552	1.40	0.03	0.06
		<i>Variably</i>						
		<i>crackle brecciated with potassium feldspar and epidote along</i>	25.30	27.30	17553	2.00	0.09	0.29
		<i>fractures. Some</i>						
		<i>clast potassically altered. Clasts commonly fine grained,</i>	27.30	29.30	17554	2.00	0.11	0.30
		<i>equigranular</i>						
		<i>monzonite. Interclast material appears to be chlorite+/- magnetite.</i>	29.30	31.30	17555	2.00	0.11	0.27
		<i>Some native</i>						
		<i>copper at top of hole, chalcopyrite with epidote down hole.</i>	31.30	33.30	17556	2.00	0.10	0.33
		<i>« 50.00- 51.60 Mafic-dyke » pyroxenophytic.</i>	33.30	35.30	17557	2.00	0.07	0.13
			35.30	37.30	17558	2.00	0.18	0.44
			37.30	39.30	17559	2.00	0.17	0.89
			39.30	41.30	17560	2.00	0.20	0.86
			41.30	43.30	17561	2.00	0.28	0.74
			43.30	45.30	17562	2.00	0.16	0.38
			45.30	47.30	17563	2.00	0.28	0.45
			47.30	49.30	17564	2.00	0.29	0.59
			49.30	51.30	17565	2.00	0.06	0.25
			51.30	53.30	17566	2.00	0.41	0.99
			53.30	55.30	17567	2.00	0.27	0.79
			55.30	57.30	17568	2.00	0.35	0.65
			57.30	59.30	17569	2.00	0.37	0.82
			59.30	61.30	17570	2.00	0.11	0.96
			61.30	63.30	17571	2.00	0.29	0.85
			63.30	65.30	17572	2.00	0.32	2.01
			65.30	67.30	17573	2.00	0.41	0.93
			67.30	69.30	17574	2.00	0.15	0.48
			69.30	71.30	17575	2.00	0.24	0.75
69.80	94.50	Monzonite Orange	71.30	73.30	17576	2.00	0.20	0.52
		<i>Medium grain, Dark to light gray, hornblende with chlorite alteration</i>	73.30	75.30	17577	2.00	0.23	0.83
		<i>Bladed</i>						
		<i>feldsparphyric with generally commonly oriented feldspar laths</i>	75.30	77.30	17578	2.00	0.31	0.84
		<i>1-2mm long.</i>						

From	To	Rocktype & Description	From	To	Sample	Width	Cu %	Au g/t
		<i>Weak to moderate potassium feldspar alteration variably developed.</i>	77.30	79.30	17579	2.00	0.24	0.53
			79.30	81.30	17580	2.00	0.28	0.75
			81.30	83.30	17581	2.00	0.27	0.70
			83.30	85.30	17582	2.00	0.26	0.58
			85.30	87.30	17583	2.00	0.13	0.48
			87.30	89.30	17584	2.00	0.13	0.40
			89.30	91.30	17585	2.00	0.03	0.10
			91.30	93.30	17586	2.00	0.01	0.05
			93.30	95.30	17587	2.00	0.01	0.03
94.50	214.80	Monzonite Hydrothermal Breccia	95.30	97.30	17588	2.00	0.01	0.03
		<i>Hydrothermally brecciated monzonite, varying from crackle breccia to framework supported and matrix supported. Moderate to good development of magnetite as blotches and veinlets. Variable potassic alteration of clast with epidote veinlets and irregular blotches. Magnetite as a breccia matrix and veinlets increasing down hole. « cpy 0.5% tr bn » irregularly distributed.</i>	97.30	99.30	17589	2.00	0.02	0.04
			99.30	101.30	17590	2.00	0.05	0.20
			101.30	103.30	17591	2.00	0.17	0.29
			103.30	105.30	17592	2.00	0.33	0.88
			105.30	107.30	17593	2.00	0.38	0.84
			107.30	109.30	17594	2.00	0.09	0.28
			109.30	111.30	17595	2.00	0.09	0.30
			111.30	113.30	17596	2.00	0.22	0.63
			113.30	115.30	17597	2.00	0.07	0.23
			115.30	117.30	17598	2.00	0.15	0.53
			117.30	119.30	17599	2.00	0.07	0.24
			119.30	121.30	17600	2.00	0.07	0.38
			121.30	123.30	17601	2.00	0.22	0.58
			123.30	125.30	17602	2.00	0.25	0.59
			125.30	127.30	17603	2.00	0.43	0.99
			127.30	129.30	17604	2.00	0.40	0.64
			129.30	131.30	17605	2.00	0.34	0.49
			131.30	133.30	17606	2.00	0.23	0.13
			133.30	135.30	17607	2.00	0.45	0.61
			135.30	137.30	17608	2.00	0.61	0.77
			137.30	139.30	17609	2.00	0.44	0.63
			139.30	141.30	17610	2.00	0.38	0.51
			141.30	143.30	17611	2.00	0.22	0.32
			143.30	145.30	17612	2.00	0.31	0.47
			145.30	147.30	17613	2.00	0.46	0.36
			147.30	149.30	17614	2.00	0.14	0.25
			149.30	151.30	17615	2.00	0.13	0.22
			151.30	153.30	17616	2.00	0.32	0.42

From	To	Rocktype & Description	From	To	Sample	Width	Cu %	Au g/t
			153.30	155.30	17617	2.00	0.14	0.25
			155.30	157.30	17618	2.00	0.13	0.30
			157.30	159.30	17619	2.00	0.37	0.44
			159.30	161.30	17620	2.00	0.06	0.25
			161.30	163.30	17621	2.00	0.18	1.04
			163.30	165.30	17622	2.00	0.02	0.07
			165.30	167.30	17623	2.00	0.06	0.11
			167.30	169.30	17624	2.00	0.12	0.26
			169.30	171.30	17625	2.00	0.11	0.48
			171.30	173.30	17626	2.00	0.13	0.22
			173.30	175.30	17627	2.00	0.19	0.23
			175.30	177.30	17628	2.00	0.12	0.32
			177.30	179.30	17629	2.00	0.08	0.45
			179.30	181.30	17630	2.00	0.12	0.23
			181.30	183.30	17631	2.00	0.14	0.25
			183.30	185.30	17632	2.00	0.30	0.49
			185.30	187.30	17633	2.00	0.15	0.31
			187.30	189.30	17634	2.00	0.15	0.21
			189.30	191.30	17635	2.00	0.09	0.19
			191.30	193.30	17636	2.00	0.13	0.20
			193.30	195.30	17637	2.00	0.08	0.14
			195.30	197.30	17638	2.00	0.07	0.13
			197.30	199.30	17639	2.00	0.17	0.27
			199.30	201.30	17640	2.00	0.30	0.28
			201.30	203.30	17641	2.00	0.26	0.41
			203.30	205.30	17642	2.00	0.25	0.32
			205.30	207.30	17643	2.00	0.05	0.08
			207.30	209.30	17644	2.00	0.02	0.06
			209.30	211.30	17645	2.00	0.08	0.46
			211.30	213.30	17646	2.00	0.14	0.21
			213.30	215.30	17647	2.00	0.36	0.77
			215.30	217.30	17648	2.00	0.17	0.18
			217.30	219.30	17649	2.00	0.23	0.63
			219.30	221.30	17650	2.00	0.08	0.48
			221.30	223.30	17651	2.00	0.14	3.44
			223.30	225.30	17652	2.00	0.23	0.59
			225.30	227.30	17653	2.00	0.18	0.46
			227.30	229.30	17654	2.00	0.30	0.55
			229.30	231.30	17655	2.00	0.07	0.19
			231.30	233.30	17656	2.00	0.03	0.13
214.80	373.70	Monzonite Orange						
		<i>Medium grain, orange/gray with feldspar alteration. Dark green hornblende with</i>						
		<i>chlorite alteration. Equigranular to bladed feldsparphyritic, weak variable</i>						
		<i>potassium feldspar alteration. Unit grades downwards at about 370m to crackle</i>						
		<i>breccia.</i>						

From	To	Rocktype & Description	From	To	Sample	Width	Cu %	Au g/t
			233.30	235.30	17657	2.00	0.08	0.43
			235.30	237.30	17658	2.00	0.07	0.29
			237.30	239.30	17659	2.00	0.03	0.09
			239.30	241.30	17660	2.00	0.07	0.08
			241.30	243.30	17661	2.00	0.11	0.11
			243.30	245.30	17662	2.00	0.11	0.10
			245.30	247.30	17663	2.00	0.02	0.07
			247.30	249.30	17664	2.00	0.01	0.00
			249.30	251.30	17665	2.00	0.01	0.03
			251.30	253.30	17666	2.00	0.01	0.03
			253.30	255.30	17667	2.00	0.01	0.00
			255.30	257.30	17668	2.00	0.00	0.00
			257.30	259.30	17669	2.00	0.00	0.00
			259.30	261.30	17670	2.00	0.01	0.00
			261.30	263.30	17671	2.00	0.03	0.00
			263.30	265.30	17672	2.00	0.02	0.00
			265.30	267.30	17673	2.00	0.02	0.00
			267.30	269.30	17674	2.00	0.01	0.00
			269.30	271.30	17675	2.00	0.01	0.00
			271.30	273.30	17676	2.00	0.03	0.12
			273.30	275.30	17677	2.00	0.02	0.00
			275.30	277.30	17678	2.00	0.01	0.05
			277.30	279.30	17679	2.00	0.02	0.15
			279.30	281.30	17680	2.00	0.03	0.00
			281.30	283.30	17681	2.00	0.01	0.03
			283.30	285.30	17682	2.00	0.02	0.00
			285.30	287.30	17683	2.00	0.04	0.04
			287.30	289.30	17684	2.00	0.04	0.04
			289.30	291.30	17685	2.00	0.04	0.08
			291.30	293.30	17686	2.00	0.04	0.22
			293.30	295.30	17687	2.00	0.06	0.18
			295.30	297.30	17688	2.00	0.08	0.16
			297.30	299.30	17689	2.00	0.05	0.10
			299.30	301.30	17690	2.00	0.11	0.25
			301.30	303.30	17691	2.00	0.26	0.32
			303.30	305.30	17692	2.00	0.33	0.54
			305.30	307.30	17693	2.00	0.24	0.26
			307.30	309.30	17694	2.00	0.12	0.21
			309.30	311.30	17695	2.00	0.04	0.11
			311.30	313.30	17696	2.00	0.13	0.34
			313.30	315.30	17697	2.00	0.09	0.24
			315.30	317.30	17698	2.00	0.01	0.07

From	To	Rocktype & Description	From	To	Sample	Width	Cu %	Au g/t
			400.00	402.00	17741	2.00	0.01	0.06
401.10	410.80	Dacite dyke	402.00	404.00	17742	2.00	0.02	0.00
		<i>Fine grained, medium grey, equigranular homogeneous cut by sparse</i>	404.00	406.00	17743	2.00	0.02	0.04
		<i>quartz-calcite veinlets at about 60° to CA. Dyke occupies a zone of crushed</i>	406.00	408.00	17744	2.00	0.02	0.04
		<i>and broken monzonite (fault?).</i>	408.00	410.00	17745	2.00	0.00	0.00
			410.00	412.00	17746	2.00	0.00	0.03
410.80	457.50	Monzonite Breccia	412.00	414.00	17747	2.00	0.02	0.06
		<i>Weakly to moderately brecciated monzonite with disseminated pyrite along with</i>	414.00	416.00	17748	2.00	0.01	0.48
		<i>chlorite and magnetite.</i>	416.00	418.00	17749	2.00	0.00	0.08
		<i>(@ 420.00 py up to 10% rare cpy in unit)</i>	418.00	420.00	17750	2.00	0.01	0.00
			420.00	422.00	17751	2.00	0.00	0.00
			422.00	424.00	17752	2.00	0.00	0.00
			424.00	426.00	17753	2.00	0.01	0.00
			426.00	428.00	17754	2.00	0.02	0.00
			428.00	430.00	17755	2.00	0.06	0.06
			430.00	432.00	17756	2.00	0.01	0.00
			432.00	434.00	17757	2.00	0.02	0.00
			434.00	436.00	17758	2.00	0.02	0.03
			436.00	438.00	17759	2.00	0.00	0.13
			438.00	440.00	17760	2.00	0.02	0.08
			440.00	442.00	17761	2.00	0.02	0.24
			442.00	444.00	17762	2.00	0.03	0.05
			444.00	446.00	17763	2.00	0.03	0.04
			446.00	448.00	17764	2.00	0.03	0.05
			448.00	450.00	17765	2.00	0.04	0.92
			450.00	452.00	17766	2.00	0.08	0.11
			452.00	454.00	17767	2.00	0.06	0.10
			454.00	456.00	17768	2.00	0.08	0.11
			456.00	458.00	17769	2.00	0.10	0.07
457.50	461.80	Dacite dyke	458.00	460.00	17770	2.00	0.03	0.09
		<i>Fine grained, medium grey, equigranular, homogeneous cut by sparse</i>	460.00	462.00	17771	2.00	0.08	0.08
		<i>quartz-calcite veinlets at about 60° to CA. Dyke occupies a zone of crushed and</i>						
		<i>broken monzonite (fault?).</i>						
461.80	480.40	Monzonite Breccia	462.00	464.00	17772	2.00	0.02	0.07
		<i>Weakly to moderately brecciated with disseminated pyrite along with chlorite</i>	464.00	466.00	17773	2.00	0.01	0.04
		<i>and magentite. Trace chalcopyrite.</i>	466.00	468.00	17774	2.00	0.07	0.08

From	To	Rocktype & Description	From	To	Sample	Width	Cu %	Au g/t
			468.00	470.00	17775	2.00	0.08	0.07
			470.00	472.00	17776	2.00	0.00	0.03
			472.00	474.00	17777	2.00	0.03	0.06
			474.00	476.00	17778	2.00	0.01	0.05
480.40	480.40	EOH 480.4						