

GWR RESOURCES INC.

Lac La Hache Mt. Timothy Project

Hole: AZ07-12

Date: 2007/10/14

Northing: 5758261

Easting: 617760

Elevation: 1371

Area: Aurizon

Length: 410

Azimuth: 090°

Dip: -45°

Logged By: BGG

Project: GWR			Hole Number: AZ07-12					
From	To	Rocktype & Description	From	To	Sample	Width	Cu %	Au g/t
0.00	3.80	Casing						
			3.10	4.60	18514	1.50	0.09	0.17
3.80	10.70	Monzonite Orange	4.60	7.60	18515	3.00	0.15	0.13
		<i>Orange alteration medium Grained Monzonite. Alteration of disseminated magnetite to hematite and hornblend to light chlorite, highly broken</i>	7.60	10.70	18516	3.10	0.08	0.10
10.70	25.70	Hybrid Monzonite/Volcanics	10.70	13.70	18517	3.00	0.13	0.07
		<i>Metasomatized volcanics intermixed with Gray to Orange Medium Grained Monzonite</i>	13.70	15.50	18518	1.80	0.12	0.03
		<i>with epidote blotches in a andesite volcanics, dark chlorite and hematite,</i>	15.50	17.10	18519	1.60	0.11	0.10
		<i>strong native copper.</i>	17.10	18.30	18520	1.20	0.10	0.10
		« Fault zone »	18.30	19.80	18521	1.50	0.13	0.07
			19.80	21.30	18522	1.50	0.13	0.09
			21.30	22.90	18523	1.60	0.09	0.12
			22.90	24.40	18526	1.50	0.22	0.43
			24.40	25.90	18527	1.50	0.09	0.14
25.70	270.00	Monzonite Orange	25.90	27.40	18528	1.50	0.07	0.04
		<i>Medium grain, orange/gray with feldspar alteration. Dark green hornblende with</i>	27.40	28.90	18529	1.50	0.09	0.03
		<i>chlorite alteration. Continues highly broken with native copper to 36m as</i>	28.90	31.20	18530	2.30	0.11	0.06
		<i>lacework veinlets with magnetite and hematite.</i>	31.20	33.20	18531	2.00	0.06	0.06
		<i>39 Variable lighter monzonite with criss cross lighter pink feldspar flooding</i>	33.20	35.20	18532	2.00	0.07	0.10
		<i>61 Increase in micro breccia texture with magnetite and hematite as matrix with</i>	35.20	37.20	18533	2.00	0.06	0.09
		<i>strong native copper.</i>	37.20	39.20	18534	2.00	0.05	0.09
		<i>71 Dark gray green monzonite with strong pervasive epidote alteration and k-spar</i>	39.20	41.20	18535	2.00	0.04	0.06
		<i>veinlets 45° to CA</i>	41.20	43.20	18536	2.00	0.05	0.06
		« @ 75.00 Strong native copper »	43.20	44.30	18537	1.10	0.04	0.08
		<i>80 Monzonite becomes feldsparphyritic with laths and criss cross quartz</i>	44.30	45.70	18538	1.40	0.06	0.07
		<i>veinlets 45°. Some magnetite, chalcopyrite, pyrite and native copper.</i>	45.70	48.70	18539	3.00	0.08	0.05

From	To	Rocktype & Description	From	To	Sample	Width	Cu %	Au g/t
102		Almost a Quartz feldspar porphyry with coarse laths and quartz eyes	48.70	51.70	18540	3.00	0.06	0.06
117.4		Occasional accidentals and chalcopyrite specks in epidote eyes.	51.70	54.70	18541	3.00	0.03	0.04
119		Occasional quartz/calcite crackle breccia with some pyrite.	54.70	57.70	18542	3.00	0.07	0.06
159		Native copper interstitial in mafic accidentals, increase in light epidote	57.70	60.70	18543	3.00	0.05	0.05
		fractures 40° to CA	60.70	63.70	18544	3.00	0.07	0.18
		« 174.00- 203.00 Saussurization » Pervasive finegrained epidote alteration	63.70	66.70	18545	3.00	0.06	0.10
		of feldspars, dark chlorite some chalcopyrite and native copper. Non magnetic	66.70	69.70	18546	3.00	0.06	0.07
203		Orange k-spar multicolored altered monzonite	69.70	72.30	18547	2.60	0.08	0.08
210		Orange hornblende monzonite with light brown/green alteration	72.30	75.30	18548	3.00	0.08	0.06
220		Lighter orange monzonite, feldsparphyritic, speckled hornblende, hematite,	75.30	77.80	18551	2.50	0.06	0.13
		minor native copper.	77.80	80.50	18552	2.70	0.05	0.05
242		Variable epidote alteration bands with pyrite 10° to CA	80.50	83.50	18553	3.00	0.09	0.11
261		Darker gray to light gray monzonite mixed with orange feldspar	83.50	86.50	18554	3.00	0.09	0.13
		alteration, increase in magnetite with epidote and minor chalcoprite.	86.50	89.50	18555	3.00	0.03	0.04
			89.50	92.50	18556	3.00	0.03	0.06
			92.50	95.50	18557	3.00	0.04	0.04
			95.50	98.50	18558	3.00	0.02	0.03
			98.50	101.50	18559	3.00	0.01	0.00
			101.50	104.50	18560	3.00	0.02	0.00
			104.50	107.50	18561	3.00	0.03	0.08
			107.50	110.50	18562	3.00	0.06	0.06
			110.50	113.50	18563	3.00	0.08	0.17
			113.50	116.50	18564	3.00	0.06	0.21
			116.50	119.50	18565	3.00	0.04	0.00
			119.50	122.50	18566	3.00	0.04	0.04
			122.50	123.50	18567	1.00	0.03	0.00
			123.50	127.50	18568	4.00	0.04	0.00
			127.50	129.50	18569	2.00	0.07	0.05
			129.50	132.50	18570	3.00	0.03	0.00
			132.50	135.00	18571	2.50	0.03	0.03
			135.00	138.00	18572	3.00	0.07	0.07
			138.00	140.50	18573	2.50	0.01	0.00
			140.50	143.00	18574	2.50	0.02	0.00
			143.00	146.00	18577	3.00	0.03	0.09
			146.00	149.00	18578	3.00	0.14	0.62
			149.00	150.50	18579	1.50	0.15	0.54

From	To	Rocktype & Description	From	To	Sample	Width	Cu %	Au g/t
			150.50	153.50	18580	3.00	0.16	0.07
			153.50	156.50	18581	3.00	0.14	0.07
			156.50	159.50	18582	3.00	0.09	0.04
			159.50	163.00	18583	3.50	0.13	1.08
			163.00	166.00	18584	3.00	0.14	0.13
			166.00	169.00	18585	3.00	0.09	0.13
			169.00	172.00	18586	3.00	0.07	0.15
			172.00	173.00	18587	1.00	0.07	0.09
			173.00	176.00	18588	3.00	0.03	0.00
			176.00	179.00	18589	3.00	0.04	0.00
			179.00	182.00	18590	3.00	0.02	0.00
			182.00	185.00	18591	3.00	0.00	0.00
			185.00	188.00	18592	3.00	0.01	0.00
			188.00	191.00	18593	3.00	0.03	0.00
			191.00	194.00	18594	3.00	0.01	0.03
			194.00	197.00	18595	3.00	0.01	0.00
			197.00	200.00	18596	3.00	0.02	0.04
			200.00	203.00	18597	3.00	0.07	0.03
			203.00	206.00	18598	3.00	0.02	0.12
			206.00	209.00	18451	3.00	0.06	0.08
			209.00	212.00	18452	3.00	0.03	0.14
			212.00	215.00	18453	3.00	0.06	0.07
			215.00	218.00	18454	3.00	0.06	0.05
			218.00	221.00	18455	3.00	0.02	0.03
			221.00	224.00	18456	3.00	0.02	0.06
			224.00	227.00	18457	3.00	0.03	0.04
			227.00	230.00	18458	3.00	0.06	0.04
			230.00	233.00	18459	3.00	0.05	0.03
			233.00	236.00	18460	3.00	0.05	0.00
			236.00	239.00	18461	3.00	0.01	0.00
			239.00	242.00	18462	3.00	0.00	0.00
			242.00	245.00	18463	3.00	0.01	0.00
			245.00	248.00	18464	3.00	0.01	0.00
			248.00	251.00	18465	3.00	0.00	0.00
			251.00	254.00	18466	3.00	0.00	0.00
			254.00	257.00	18467	3.00	0.01	0.00
			257.00	260.00	18468	3.00	0.02	0.03
			260.00	263.00	18469	3.00	0.04	0.04
			263.00	266.00	18470	3.00	0.05	0.03
			266.00	268.30	18471	2.30	0.01	0.00
			268.30	269.60	18472	1.30	0.94	0.37
			269.60	272.60	18475	3.00	0.18	0.36

From	To	Rocktype & Description	From	To	Sample	Width	Cu %	Au g/t
270.00	318.00	Hybrid Monzonite/Volcanics	272.60	274.10	18476	1.50	0.14	0.20
		<i>Metasomatized dark andesite volcanics intermixed with Gray to Orange Medium</i>	274.10	277.00	18477	2.90	0.09	0.13
		<i>Grained Monzonite. Approximately a 15° contact with epidote magnetite, pyrite</i>	277.00	280.00	18478	3.00	0.05	0.08
		<i>and minor chalcopyrite. Light feldspar alteration as crackle texture 70°.</i>	280.00	283.00	18479	3.00	0.08	0.06
		<i>Almost a metavolcanic diorite. Strongly magnetic.</i>	283.00	286.00	18480	3.00	0.08	0.08
		<i>288 Strong epidote, black chlorite with magnetite</i>	286.00	289.00	18481	3.00	0.08	0.12
		<i>303 Strong epidote veinlets & blebs with magnetite, minor chalcopyrite</i>	289.00	292.00	18482	3.00	0.09	0.15
		<i>315 Breccia texture strongly magnetic.</i>	292.00	295.00	18483	3.00	0.11	0.16
			295.00	298.00	18484	3.00	0.13	0.23
			298.00	299.00	18485	1.00	0.28	0.24
			299.00	301.00	18486	2.00	0.01	0.03
			301.00	304.00	18487	3.00	0.30	0.33
			304.00	307.00	18488	3.00	0.25	0.36
			307.00	310.00	18489	3.00	0.12	0.14
			310.00	313.00	18490	3.00	0.04	0.06
			313.00	316.00	18491	3.00	0.07	0.06
			316.00	318.60	18492	2.60	0.02	0.04
318.00	348.50	Monzonite Dyke	318.60	321.60	18493	3.00	0.01	0.00
		<i>Fine grained tan/green with 2-5mm porphyritic amygdules and hornblende laths,</i>	321.60	324.60	18494	3.00	0.01	0.07
		<i>non magnetic. Shallow upper contact with hybrid unit. (This dyke correlates</i>	324.60	327.50	18495	2.90	0.00	0.00
		<i>with surface mapping and alters to a dark orange color).</i>	327.50	330.50	18496	3.00	0.00	0.00
			330.50	333.50	18497	3.00	0.00	0.03
			333.50	336.50	18498	3.00	0.00	0.00
			336.50	339.50	18601	3.00	0.00	0.00
			339.50	342.50	18602	3.00	0.00	0.03
			342.50	345.30	18603	2.80	0.00	0.07
			345.30	348.00	18604	2.70	0.00	0.00
			348.00	350.50	18605	2.50	0.03	0.04
348.50	410.00	Hybrid Monzonite/Volcanics	350.50	351.70	18606	1.20	0.07	0.05
		<i>Metasomatized volcanics intermixed with Gray to Orange Medium</i>	351.70	353.00	18607	1.30	0.03	0.04
		<i>Grained Monzonite</i>						
		<i>. Dark black green mottled with light cream feldspar and epidote, strong</i>	353.00	356.00	18608	3.00	0.07	0.06
		<i>disseminated magnetite.</i>	356.00	359.00	18609	3.00	0.12	0.07
		<i>390 Breccia like with epidote and minor chalcopyrite. Fragments of light</i>	359.00	362.00	18610	3.00	0.08	0.04
		<i>monzonite in dark mottled monzonite with epidote. Trace chalcopyrite in the</i>	362.00	365.00	18611	3.00	0.03	0.03

From	To	Rocktype & Description	From	To	Sample	Width	Cu %	Au g/t
<i>epidote.</i>			365.00	368.00	18612	3.00	0.02	0.03
			368.00	371.00	18613	3.00	0.03	0.04
			371.00	374.00	18614	3.00	0.01	0.00
			374.00	377.00	18615	3.00	0.05	0.08
			377.00	380.00	18616	3.00	0.01	0.00
			380.00	383.00	18617	3.00	0.05	0.04
			383.00	386.00	18618	3.00	0.03	0.00
			386.00	389.00	18619	3.00	0.05	0.00
			389.00	392.00	18620	3.00	0.04	0.00
			392.00	395.00	18621	3.00	0.05	0.04
			395.00	398.00	18622	3.00	0.03	0.04
			398.00	401.00	18623	3.00	0.01	0.04
			401.00	404.00	18626	3.00	0.01	0.00
			404.00	407.00	18627	3.00	0.03	0.00
			407.00	410.00	18628	3.00	0.01	0.00
410.00	410.00	EOH 410						