

GWR RESOURCES INC.

Lac La Hache Mt. Timothy Project

Hole: AZ07-13

Date: 2007/08/13

Northing: 5758264

Easting: 617779

Elevation: 1372

Area: Aurizon

Length: 536.5

Azimuth: 270°

Dip: -45°

Logged By: BGG

Project: GWR			Hole Number: AZ07-13					
From	To	Rocktype & Description	From	To	Sample	Width	Cu %	Au g/t
0.00	5.50	Casing						
5.50	67.00	Monzonite Gray	5.50	6.10	18629	0.60	0.08	0.13
		<i>Medium grain, Dark to light gray pinkish, hornblende with chlorite alteration.</i>	6.10	7.60	18630	1.50	0.14	0.17
		<i>with native copper</i>	7.60	9.10	18631	1.50	0.11	0.07
		<i>36 - 53 Becoming more chloritic with epidote and magnetite, broken some hybrid</i>	9.10	10.70	18632	1.60	0.15	0.09
		<i>volcanics with native copper in brecciated calcite matrix.</i>	10.70	12.20	18633	1.50	0.11	0.10
		<i>« 59.50- 61.00 Lamprophyry-dyke » dark grey black fine grained in fault</i>	12.20	14.70	18634	2.50	0.11	0.07
		<i>breccia rubble.</i>	14.70	15.20	18635	0.50	0.10	0.05
			15.20	16.80	18636	1.60	0.11	0.05
			16.80	18.30	18637	1.50	0.09	0.06
			18.30	19.80	18638	1.50	0.13	0.15
			19.80	21.30	18639	1.50	0.17	0.07
			21.30	22.90	18640	1.60	0.15	0.06
			22.90	24.40	18641	1.50	0.18	0.05
			24.40	25.90	18642	1.50	0.09	0.07
			25.90	27.40	18643	1.50	0.04	0.07
			27.40	29.00	18644	1.60	0.07	0.35
			29.00	30.50	18645	1.50	0.10	0.63
			30.50	31.20	18646	0.70	0.50	0.17
			31.20	32.00	18647	0.80	0.06	0.05
			32.00	33.60	18648	1.60	0.01	0.03
			33.60	34.50	18651	0.90	0.01	0.05
			34.50	37.50	18652	3.00	0.03	0.13
			37.50	40.50	18653	3.00	0.05	0.11
			40.50	43.50	18654	3.00	0.06	0.22
			43.50	46.50	18655	3.00	0.02	0.40
			46.50	49.50	18656	3.00	0.05	0.22
			49.50	52.50	18657	3.00	0.08	0.25
			52.50	55.30	18658	2.80	0.11	0.13
			55.30	57.40	18659	2.10	0.05	0.11
			57.40	58.90	18660	1.50	0.03	0.04
			58.90	60.40	18661	1.50	0.02	0.00

From	To	Rocktype & Description	From	To	Sample	Width	Cu %	Au g/t
			60.40	61.00	18662	0.60	0.09	0.05
			61.00	64.00	18663	3.00	0.05	0.09
			64.00	65.50	18664	1.50	0.01	0.05
			65.50	68.50	18665	3.00	0.04	0.05
67.00	102.00	Monzonite Grey Breccia	68.50	71.50	18666	3.00	0.03	0.05
		<i>Medium grain, Dark to light gray, hornblende with chlorite alteration</i>	71.50	74.50	18667	3.00	0.02	0.05
		<i>Pink</i>						
		<i>k-spar as crackled texture with minor disseminated magnetite and</i>	74.50	76.20	18668	1.70	0.02	0.00
		<i>epidote.</i>						
		<i>73 Feldsparphyritic with clear laths, some amber garnet in qtz/cal</i>	76.20	76.50	18669	0.30	1.69	0.25
		<i>vein</i>						
		<i>79 Orange k-spar mottling with epidote flooding on fracture 45° to</i>	76.50	78.80	18670	2.30	0.03	0.06
		<i>CA</i>						
		<i>90 Increasing darker green epidote and chlorite</i>	78.80	80.20	18671	1.40	0.01	0.00
		<i>92.5 Broken with limonite on fractures and minor pyrite.</i>	80.20	83.00	18672	2.80	0.00	0.00
			83.00	86.00	18673	3.00	0.02	0.04
			86.00	89.00	18676	3.00	0.02	0.00
			89.00	92.00	18677	3.00	0.01	0.00
			92.00	95.00	18678	3.00	0.01	0.00
			95.00	98.00	18679	3.00	0.01	0.00
			98.00	101.00	18680	3.00	0.14	0.27
			101.00	104.00	18681	3.00	0.02	0.03
102.00	155.00	Monzonite Gray	104.00	107.00	18682	3.00	0.02	0.05
		<i>Medium grain, Dark to light gray, hornblende with chlorite alteration</i>	107.00	110.00	18683	3.00	0.01	0.05
		<i>Increasing mafic accidentals with epidote blebs containing</i>	110.00	113.00	18684	3.00	0.01	0.05
		<i>magnetite minor</i>						
		<i>pyrite and chalcopyrite</i>	113.00	116.00	18685	3.00	0.02	0.04
		<i>108 20 cm xenolith, mafic prophyritic</i>	116.00	119.00	18686	3.00	0.01	0.03
		<i>114 K-spar/magnetite veins 30 - 45° CA</i>	119.00	122.00	18687	3.00	0.02	0.03
		<i>155 Feldsparphyritic laths with light feldspar seams 45° CA</i>	122.00	125.00	18688	3.00	0.01	0.00
			125.00	128.00	18689	3.00	0.03	0.07
			128.00	131.00	18690	3.00	0.03	0.03
			131.00	134.00	18691	3.00	0.03	0.03
			134.00	137.00	18692	3.00	0.02	0.03
			137.00	140.00	18693	3.00	0.02	0.00
			140.00	143.00	18694	3.00	0.02	0.00
			143.00	146.00	18695	3.00	0.03	0.03
			146.00	148.60	18696	2.60	0.02	0.03
			148.60	151.40	18697	2.80	0.02	0.07
			151.40	154.50	18698	3.10	0.02	0.04
			154.50	157.50	19001	3.00	0.02	0.04
155.00	193.00	Monzonite Gray	157.50	158.50	19002	1.00	0.01	0.00
		<i>Medium grain, Dark to light gray, hornblende with chlorite alteration.</i>	158.50	160.10	19003	1.60	0.02	0.03

From	To	Rocktype & Description	From	To	Sample	Width	Cu %	Au g/t
		<p>Semi hybrid volcanic breccia, dark chlorite, magnetite and epidote. In places feldsparphyritic light cream texture. Minor chalcopyrite/magnetite fracture fillings 45° CA.</p> <p>193.00 203.00 Monzonite Orange Medium grain, orange/gray with feldspar alteration. Dark green hornblende with chlorite alteration with disseminated magnetite.</p> <p>203.00 222.00 Monzonite Breccia Orange Medium grain, orange/gray with feldspar alteration. Dark green hornblende with chlorite alteration. Calcite veins 3 cm 45° CA</p> <p>209 Framework breccia with chalcopyrite; dark hematite//cal/qtz veins with minor chalcopyrite 15° CA</p> <p>213 More magnetite with minor chalcopyrite.</p> <p>222.00 234.00 Hybrid Monzonite/Volcanics Metasomatized volcanics intermixed with Gray to Orange Medium Grained Monzonite.</p> <p>234.00 250.00 Monzonite Beccia Orange Medium grain, orange/gray with feldspar alteration. Dark green hornblende with chlorite alteration, broken and faulted to 248 5 cm quartz seam with minor pyrite and chalcopyrite.</p> <p>250.00 262.00 Monzonite Orange Medium grain, orange/gray with feldspar alteration. Dark green hornblende with chlorite alteration.</p> <p>259 Magnetite/chlorite/quartz vein 15° with minor pyrite and chalcopyrite.</p> <p>262.00 284.00 Hybrid Monzonite/Volcanics Metasomatized volcanics intermixed with Gray Medium Grained Monzonite.</p> <p>284 epidote/feldspar banding 40° to CA with minor py. < @ 280.00 magneite veins 45° ></p> <p>284.00 290.00 Monzonite Breccia Gray Medium grain, Dark to light gray, hornblende with chlorite alteration Dark magnetite/chlorite and epidote seams 40 - 45° CA , minor disseminated magnetite and chalcopyrite.</p>						

From	To	Rocktype & Description	From	To	Sample	Width	Cu %	Au g/t
290.00	362.00	Hybrid Monzonite/Volcanics <i>Metasomatized volcanics ntermixed with Gray Medium Grained Monzonite,</i> <i>increasing k-spar with chalcopryrite down section.</i> <i>◁ @ 302.00 Actinolite with magnetite chalcopryrite ▷</i> <i>310 Minor chalcopryrite and bornite in epidote/feldspar seams 45° CA</i> <i>322 Slight increase in k-spar alteration</i> <i>330 Feldspar flooding, fractures have injection shards with minor pyrite and chalcopryrite.</i> <i>◀ 345.00- 351.00 Fault zone magnetite in fractures ▶</i> <i>362 Changing from dark grey monzonite to more orange k-spar</i> <i>◀ 360.00- 362.00 Syenite Dyke ▶ tan to orange fine grained.</i>						
362.00	385.00	Diorite <i>Medium grained, white matrix with dark hornblend and biotite. Short sections of magnetite/epidote.</i> <i>377 K-spar micro breccia</i>						
385.00	533.00	Monzonite / Diorite <i>Medium granined grey with dark biotite, k-spar alteraion with disseminated magnetite and occassional minor chalcopoyrite, semi brecciated texture.</i> <i>397 - 400 K-spar/epidote/magnetite seam 15° with minor chalcopryrite.</i> <i>417 Increase in light clay alteration, calcite veining 40° CA.</i> <i>◁ @ 422.00 Actinolite ▷ with hematite some chalcopryrite.</i> <i>◁ @ 487.70 5 cm qtz/cal vein pyrite ▷</i> <i>492 Feldspar alteraion 30° in dark monzonite, minor bornite, them cut by k-spar 90° CA.</i> <i>◀ 522.50- 523.50 Breccia ▶ Injection breccia with magnetite epidote.</i> <i>525 Diorite look with epidote and k-spar alteration.</i> <i>◁ @ 533.00 Fault, broken ▷</i>	448.00	450.00	19579	2.00	0.03	0.03
			450.00	453.00	19580	3.00	0.01	0.14
			453.00	456.00	19582	3.00	0.01	0.00
			456.00	458.20	19583	2.20	0.02	0.04
			458.20	461.20	19584	3.00	0.09	0.05
			461.20	463.30	19585	2.10	0.14	0.03
			463.30	466.30	19586	3.00	0.02	0.00
			466.30	469.00	19587	2.70	0.03	0.03
			469.00	472.00	19588	3.00	0.02	0.03
			472.00	475.00	19589	3.00	0.02	0.00
			475.00	478.00	19590	3.00	0.02	0.00
			478.00	479.80	19591	1.80	0.03	0.00
			479.80	481.50	19593	1.70	0.04	0.04
			481.50	484.50	19594	3.00	0.03	0.03
			484.50	485.60	19595	1.10	0.02	0.03
			485.60	487.60	19596	2.00	0.02	0.04
			487.60	488.10	19597	0.50	0.01	0.12
			488.10	491.00	19598	2.90	0.02	0.03
			491.00	494.20	19599	3.20	0.02	0.04
			494.20	497.50	19600	3.30	0.03	0.07

From	To	Rocktype & Description	From	To	Sample	Width	Cu %	Au g/t
			497.50	500.50	19601	3.00	0.08	0.05
			500.50	503.50	19602	3.00	0.06	0.05
			503.50	506.50	19603	3.00	0.06	0.03
			506.50	509.50	19605	3.00	0.05	0.04
			509.50	511.50	19606	2.00	0.08	0.05
			511.50	513.50	19607	2.00	0.09	0.05
			513.50	516.00	19609	2.50	0.06	0.03
			516.00	519.00	19610	3.00	0.06	0.03
			519.00	521.70	19611	2.70	0.03	0.04
			521.70	524.00	19612	2.30	0.05	0.03
			524.00	527.00	19614	3.00	0.01	0.00
			527.00	530.00	19615	3.00	0.01	0.00
			530.00	533.00	19616	3.00	0.01	0.00
536.50	536.50	EOH 536.5						