

GWR RESOURCES INC.

Lac La Hache Mt. Timothy Project

Hole: AZ07-14

Date: 2007/08/11

Northing: 5758827

Easting: 617367

Elevation: 1340

Area: Aurizon

Length: 332.4

Azimuth: 90°

Dip: -45°

Logged By: BGG

| Project: GWR | | | Hole Number: AZ07-14 | | | | | |
|---------------------|-----------|--|-----------------------------|-----------|---------------|--------------|-------------|---------------|
| From | To | Rocktype & Description | From | To | Sample | Width | Cu % | Au g/t |
| 0.00 | 3.50 | Casing | | | | | | |
| | | | 3.10 | 4.60 | 19619 | 1.50 | 0.02 | 0.00 |
| 3.50 | 68.00 | Hybrid Monzonite/Volcanics | 4.60 | 7.60 | 19620 | 3.00 | 0.02 | 0.00 |
| | | <i>Metasomatized volcanics ntermixed with Gray to Orange Medium Grained Monzonite.</i> | 7.60 | 10.70 | 19621 | 3.10 | 0.02 | 0.00 |
| | | <i>Intense calcite alteration, k-spar, blotches of epidote, limonite on fractures.</i> | 10.70 | 12.50 | 19622 | 1.80 | 0.02 | 0.00 |
| | | <i>Minor chalcopyrite.</i> | 12.50 | 13.90 | 19623 | 1.40 | 0.02 | 0.00 |
| | | <i>55 Bands of epidote/k-spar with some chalcopyrite.</i> | 13.90 | 16.80 | 19624 | 2.90 | 0.01 | 0.00 |
| | | | 16.80 | 18.80 | 19626 | 2.00 | 0.00 | 0.00 |
| | | | 18.80 | 21.00 | 19627 | 2.20 | 0.01 | 0.00 |
| | | | 21.00 | 23.00 | 19628 | 2.00 | 0.02 | 0.00 |
| | | | 23.00 | 25.00 | 19629 | 2.00 | 0.01 | 0.00 |
| | | | 25.00 | 27.00 | 19630 | 2.00 | 0.02 | 0.00 |
| | | | 27.00 | 29.00 | 19632 | 2.00 | 0.03 | 0.00 |
| | | | 29.00 | 32.00 | 19633 | 3.00 | 0.03 | 0.00 |
| | | | 32.00 | 35.00 | 19634 | 3.00 | 0.04 | 0.03 |
| | | | 35.00 | 38.00 | 19635 | 3.00 | 0.04 | 0.05 |
| | | | 38.00 | 41.00 | 19636 | 3.00 | 0.04 | 0.05 |
| | | | 41.00 | 44.00 | 19637 | 3.00 | 0.02 | 0.03 |
| | | | 44.00 | 47.00 | 19638 | 3.00 | 0.07 | 0.26 |
| | | | 47.00 | 50.00 | 19639 | 3.00 | 0.09 | 0.75 |
| | | | 50.00 | 53.00 | 19640 | 3.00 | 0.03 | 0.05 |
| | | | 53.00 | 56.00 | 19641 | 3.00 | 0.03 | 0.03 |
| | | | 56.00 | 59.00 | 19642 | 3.00 | 0.03 | 0.00 |
| | | | 59.00 | 62.00 | 19644 | 3.00 | 0.02 | 0.00 |
| | | | 62.00 | 65.00 | 19645 | 3.00 | 0.03 | 0.00 |
| | | | 65.00 | 68.00 | 19646 | 3.00 | 0.03 | 0.06 |
| 68.00 | 98.00 | Volcanic Extrusive | 68.00 | 71.00 | 19647 | 3.00 | 0.06 | 0.05 |
| | | <i>Medoium grained dark gray green with epidote, calcite, hematite alter'n. Has a</i> | 71.00 | 74.00 | 19648 | 3.00 | 0.02 | 0.03 |
| | | <i>meta volcanic texture</i> | 74.00 | 77.00 | 19649 | 3.00 | 0.06 | 0.05 |
| | | <i>90 Short section of volcanic/monzonite breccia.</i> | 77.00 | 80.00 | 19650 | 3.00 | 0.06 | 0.20 |
| | | | 80.00 | 83.00 | 19651 | 3.00 | 0.03 | 0.03 |
| | | | 83.00 | 86.00 | 19653 | 3.00 | 0.07 | 0.04 |

| From | To | Rocktype & Description | From | To | Sample | Width | Cu % | Au g/t |
|---------------|---------------|---|--------|--------|--------|-------|------|--------|
| | | | 86.00 | 89.00 | 19654 | 3.00 | 0.18 | 0.51 |
| | | | 89.00 | 92.00 | 19655 | 3.00 | 0.08 | 0.08 |
| | | | 92.00 | 95.00 | 19656 | 3.00 | 0.07 | 0.06 |
| | | | 95.00 | 96.50 | 19657 | 1.50 | 0.16 | 0.25 |
| | | | 96.50 | 98.50 | 19658 | 2.00 | 0.56 | 0.16 |
| 98.00 | 182.00 | Hybrid Monzonite/Volcanics | 98.50 | 100.50 | 19659 | 2.00 | 0.35 | 0.13 |
| | | <i>Metasomatized volcanics intermixed with Gray to Orange Medium Grained</i> | 100.50 | 102.50 | 19660 | 2.00 | 0.53 | 0.13 |
| | | <i>Monzonite. Dark chlorite/epidote bands 45° to CA with minor chalcopryrite.</i> | 102.50 | 105.50 | 19662 | 3.00 | 0.03 | 0.00 |
| | | <i>119 Epidote/chlorite bands with minor magnetite and chalcopryrite.</i> | 105.50 | 108.50 | 19663 | 3.00 | 0.07 | 0.03 |
| | | <i>< @ 134.00 Fault breccia ></i> | 108.50 | 111.50 | 19664 | 3.00 | 0.07 | 0.06 |
| | | <i>< @ 148.00 Fault breccia > with epidote, magnetite, chalcopryrite.</i> | 111.50 | 114.50 | 19665 | 3.00 | 0.05 | 0.04 |
| | | <i>174 Increase in hematite alteration, 30 cm calcite breccia vein with sharp mafic fragments and pyrite.</i> | 114.50 | 116.50 | 19666 | 2.00 | 0.06 | 0.06 |
| | | | 116.50 | 118.70 | 19667 | 2.20 | 0.05 | 0.05 |
| | | <i>175 Calcite/hematite alteration 20° CA</i> | 118.70 | 120.60 | 19668 | 1.90 | 0.06 | 0.00 |
| | | | 120.60 | 123.50 | 19669 | 2.90 | 0.08 | 0.03 |
| | | | 123.50 | 126.50 | 19670 | 3.00 | 0.10 | 0.04 |
| | | | 126.50 | 129.50 | 19671 | 3.00 | 0.07 | 0.21 |
| | | | 129.50 | 132.50 | 19673 | 3.00 | 0.08 | 0.08 |
| | | | 132.50 | 135.50 | 19674 | 3.00 | 0.02 | 0.06 |
| | | | 135.50 | 138.50 | 19675 | 3.00 | 0.07 | 0.06 |
| | | | 138.50 | 141.50 | 19676 | 3.00 | 0.04 | 0.05 |
| | | | 141.50 | 144.50 | 19677 | 3.00 | 0.03 | 0.04 |
| | | | 144.50 | 146.00 | 19678 | 1.50 | 0.03 | 0.07 |
| | | | 146.00 | 149.00 | 19679 | 3.00 | 0.31 | 0.10 |
| | | | 149.00 | 152.00 | 19680 | 3.00 | 0.34 | 0.08 |
| | | | 152.00 | 155.00 | 19682 | 3.00 | 0.42 | 0.14 |
| | | | 155.00 | 158.00 | 19683 | 3.00 | 0.08 | 0.04 |
| | | | 158.00 | 161.00 | 19684 | 3.00 | 0.01 | 0.00 |
| | | | 161.00 | 164.00 | 19685 | 3.00 | 0.06 | 0.04 |
| | | | 164.00 | 165.00 | 19686 | 1.00 | 0.06 | 0.03 |
| | | | 165.00 | 165.70 | 19687 | 0.70 | 0.04 | 0.00 |
| | | | 165.70 | 168.50 | 19689 | 2.80 | 0.11 | 0.06 |
| | | | 168.50 | 171.50 | 19690 | 3.00 | 0.09 | 0.04 |
| | | | 171.50 | 174.50 | 19691 | 3.00 | 0.02 | 0.07 |
| | | | 174.50 | 177.50 | 19692 | 3.00 | 0.05 | 0.03 |
| | | | 177.50 | 180.40 | 19693 | 2.90 | 0.08 | 0.03 |
| | | | 180.40 | 182.50 | 19694 | 2.10 | 0.02 | 0.04 |
| 182.00 | 187.00 | Monzonite Orange | 182.50 | 185.50 | 19695 | 3.00 | 0.04 | 0.04 |
| | | <i>Medium grain, orange/gray with feldspar alteration. Dark green hornblende with</i> | 185.50 | 186.70 | 19696 | 1.20 | 0.01 | 0.00 |

| From | To | Rocktype & Description | From | To | Sample | Width | Cu % | Au g/t |
|---------------|---------------|---|--------|--------|--------|-------|-------------|-------------|
| | | <i>chlorite alteration, disseminated magnetite.</i> | 186.70 | 189.50 | 19697 | 2.80 | 0.03 | 0.00 |
| 187.00 | 213.00 | Hybrid Monzonite/Volcanics | 189.50 | 192.50 | 19698 | 3.00 | 0.05 | 0.05 |
| | | <i>Metasomatized volcanics intermixed with Gray to Orange Medium Grained Monzonite.</i> | 192.50 | 195.50 | 19700 | 3.00 | 0.04 | 0.05 |
| | | <i>« 195.00- 202.00 Breccia Albite Alteration, 10° good cpy »</i> | 195.50 | 197.00 | 19701 | 1.50 | 0.25 | 0.00 |
| | | | 197.00 | 198.00 | 19702 | 1.00 | 0.75 | 0.14 |
| | | | 198.00 | 200.00 | 19703 | 2.00 | 0.06 | 0.06 |
| | | | 200.00 | 202.50 | 19704 | 2.50 | 0.08 | 0.06 |
| | | | 202.50 | 205.50 | 19705 | 3.00 | 0.01 | 0.00 |
| | | | 205.50 | 208.50 | 19706 | 3.00 | 0.01 | 0.00 |
| | | | 208.50 | 211.50 | 19707 | 3.00 | 0.02 | 0.00 |
| | | | 211.50 | 212.60 | 19708 | 1.10 | 0.15 | 0.06 |
| | | | 212.60 | 213.50 | 19709 | 0.90 | 0.03 | 0.00 |
| 213.00 | 242.00 | Monzonite Dyke | 213.50 | 216.50 | 19711 | 3.00 | 0.00 | 0.00 |
| | | <i>Tan green fine grained with hornblende laths and coarse white vesicules.</i> | 216.50 | 219.50 | 19712 | 3.00 | 0.00 | 0.00 |
| | | | 219.50 | 222.50 | 19713 | 3.00 | 0.00 | 0.00 |
| | | | 222.50 | 225.50 | 19714 | 3.00 | 0.00 | 0.00 |
| | | | 225.50 | 228.50 | 19715 | 3.00 | 0.00 | 0.00 |
| | | | 228.50 | 231.50 | 19716 | 3.00 | 0.00 | 0.00 |
| | | | 231.50 | 234.50 | 19717 | 3.00 | 0.00 | 0.00 |
| | | | 234.50 | 237.50 | 19718 | 3.00 | 0.00 | 0.00 |
| | | | 237.50 | 240.10 | 19719 | 2.60 | 0.00 | 0.00 |
| | | | 240.10 | 241.80 | 19720 | 1.70 | 0.01 | 0.05 |
| | | | 241.80 | 243.00 | 19721 | 1.20 | 0.51 | 0.50 |
| 242.00 | 291.00 | Monzonite Gray | 243.00 | 245.50 | 19722 | 2.50 | 0.60 | 0.22 |
| | | <i>Medium grain, Dark to light gray, hornblende with chlorite alteration</i> | 245.50 | 248.50 | 19724 | 3.00 | 0.15 | 0.04 |
| | | <i>Feldsparphyritic in places. Contact with dyke has 2m of coarse veinlets of</i> | 248.50 | 251.50 | 19725 | 3.00 | 0.04 | 0.00 |
| | | <i>chalcopryite with hematite and dark chlorite. Non magnetic.</i> | 251.50 | 253.50 | 19726 | 2.00 | 0.03 | 0.04 |
| | | <i>Some dark hematite, quartz breccia veinlets with pyrite chalcopryite</i> | 253.50 | 256.50 | 19727 | 3.00 | 0.00 | 0.00 |
| | | <i>15 - 30°</i> | | | | | | |
| | | <i>to CA. Some metasomosing texture with chlorite, sericite.</i> | 256.50 | 259.50 | 19728 | 3.00 | 0.00 | 0.00 |
| | | <i>253 Some hematite, pyrite and minor chalcopryite.</i> | 259.50 | 262.00 | 19729 | 2.50 | 0.00 | 0.00 |
| | | <i>« 255.00- 260.00 Fault zone »</i> | 262.00 | 262.50 | 19730 | 0.50 | 0.39 | 0.17 |
| | | <i>« @ 263.00 Quartz vein » 5 cm pyrite chalcopryite</i> | 262.50 | 265.00 | 19731 | 2.50 | 0.01 | 0.00 |
| | | <i>265 Coarse light tan band with feldspar laths some 3 cm</i> | 265.00 | 268.00 | 19732 | 3.00 | 0.01 | 0.00 |
| | | <i>accidentals, non</i> | | | | | | |
| | | <i>magnetic 90° to CA.</i> | 268.00 | 271.00 | 19733 | 3.00 | 0.03 | 0.00 |
| | | <i>« 286.00- 288.00 Breccia Coarse cpy » Magnetite hematite,</i> | 271.00 | 274.00 | 19735 | 3.00 | 0.01 | 0.00 |
| | | <i>non magnetic.</i> | | | | | | |
| | | <i>« @ 290.00 Fault zone »</i> | 274.00 | 277.00 | 19736 | 3.00 | 0.02 | 0.00 |

| From | To | Rocktype & Description | From | To | Sample | Width | Cu % | Au g/t |
|---------------|---------------|--|--------|--------|--------|-------|------|--------|
| | | | 277.00 | 280.00 | 19737 | 3.00 | 0.00 | 0.00 |
| | | | 280.00 | 283.00 | 19738 | 3.00 | 0.01 | 0.00 |
| | | | 283.00 | 286.00 | 19739 | 3.00 | 0.04 | 0.03 |
| | | | 286.00 | 287.20 | 19740 | 1.20 | 0.02 | 0.00 |
| | | | 287.20 | 288.90 | 19741 | 1.70 | 0.45 | 0.43 |
| | | | 288.90 | 291.80 | 19743 | 2.90 | 0.05 | 0.10 |
| 291.00 | 321.00 | Hybrid Monzonite/Volcanics | 291.80 | 292.60 | 19744 | 0.80 | 0.09 | 0.08 |
| | | <i>Metasomatized volcanics intermixed with Gray to Orange Medium Grained</i> | 292.60 | 293.90 | 19745 | 1.30 | 0.12 | 0.08 |
| | | <i>Monzonite. Some shallow angle epidote veinlets with minor chalcopyrite 15 - 60°</i> | 293.90 | 297.50 | 19746 | 3.60 | 0.03 | 0.00 |
| | | <i>to CA, and epidote blotching.</i> | 297.50 | 300.50 | 19747 | 3.00 | 0.06 | 0.03 |
| | | | 300.50 | 303.50 | 19748 | 3.00 | 0.08 | 0.06 |
| | | | 303.50 | 306.50 | 19749 | 3.00 | 0.02 | 0.00 |
| | | | 306.50 | 309.50 | 19750 | 3.00 | 0.01 | 0.00 |
| | | | 309.50 | 312.50 | 19751 | 3.00 | 0.00 | 0.00 |
| | | | 312.50 | 315.50 | 19752 | 3.00 | 0.02 | 0.00 |
| | | | 315.50 | 318.50 | 19753 | 3.00 | 0.12 | 0.08 |
| | | | 318.50 | 321.50 | 19754 | 3.00 | 0.11 | 0.07 |
| 321.00 | 332.40 | Volcanic Extrusive | 321.50 | 323.50 | 19755 | 2.00 | 0.16 | 0.06 |
| | | <i>Epidote veining 15 - 60° and blotches, moderate magnetic susceptibility</i> | 323.50 | 326.50 | 19756 | 3.00 | 0.02 | 0.00 |
| | | | 326.50 | 329.50 | 19757 | 3.00 | 0.18 | 0.08 |
| | | | 329.50 | 332.20 | 19758 | 2.70 | 0.03 | 0.00 |
| 332.40 | 332.40 | EOH 332.4 | | | | | | |