

GWR RESOURCES INC.

Diamond Drill Log

Lac La Hache Mt. Timothy Project

Hole: AZ07-19

Field Log:2007/07/02

Northing: 5758033

Easting: 617963

Elevation:1337 m

Area:Aurizon

Length: 514.1 m

Azimuth:290.0°

Dip:-60.00°

Logged By:BGG

Project: LAC LA HACHE			Hole Number: AZ07-19					
From	To	Rocktype & Description	From	To	Sample	Width	Cu %	Au g/t
0.00	18.30	Casing						
18.30	68.90	Monzonite Hydrothermal Breccia	18.30	20.30	E199201	2.00	0.13	0.12
		<i>Fine grained grey to pinkish grey, hydrothermally brecciated, equigranular,</i>	20.30	22.30	E199202	2.00	0.20	0.16
		<i>monzonite. Mainly crackel breccia with minor amounts of magnetite but massive</i>	22.30	24.30	E199203	2.00	0.17	0.29
		<i>magnetite clots become common towards base of unit.</i>	24.30	26.30	E199204	2.00	0.15	0.14
		<i>Monzonite moderately</i>	26.30	28.30	E199205	2.00	0.14	0.09
		<i>potassically altered throughout. Occasional thin zones of nonbrecciated</i>	28.30	30.30	E199206	2.00	0.14	0.17
		<i>monzonite (dykes).</i>	30.30	32.30	E199207	2.00	0.09	0.17
		<i>Trace to 0.1% native copper as disseminations and as minor veinlet fillings.</i>	32.30	34.30	E199208	2.00	0.04	0.05
		<i>« Fault zone » Crush zone with fractures 30 -45° to CA with pyrite and calcite.</i>	34.30	36.30	E199209	2.00	0.10	0.31
		<i>Possibly a fault contact with underlaying unit.</i>	36.30	38.30	E199210	2.00	0.05	0.12
			38.30	40.30	E199211	2.00	0.06	0.07
			40.30	42.30	E199212	2.00	0.06	0.04
			42.30	44.30	E199213	2.00	0.10	0.09
			44.30	46.30	E199214	2.00	0.17	0.25
			46.30	48.30	E199215	2.00	0.12	0.15
			48.30	50.30	E199216	2.00	0.14	0.26
			50.30	52.30	E199217	2.00	0.08	0.18
			52.30	54.30	E199218	2.00	0.18	0.36
			54.30	56.30	E199219	2.00	0.10	0.20
			56.30	58.30	E199220	2.00	0.26	0.26
			58.30	60.30	E199221	2.00	0.03	0.04
			60.30	62.30	E199222	2.00	0.02	0.00
			62.30	64.30	E199223	2.00	0.02	0.03
			64.30	66.30	E199224	2.00	0.02	0.03
			66.30	68.30	E199225	2.00	0.03	0.41
			68.30	70.30	E199226	2.00	0.03	0.20
68.90	147.60	Monzonite Orange	70.30	73.30	E199227	3.00	0.02	0.00
		<i>Fine grain, orange/gray with feldspar alteration. Dark green hornblende with</i>	73.30	76.30	E199229	3.00	0.03	0.03
		<i>chlorite alteration. Equigranular pint to grey with feldspar laths 1-2mm long</i>	76.30	79.30	E199230	3.00	0.02	0.00
		<i>in hypidiomorphic granular monzonite. Variably potassium feldspar altered.</i>	79.30	82.30	E199232	3.00	0.01	0.00
2008/06/19							Page	1

From	To	Rocktype & Description	From	To	Sample	Width	Cu %	Au g/t
		<i>Generally weakly magnetic.</i>	82.30	85.30	E199233	3.00	0.01	0.00
		<i>106.9 - 117.4: weak to moderate epidote -magnetite alteration of weakly brecciated monzonite. Veining general is at a shallow angle to the core axis.</i>	85.30	88.30	E199234	3.00	0.02	0.00
		<i>Monzonite becoming crackle brecciated towards the base of the unit.</i>	88.30	91.30	E199235	3.00	0.01	0.03
			91.30	94.30	E199237	3.00	0.00	0.00
			94.30	97.30	E199238	3.00	0.00	0.00
			97.30	100.30	E199239	3.00	0.00	0.00
			100.30	103.30	E199240	3.00	0.00	0.00
			103.30	106.30	E199241	3.00	0.02	0.06
			106.30	109.30	E199242	3.00	0.01	0.00
			109.30	112.30	E199243	3.00	0.01	0.07
			112.30	115.30	E199244	3.00	0.01	0.04
			115.30	118.30	E199245	3.00	0.00	0.00
			118.30	121.30	E199246	3.00	0.00	0.03
			121.30	124.30	E199247	3.00	0.01	0.03
			124.30	127.30	E199249	3.00	0.01	0.00
			127.30	130.30	E199250	3.00	0.02	0.03
			130.30	133.30	E199251	3.00	0.00	0.00
			133.30	136.30	E199252	3.00	0.03	0.05
			136.30	139.30	E199253	3.00	0.01	0.03
			139.30	142.30	E199254	3.00	0.01	0.04
			142.30	145.30	E199255	3.00	0.01	0.04
			145.30	148.30	E199256	3.00	0.02	0.03
147.60	203.90	Monzonite Hydrothermal Breccia	148.30	150.30	E199257	2.00	0.01	0.00
		<i>Hydrothermally brecciated monzonite, varying from crackle breccia to framework supported and matrix supported. Moderate to good development of magnetite as blotches and veinlets commonly with epidote. Monzonite is moderately to intensely potassically altered. There appears to be two texturally distinct monzonite types (where primary textures are apparent);</i>	150.30	152.30	E199258	2.00	0.01	0.00
		<i>i) fine grained equigranular hornblende monzonite;</i>	152.30	154.30	E199259	2.00	0.01	0.00
		<i>ii) feldsparphyric monzonite with feldspar laths 1-2mm in length.</i>	154.30	156.30	E199260	2.00	0.01	0.04
		<i>Breccia flooded in places by a white mineral, possibly albite, and cut by epidote-magnetite veins. Base of unit crushed and broken - possibly fault contact with lower unit.</i>	156.30	158.30	E199262	2.00	0.03	0.00
		<i>Sparse chalcopyrite throughout, unevenly distributed, generally <0.1%.</i>	158.30	160.30	E199263	2.00	0.03	0.04
			160.30	162.30	E199264	2.00	0.02	0.12
			162.30	164.30	E199265	2.00	0.02	0.03
			164.30	166.30	E199266	2.00	0.03	0.03
			166.30	168.30	E199268	2.00	0.02	0.03
			168.30	170.30	E199269	2.00	0.02	0.03
			170.30	172.30	E199270	2.00	0.08	0.06
			172.30	174.30	E199271	2.00	0.06	0.05
			174.30	176.30	E199272	2.00	0.07	0.07
			176.30	178.30	E199273	2.00	0.07	0.08
			178.30	180.30	E199274	2.00	0.03	0.04
			180.30	182.30	E199275	2.00	0.02	0.00

From	To	Rocktype & Description	From	To	Sample	Width	Cu %	Au g/t
			182.30	184.30	E199276	2.00	0.04	0.00
			184.30	186.30	E199277	2.00	0.02	0.06
			186.30	188.30	E199278	2.00	0.02	0.04
			188.30	190.30	E199279	2.00	0.06	0.06
			190.30	192.30	E199280	2.00	0.07	0.08
			192.30	194.30	E199281	2.00	0.08	0.08
			194.30	196.30	E199282	2.00	0.05	0.19
			196.30	198.30	E199283	2.00	0.04	0.05
			198.30	200.30	E199284	2.00	0.03	0.04
			200.30	202.30	E199285	2.00	0.07	0.09
203.90	211.80	Dacite dyke						
		<i>Fine grained, medium grey, equigranular with calcite filled amygdules.</i>	202.30	204.30	E199287	2.00	0.09	0.84
		<i>Probably a Tertiary dyke that was emplaced along a fault.</i>						
		<i>« Fault zone » crushed and broken monzonite - fault breccia and gouge with pyrite euhedra.</i>						
211.80	514.10	Monzonite Gray	211.90	213.90	E199288	2.00	0.05	1.11
		<i>Medium grain, Dark to light gray, hornblende with chlorite alteration.</i>	213.90	215.90	E199289	2.00	0.10	0.24
		<i>Occasional narrow zones of hydrothermal breccia. Epidote spots and veinlets</i>	215.90	217.90	E199290	2.00	0.14	0.26
		<i>throughout and epidote alteration of feldspar. Altered pyroexenephyric basalt</i>	217.90	219.90	E199291	2.00	0.11	0.31
		<i>fragments (in which pyroxene phenocrysts altered to zeolite or albite?) as</i>	219.90	221.90	E199293	2.00	0.17	0.33
		<i>accidental xenoliths but increasing downhole. Trace chalcopryrite within</i>	221.90	223.90	E199294	2.00	0.27	0.39
		<i>epidote veins.</i>	223.90	225.90	E199295	2.00	0.35	0.79
		<i>243.9m Semimassive 10cm wide chalcopryrite vein 60° to CA.</i>	225.90	227.90	E199296	2.00	0.71	1.74
		<i>Variably magnetic throughout. Minor pyrite veining.</i>	227.90	229.90	E199297	2.00	0.31	0.48
		<i>« 351.80- 356.00 Breccia » Sharp angles with coarse chalcopryrite and</i>	229.90	231.90	E199298	2.00	0.27	0.25
		<i>strong epidote 20 - 30° to CA.</i>	231.90	233.90	E199299	2.00	0.21	0.33
			233.90	235.90	E199300	2.00	0.10	0.40
			235.90	237.90	E199301	2.00	0.02	0.11
			237.90	239.90	E199302	2.00	0.00	0.00
			239.90	241.90	E199303	2.00	0.06	0.13
			241.90	243.90	E199304	2.00	0.51	3.30
			243.90	245.90	E199305	2.00	0.04	0.11
			245.90	247.90	E199306	2.00	0.07	0.13
			247.90	249.90	E199308	2.00	0.10	0.19
			249.90	251.90	E199309	2.00	0.11	0.15
			251.90	253.90	E199310	2.00	0.11	0.22
			253.90	255.90	E199311	2.00	0.12	0.52
			255.90	257.90	E199312	2.00	0.18	0.21
			257.90	259.90	E199313	2.00	0.25	0.51

From	To	Rocktype & Description	From	To	Sample	Width	Cu %	Au g/t
			259.90	261.90	E199314	2.00	0.37	1.07
			261.90	263.90	E199315	2.00	0.06	0.24
			263.90	265.90	E199316	2.00	0.14	0.48
			265.90	267.90	E199317	2.00	0.35	0.49
			267.90	269.90	E199318	2.00	0.06	0.20
			269.90	271.90	E199320	2.00	0.04	0.14
			271.90	273.90	E199321	2.00	0.04	0.29
			273.90	275.90	E199322	2.00	0.01	0.12
			275.90	277.90	E199323	2.00	0.00	0.39
			277.90	279.90	E199324	2.00	0.03	0.24
			279.90	281.90	E199325	2.00	0.02	0.08
			281.90	283.90	E199326	2.00	0.07	0.19
			283.90	285.90	E199327	2.00	0.08	2.40
			285.90	287.90	E199328	2.00	0.03	0.11
			287.90	289.90	E199329	2.00	0.03	0.07
			289.90	291.90	E199330	2.00	0.01	0.08
			291.90	293.90	E199331	2.00	0.04	0.58
			293.90	295.90	E199332	2.00	0.04	0.07
			295.90	297.90	E199333	2.00	0.06	0.09
			297.90	299.90	E199334	2.00	0.01	0.03
			299.90	301.90	E199335	2.00	0.00	0.03
			301.90	303.90	E199336	2.00	0.00	0.00
			303.90	305.90	E199337	2.00	0.00	0.18
			305.90	307.90	E199338	2.00	0.02	0.14
			307.90	309.90	E199340	2.00	0.00	0.00
			309.90	311.90	E199341	2.00	0.01	0.06
			311.90	313.90	E199342	2.00	0.00	0.04
			313.90	315.90	E199343	2.00	0.00	0.11
			315.90	317.90	E199344	2.00	0.00	0.06
			317.90	319.90	E199345	2.00	0.00	0.00
			319.90	321.90	E199346	2.00	0.00	0.05
			321.90	323.90	E199347	2.00	0.01	0.09
			323.90	325.90	E199348	2.00	0.01	0.00
			325.90	327.90	E199349	2.00	0.01	0.03
			327.90	329.90	E199350	2.00	0.00	0.00
			329.90	331.90	E199351	2.00	0.00	0.07
			331.90	333.90	E199352	2.00	0.12	0.43
			333.90	335.90	E199353	2.00	0.00	0.07
			335.90	337.90	E199354	2.00	0.00	0.09
			337.90	339.90	E199355	2.00	0.01	0.14
			339.90	341.90	E199356	2.00	0.00	0.04
			341.90	343.90	E199358	2.00	0.00	0.00
			343.90	345.90	E199359	2.00	0.00	0.00
			345.90	347.90	E199361	2.00	0.00	0.00
			347.90	349.90	E199362	2.00	0.00	0.00
			349.90	351.90	E199363	2.00	0.15	0.07
			351.90	353.90	E199364	2.00	0.05	0.07
			353.90	355.90	E199365	2.00	0.70	0.76

From	To	Rocktype & Description	From	To	Sample	Width	Cu %	Au g/t
			355.90	357.90	E199366	2.00	0.01	0.03
			357.90	359.90	E199367	2.00	0.02	0.03
			359.90	361.90	E199369	2.00	0.00	0.04
			361.90	363.90	E199370	2.00	0.01	0.00
			363.90	365.90	E199371	2.00	0.00	0.00
			365.90	367.90	E199372	2.00	0.01	0.00
			367.90	369.90	E199373	2.00	0.02	0.05
			369.90	371.90	E199374	2.00	0.01	0.00
			371.90	373.90	E199375	2.00	0.01	0.00
			373.90	375.90	E199376	2.00	0.01	0.03
			375.90	377.90	E199377	2.00	0.00	0.03
			377.90	379.90	E199378	2.00	0.00	0.00
			379.90	381.90	E199379	2.00	0.08	0.08
			381.90	383.90	E199380	2.00	0.15	0.15
			383.90	385.90	E199381	2.00	0.05	0.17
			385.90	387.90	E199382	2.00	0.04	0.08
			387.90	389.90	E199383	2.00	0.17	0.11
			389.90	391.90	E199384	2.00	0.15	0.15
			391.90	393.90	E199385	2.00	0.13	0.10
			393.90	395.90	E199386	2.00	0.07	0.07
			395.90	397.90	E199387	2.00	0.02	0.03
			397.90	399.90	E199389	2.00	0.01	0.05
			399.90	401.90	E199390	2.00	0.01	0.00
			401.90	403.90	E199391	2.00	0.05	0.03
			403.90	405.90	E199392	2.00	0.08	0.08
			405.90	407.90	E199393	2.00	0.01	0.07
			407.90	409.90	E199394	2.00	0.01	0.00
			409.90	411.90	E199395	2.00	0.22	0.19
			411.90	413.90	E199396	2.00	0.02	0.00
			413.90	415.90	E199397	2.00	0.08	0.00
			415.90	417.90	E199398	2.00	0.02	0.03
			417.90	419.90	E199399	2.00	0.01	0.04
			419.90	421.90	E199401	2.00	0.02	0.04
			421.90	423.90	E199402	2.00	0.02	0.00
514.10	514.10	EOH 514.1						