

GWR RESOURCES INC.

Diamond Drill Log

Lac La Hache Mt. Timothy Project

Hole: AZ07-35

Field Log:2007/09/10

Northing: 5758101

Easting: 617961

Elevation:1358 m

Area:Aurizon

Length: 292.0 m

Azimuth:220.0°

Dip: -60.00°

Logged By:BGG

Project: LAC LA HACHE				Hole Number: AZ07-35				
From	To	Rocktype & Description	From	To	Sample	Width	Cu %	Au g/t
0.00	12.00	Casing						
12.00	43.20	Polyolithic Felsic Tuff Breccia	12.00	14.00	206251	2.00	0.04	0.03
		<i>Polyolithic fragments of feldspars varying from fine grain to white speckled</i>	14.00	16.00	206252	2.00	0.04	0.07
		<i>feldspars and feldsparphyritic with some mafics. Medium grained, mottled orange</i>	16.00	18.00	206253	2.00	0.07	0.00
		<i>gray green to brownish with some k-spar and epidote.</i>	18.00	20.00	206254	2.00	0.03	0.00
		<i>Metasomatized volcanics intermixed with Dark Gray to Green Medium Grained</i>	20.00	22.00	206255	2.00	0.06	0.00
		<i>Monzonite, with strong chl/cal/hem alteration in criss cross texture, weak NC</i>	22.00	24.00	206256	2.00	0.03	0.04
		<i>throughout.</i>	24.00	26.00	206257	2.00	0.02	0.00
		« 13.50- 16.00 Fault zone » <i>chlorite gouge, brecciation</i>	26.00	28.00	206258	2.00	0.02	0.03
		<i>Hybrid monzonite contains original k-spar epidote zones which give a possible</i>	28.00	30.00	206259	2.00	0.03	0.00
		<i>breccia appearance; weak to mod magnetic susceptibility.</i>	30.00	32.00	206261	2.00	0.04	0.00
		« @ 24.00 20 cm Fault gouge »	32.00	34.00	206262	2.00	0.03	0.00
		« @ 27.30 Fault gouge 40° »	34.00	36.00	206263	2.00	0.03	0.00
		<i>32 - 42.7 Some brecciation increase in k-spar, epidote and albitization,</i>	36.00	38.00	206264	2.00	0.02	0.00
		<i>hematite/chlorite with talcous alteration, broken.</i>	38.00	40.00	206265	2.00	0.02	0.00
		« 37.00- 38.00 Fault zone » <i>NC in red hematite fault gouge.</i>	40.00	42.00	206266	2.00	0.05	0.06
			42.00	44.00	206267	2.00	0.03	0.91
		« 39.80- 40.00 Fault zone » <i>NC in red hematite fault gouge.</i>						
43.20	98.00	Monzonite Orange	44.00	46.00	206268	2.00	0.05	0.08
		<i>Medium grain, orange/gray with feldspar alteration. Dark green hornblende with</i>	46.00	48.00	206269	2.00	0.09	0.12
		<i>chlorite alteration, feldsparphyritic laths in sections. Sheared contact, non</i>	48.00	50.00	206270	2.00	0.02	0.00
		<i>magnetic.</i>	50.00	52.00	206271	2.00	0.02	0.00
		« 43.50- 46.20 Fault zone <i>NC in red hematite gouge</i> »	52.00	54.00	206273	2.00	0.00	0.03
		<i>46 lost core</i>	54.00	56.00	206274	2.00	0.00	0.03
		« 46.20- 50.00 <i>Mafic Dyke</i> » <i>Clinopyroxene medium grain speckled green.</i>	56.00	58.00	206275	2.00	0.00	0.00
			58.00	60.00	206276	2.00	0.00	0.00
		« 58.70- 61.90 <i>Andesite-dyke</i> » <i>or xenolith with alteration rims.</i>	60.00	62.00	206277	2.00	0.01	0.03
		<i>Monzonite shows sections of albitization and has minor pyrite with weak</i>	62.00	64.00	206278	2.00	0.00	0.03
		<i>chalcopyrite. Small accidentals. A few thin seams of</i>	64.00	66.00	206279	2.00	0.01	0.05

From	To	Rocktype & Description	From	To	Sample	Width	Cu %	Au g/t
		<i>magnetite/chalcopyrite 30° to CA.</i>	66.00	68.00	206280	2.00	0.02	0.05
			68.00	70.00	206281	2.00	0.04	0.03
			70.00	72.00	206282	2.00	0.03	0.06
			72.00	74.00	206283	2.00	0.00	0.04
			74.00	76.00	206285	2.00	0.02	0.05
			76.00	78.00	206286	2.00	0.00	0.00
			78.00	80.00	206287	2.00	0.00	0.00
			80.00	82.00	206288	2.00	0.03	0.03
			82.00	84.00	206289	2.00	0.00	0.00
			84.00	86.00	206290	2.00	0.00	0.00
			86.00	88.00	206291	2.00	0.00	0.00
			88.00	90.00	206292	2.00	0.00	0.00
			90.00	92.00	206293	2.00	0.00	0.03
			92.00	94.00	206294	2.00	0.00	0.11
			94.00	96.00	206296	2.00	0.00	0.00
			96.00	98.00	206297	2.00	0.00	0.05
		98.00 270.00 Hydrothermal Breccia	98.00	100.00	206298	2.00	0.00	0.10
		<i>Hydrothermally brecciated monzonite, varying from crackle breccia to framework supported and matrix supported. Moderate to good development of magnetite as blotches and veinlets with epidote and albitization. Core has a dark magnetite/hematite blush with smaller fragments to 153m where larger increase. Increase in k-spar.</i>	100.00	102.00	206299	2.00	0.04	0.04
		<i>99 Good magnetite component but low sulphide, minor chalcopyrite and NC. NC is with hematite alteration and chalcopyrite with the epidote.</i>	102.00	104.00	206300	2.00	0.00	0.05
		<i>118 Strong magnetite with epidote, dark chlorite and chalcopyrite</i>	104.00	106.00	206301	2.00	0.00	0.00
		<i>119.2 3cm magneite/epidote vein 30°, no mineral.</i>	106.00	108.00	206302	2.00	0.00	0.04
		<i>« 125.00- 130.00 Bn »</i>	108.00	110.00	206303	2.00	0.05	0.28
		<i>120 Increase in fine grain chalcopyrite and bornite.</i>	110.00	112.00	206304	2.00	0.00	0.06
		<i>131.2 Fine grain bornite</i>	112.00	114.00	206305	2.00	0.00	0.04
		<i>134 Fine grain chalcopyrite/bornite, like dust.</i>	114.00	116.00	206306	2.00	0.03	0.05
		<i>« 142.90- 147.80 Albitization, minor NC » dark chlorite/epidote some pyrite and chalcopyrite</i>	116.00	118.00	206307	2.00	0.03	0.11
		<i>153 Increase in k-spar becomes more of a monzonite breccia with less magnetite.</i>	118.00	120.00	206309	2.00	0.20	0.62
		<i>Variable magnetite content with dark chlorite, epidote albite and fine grained chalcopyrite and bornite.</i>	120.00	122.00	206310	2.00	0.13	0.32
		<i>« @ 185.80 Qtz vein 50° »</i>	122.00	124.00	206311	2.00	0.30	1.45
		<i>186 - 188 1mm veinlets of manetite, with good chalcopyrite and bornite 30° to</i>	124.00	126.00	206312	2.00	0.14	0.72
			126.00	128.00	206313	2.00	0.19	0.40
			128.00	130.00	206314	2.00	0.07	0.15
			130.00	132.00	206315	2.00	0.07	0.15
			132.00	134.00	206316	2.00	0.08	0.13
			134.00	136.00	206317	2.00	0.14	0.15
			136.00	138.00	206318	2.00	0.04	0.11
			138.00	140.00	206319	2.00	0.15	0.20
			140.00	142.00	206321	2.00	0.23	0.54

From	To	Rocktype & Description	From	To	Sample	Width	Cu %	Au g/t
CA.			142.00	144.00	206322	2.00	0.08	0.41
« 185.00- 188.00 Bn »			144.00	146.00	206323	2.00	0.09	0.18
« 193.00- 195.00 Bn »			146.00	148.00	206324	2.00	0.09	0.20
« 200.00- 205.00 Bn »			148.00	150.00	206325	2.00	0.09	0.23
193 1cm magnetite veinlet with bornite 45°			150.00	152.00	206326	2.00	0.14	0.20
193 - 197 Good fine grained bornite, low epidote, strong to mod magnetite			152.00	154.00	206327	2.00	0.17	0.30
with variable mineralization to 228			154.00	156.00	206328	2.00	0.07	0.06
« 210.00- 215.00 Bn »			156.00	158.00	206329	2.00	0.04	0.03
228 Becomes coarse mottled hybrid breccia with chalcopyrite and bornite.			158.00	160.00	206330	2.00	0.08	0.08
« 234.00- 239.60 Fault zone » with sections of gouge.			160.00	162.00	206331	2.00	0.14	0.33
« 239.60- 247.70 Andesite-dyke » Fine grain grey/green weakly magnetic.			162.00	164.00	206333	2.00	0.03	0.07
« 247.70- 248.70 Fault zone »			164.00	166.00	206334	2.00	0.06	0.09
Increasing hematite/calcite alteration to 270m			166.00	168.00	206335	2.00	0.09	0.15
268.5 - 270 Intense chlorite/calcite some fine grain pyrite and gouge.			168.00	170.00	206336	2.00	0.03	0.03
			170.00	172.00	206337	2.00	0.19	0.52
			172.00	174.00	206338	2.00	0.04	0.04
			174.00	176.00	206339	2.00	0.07	0.29
			176.00	178.00	206340	2.00	0.04	0.05
			178.00	180.00	206341	2.00	0.02	0.04
			180.00	182.00	206342	2.00	0.05	0.06
			182.00	184.00	206344	2.00	0.05	0.06
			184.00	186.00	206345	2.00	0.09	0.12
			186.00	188.00	206346	2.00	0.45	0.58
			188.00	190.00	206347	2.00	0.25	0.34
			190.00	192.00	206348	2.00	0.16	0.19
			192.00	194.00	206349	2.00	0.19	0.18
			194.00	196.00	206350	2.00	0.31	0.40
			196.00	198.00	206351	2.00	0.19	0.23
			198.00	200.00	206352	2.00	0.09	0.09
			200.00	202.00	206353	2.00	0.16	0.16
			202.00	204.00	206354	2.00	0.13	0.12
			204.00	206.00	206355	2.00	0.08	0.07
			206.00	208.00	206356	2.00	0.14	0.14
			208.00	210.00	206358	2.00	0.24	0.19
			210.00	212.00	206359	2.00	0.10	0.09
			212.00	214.00	206360	2.00	0.17	0.22
			214.00	216.00	206361	2.00	0.10	0.22
			216.00	218.00	206362	2.00	0.13	0.14
			218.00	220.00	206363	2.00	0.11	0.16
			220.00	222.00	206364	2.00	0.25	0.28
			222.00	224.00	206366	2.00	0.12	0.11
			224.00	226.00	206367	2.00	0.20	0.26
			226.00	228.00	206368	2.00	0.14	0.15
			228.00	230.00	206369	2.00	0.06	0.10

From	To	Rocktype & Description	From	To	Sample	Width	Cu %	Au g/t
			230.00	232.00	206370	2.00	0.14	0.20
			232.00	234.00	206371	2.00	0.10	0.11
			234.00	236.00	206372	2.00	0.26	0.18
			236.00	238.00	206373	2.00	0.13	0.26
			238.00	240.00	206374	2.00	0.03	0.05
			240.00	242.00	206375	2.00	0.00	0.00
			242.00	244.00	206376	2.00	0.00	0.00
			244.00	246.00	206377	2.00	0.00	0.00
			246.00	248.00	206378	2.00	0.06	0.12
			248.00	250.00	206379	2.00	0.14	0.18
			250.00	252.00	206381	2.00	0.05	0.03
			252.00	254.00	206382	2.00	0.16	0.35
			254.00	256.00	206383	2.00	0.09	0.15
			256.00	258.00	206384	2.00	0.22	0.40
			258.00	260.00	206385	2.00	0.10	0.20
			260.00	262.00	206386	2.00	0.16	0.19
			262.00	264.00	206387	2.00	0.11	0.14
			264.00	266.00	206388	2.00	0.19	0.22
			266.00	268.00	206389	2.00	0.13	0.12
			268.00	270.00	206390	2.00	0.01	0.18
270.00	292.00	Monzonite Orange	270.00	272.00	206391	2.00	0.07	7.30
		<i>Medium grain, orange/gray with feldspar alteration. Dark green hornblende with chlorite alteration, strong calcite/chlorite/hematite alteration with minor pyrite.</i>	272.00	274.00	206393	2.00	0.06	0.09
		« 276.00- 277.40 Fault Breccia »						
		« 281.60- 284.90 Andesite-dyke » <i>Fine grain tan green weakly magnetic.</i>						
		<i>Core broken and sheared to 292 with chlorite/hematite alteration.</i>						
292.00	292.00	EOH 292.0						