

GWR RESOURCES INC.

Diamond Drill Log

Lac La Hache Mt. Timothy Project

Hole: AZ07-38

Field Log:2007/09/28

Northing: 5758241

Easting: 617763

Elevation:1372 m

Area:Aurizon

Length: 451.1 m

Azimuth:220.0°

Dip: -60.00°

Logged By:BGG

Project: LAC LA HACHE				Hole Number: AZ07-38					
From	To	Rocktype	& Description	From	To	Sample	Width	Cu %	Au g/t
0.00	8.10	Casing		8.00	10.00	206801	2.00	0.11	0.11
8.10	18.00	Hybrid Monzonite/Volcanics		10.00	12.00	206802	2.00	0.11	0.11
			<i>Metasomatized volcanics intermixed with Gray to Orange Medium Grained</i>	12.00	14.00	206803	2.00	0.10	0.20
			<i>Monzonite, stong epidote hematite alteration, dark and light chlorite, calcite</i>	14.00	16.00	206804	2.00	0.04	0.10
			<i>seams 5 - 20°. Breccia foliation 15° with 1-3 % pyrite, broken fault to dyke, minor NC to dyke.</i>	16.00	18.00	206805	2.00	0.06	0.05
18.00	123.10	Monzonite Gray		18.00	20.00	206806	2.00	0.02	0.00
			<i>Medium grain, Dark to light gray, hornblende with chlorite alteration. Variaged</i>	20.00	22.00	206807	2.00	0.02	0.00
			<i>with light feldspar 2 -4 cm bands with epidote 30°</i>	22.00	24.00	206808	2.00	0.01	0.00
			<i>« 18.00- 20.00 Andesite-dyke »</i>	24.00	26.00	206810	2.00	0.02	0.00
			<i>‹ @ 25.00 Fault 60cm gouge ›</i>	26.00	28.00	206811	2.00	0.02	0.00
			<i>‹ @ 30.80 Fault 5cm chl gouge ›</i>	28.00	30.00	206812	2.00	0.02	0.00
			<i>« 31.50- 33.00 Albite » with hematite, dark chlorite and epidote with 1</i>	30.00	32.00	206813	2.00	0.08	0.08
			<i>-3% pyrite and specks of chalcopyrite bornite. Altered magnetite seams parallel</i>	32.00	34.00	206814	2.00	0.11	0.10
			<i>to 80° to CA</i>	34.00	36.00	206815	2.00	0.03	0.03
			<i>34.6 Broken slickenside 80, dark chlorite hematite on fracture.</i>	36.00	38.00	206816	2.00	0.02	0.00
			<i>33 - 38.1 mod magnetite mixed with blotches of epidote/light feldspar, pyrite</i>	38.00	40.00	206817	2.00	0.01	0.00
			<i>on calcite fractures.</i>	40.00	42.00	206818	2.00	0.01	0.00
			<i>38.1 - 45.7 Calcite epidote altertion incrases with disseminated magnetite, NC,</i>	42.00	44.00	206820	2.00	0.03	0.10
			<i>weak pyrite and minor chalcopyrite with aqua green chlorite.</i>	44.00	46.00	206821	2.00	0.02	0.00
			<i>‹ @ 43.20 Fault 50cm lim/cal gouge ›</i>	46.00	49.00	206822	3.00	0.01	0.00
			<i>48 - 57.5 Epidote chlorite and hematite alteration, broken, epidote increases</i>	49.00	52.00	206823	3.00	0.02	0.13
			<i>as blotches, low to mod magnetic susceptibility.</i>	52.00	55.00	206824	3.00	0.01	0.00
			<i>« 73.20- 77.80 Saussurization mag/epi seams » some albite</i>	55.00	58.00	206825	3.00	0.01	0.00
			<i>20 -30°</i>	58.00	61.00	206826	3.00	0.01	0.00
			<i>101.3 123.1 Contact brecciation with orange HB. monzonite, k-spar, mag/hem</i>	61.00	64.00	206827	3.00	0.02	0.00
			<i>and epidtoe bands 30°, mod mag susceptibility</i>	64.00	67.00	206828	3.00	0.02	0.00
			<i>109.7 110.7 Light pink albitization with dark chlorite epidote and hematite 35°</i>						

From	To	Rocktype & Description	From	To	Sample	Width	Cu %	Au g/t
		to CA.	67.00	70.00	206829	3.00	0.02	0.00
		111 - 113.3 Orange monzonite finger	70.00	73.00	206830	3.00	0.03	0.00
		117.5 - 118.6 saussurized monzonite finger contact 45°	73.00	76.00	206832	3.00	0.00	0.00
			76.00	79.00	206833	3.00	0.02	0.00
			79.00	82.00	206834	3.00	0.02	0.00
			82.00	85.00	206835	3.00	0.01	0.00
			85.00	88.00	206836	3.00	0.01	0.00
			88.00	91.00	206837	3.00	0.03	0.00
			91.00	94.00	206838	3.00	0.02	0.00
			94.00	97.00	206839	3.00	0.02	0.00
			97.00	100.00	206840	3.00	0.03	0.00
			100.00	103.00	206841	3.00	0.02	0.03
			103.00	106.00	206843	3.00	0.02	0.00
			106.00	109.00	206844	3.00	0.03	0.00
			109.00	112.00	206845	3.00	0.01	0.03
			112.00	115.00	206846	3.00	0.01	0.06
			115.00	118.00	206847	3.00	0.01	0.00
			118.00	121.00	206848	3.00	0.01	0.04
			121.00	124.00	206849	3.00	0.01	0.04
			124.00	127.00	206850	3.00	0.01	0.06
			127.00	130.00	206851	3.00	0.01	0.05
		123.10 169.40 Monzonite Orange						
		Medium grain, orange/gray with feldspar alteration. Dark green hornblende with chlorite alteration. Unit intrudes the gray monzonite has altered shards of gray monzonite, non magnetic.	130.00	133.00	206852	3.00	0.01	0.12
		136 Increase in disseminated magnetite and blotches with dark chlorite, increasing light epidote fracture fillings with minor chalcopyrite.	133.00	136.00	206853	3.00	0.01	0.04
		140 Dark rusty orange monzonite with accidentals, chlorite, epidote magnetite	136.00	139.00	206854	3.00	0.02	0.81
		calcite veining 30°. Banded texture with lighter feldspar bands 30°. Darker sections of assimilated mafics, mod magnetic susceptibility, broken.	139.00	142.00	206855	3.00	0.03	0.08
			142.00	145.00	206856	3.00	0.02	0.04
			145.00	148.00	206857	3.00	0.01	0.00
			148.00	151.00	206858	3.00	0.01	0.00
			151.00	154.00	206859	3.00	0.01	0.00
			154.00	157.00	206861	3.00	0.00	0.00
			157.00	160.00	206862	3.00	0.00	0.05
			160.00	163.00	206863	3.00	0.00	0.00
			163.00	166.00	206864	3.00	0.01	0.03
			166.00	169.00	206865	3.00	0.00	0.00
			169.00	172.00	206866	3.00	0.01	0.03
			172.00	175.00	206867	3.00	0.01	0.03
		169.40 190.00 Hydrothermal Breccia	175.00	178.00	206868	3.00	0.02	0.05
		Hydrothermally brecciated monzonite, varying from crackle breccia to framework supported and matrix supported. Moderate to good development of magnetite as blotches and veinlets, with lighter epidote. Anastomosing magnetite veinlets,	178.00	181.00	206869	3.00	0.01	0.00
			181.00	184.00	206871	3.00	0.01	0.00

From	To	Rocktype & Description	From	To	Sample	Width	Cu %	Au g/t
		<i>strongly magnetic in sections some k-spar, several blotches calcite rimmed</i>	184.00	187.00	206872	3.00	0.01	0.00
		<i>with amber garnet.</i>	187.00	190.00	206873	3.00	0.04	0.16
		<i>173 - 180 Encapsulated meta volcanic xenolith with magnetite, epidote and k-spar.</i>						
		<i>189.5 Less magnetite minor chalcopyrite and bornite.</i>						
190.00	199.60	Monzonite Orange	190.00	193.00	206874	3.00	0.01	0.06
		<i>Medium grain, orange/gray with feldspar alteration. Dark green hornblende with</i>	193.00	196.00	206875	3.00	0.01	0.04
		<i>chlorite alteration. Mixed zone with darker grey monzonite, albite, epidote and</i>	196.00	199.00	206876	3.00	0.01	0.12
		<i>dark chlorite with minor chalcopyrite.</i>	199.00	202.00	206877	3.00	0.01	0.00
199.60	300.00	Monzonite Orange	202.00	205.00	206878	3.00	0.01	0.00
		<i>Medium grain, orange/gray with feldspar alteration. Dark green hornblende with</i>	205.00	208.00	206879	3.00	0.00	0.00
		<i>chlorite alteration, variageted light to dark orange with light feldspar bands</i>	208.00	211.00	206880	3.00	0.00	0.00
		<i>ans fracture filling 30°, sections of medium green eidote and dark chlorite,</i>	211.00	214.00	206881	3.00	0.01	0.06
		<i>mafic accidentals 1 -2cm with alteration rims.</i>	214.00	217.00	206883	3.00	0.01	0.07
		<i>207.9 - 216.4 Intense light chl/cal/hem alteration slight brecciation 30°,</i>	217.00	220.00	206884	3.00	0.01	0.03
		<i>slightly magnetic, k-spar pyrite and minor gouge.</i>	220.00	223.00	206885	3.00	0.01	0.00
		<i>217.9 5cm black chlorite/magnetite seam 45°</i>	223.00	226.00	206886	3.00	0.00	0.00
		<i>241.2 - 246.9 intense cal/hem criss cross alteration 30° 10cm chl/cal shear</i>	226.00	229.00	206887	3.00	0.00	0.39
		<i>45°</i>	229.00	232.00	206888	3.00	0.00	0.03
		<i>260.8 3cm k-spar epidote vein 40°</i>	232.00	235.00	206889	3.00	0.00	0.00
		<i>280.4 - 297.2 Slight increase in varigated texture of k-spar and epidote, has</i>	235.00	238.00	206890	3.00	0.02	0.03
		<i>specks of chalcopyrite and bornite.</i>	238.00	241.00	206891	3.00	0.01	0.14
			241.00	244.00	206892	3.00	0.00	0.03
			244.00	247.00	206894	3.00	0.00	0.21
			247.00	250.00	206895	3.00	0.00	0.03
			250.00	253.00	206896	3.00	0.01	0.00
			253.00	256.00	206897	3.00	0.00	0.00
			256.00	259.00	206898	3.00	0.01	0.00
			259.00	262.00	206899	3.00	0.00	0.00
			262.00	265.00	206900	3.00	0.00	0.00
			265.00	268.00	206901	3.00	0.02	0.00
			268.00	271.00	206902	3.00	0.01	0.00
			271.00	274.00	206903	3.00	0.00	0.00
			274.00	277.00	206904	3.00	0.01	0.00
			277.00	280.00	206905	3.00	0.01	0.00
			280.00	283.00	206906	3.00	0.00	0.00
			283.00	286.00	206907	3.00	0.00	0.00
			286.00	289.00	206908	3.00	0.02	0.00

From	To	Rocktype & Description	From	To	Sample	Width	Cu %	Au g/t
			289.00	292.00	206909	3.00	0.02	0.00
			292.00	295.00	206911	3.00	0.00	0.00
			295.00	298.00	206912	3.00	0.02	0.04
			298.00	301.00	206913	3.00	0.00	0.00
300.00	451.10	Monzonite Gray	301.00	304.00	206914	3.00	0.01	0.00
		<i>Medium grain, Dark to light gray, hornblende with chlorite alteration.</i>	304.00	307.00	206915	3.00	0.01	0.00
		<i>Varigated with light feldspar and epidote some k-spar with light green chlorite</i>	307.00	310.00	206916	3.00	0.00	0.00
		<i>on fractures. Some calcite fractures shallow angle to core.</i>	310.00	313.00	206917	3.00	0.00	0.00
		<i>« 306.50- 309.80 Dacite-dyke » Fine grain black green sharp contact 30°,</i>	313.00	316.00	206918	3.00	0.00	0.00
		<i>no epidote alteration.</i>	316.00	319.00	206919	3.00	0.01	0.00
		<i>320 - 338 Grey monzonite with increase in epidote and light feldspar 20° with</i>	319.00	322.00	206920	3.00	0.01	0.04
		<i>a criss cross pattern around darker medium grain almost diorite/monzonite. Has</i>	322.00	325.00	206922	3.00	0.00	0.00
		<i>weak breccia texture in places with hematite alteration and some k-spar, low</i>	325.00	328.00	206923	3.00	0.00	0.00
		<i>mag susceptibility.</i>	328.00	331.00	206924	3.00	0.00	0.00
		<i>321 20cm fine grain black basalt dyke.</i>	331.00	334.00	206925	3.00	0.03	0.04
		<i>338 - 354 Less altered monzonite</i>	334.00	337.00	206926	3.00	0.02	0.00
		<i>353 minor fault</i>	337.00	340.00	206927	3.00	0.02	0.03
		<i>354 Increase in k-spar and epidote veining 30° to CA with disseminate</i>	340.00	343.00	206928	3.00	0.01	0.00
		<i>magnetite, dark and light chlorite alteration.</i>	343.00	346.00	206929	3.00	0.05	0.12
		<i>368.7 - 370 Volcanic xenolith fine grain with epidote blotching</i>	346.00	349.00	206930	3.00	0.03	0.04
		<i>370.2 2cm gouge</i>	349.00	352.00	206931	3.00	0.04	0.04
		<i>374 - 387.9 Local increase in k-spar and epidote, bands 30° with disseminated</i>	352.00	355.00	206932	3.00	0.05	0.07
		<i>magnetite and hematite alteration, minor fine chalcopryrite, broken light</i>	355.00	358.00	206934	3.00	0.08	0.06
		<i>chlorite on fractuess.</i>	358.00	361.00	206935	3.00	0.01	0.06
		<i>« 402.00- 407.00 Fault zone » increase in epidote with mechanical</i>	361.00	364.00	206936	3.00	0.01	0.04
		<i>brecciation, seams of red hematite/calcite alteration gouge</i>	364.00	367.00	206937	3.00	0.01	0.07
		<i>418 - 421 several 15 cm mafic xenoliths.</i>	367.00	370.00	206938	3.00	0.01	0.03
		<i>« 431.00- 439.20 Fault zone » multiple sections of gouge.</i>	370.00	373.00	206939	3.00	0.02	0.00
		<i>438 - 444 increase in k-spar epidote has incipient breccia look, minor</i>	373.00	376.00	206940	3.00	0.00	0.00
		<i>chalcopryrite.</i>	376.00	379.00	206941	3.00	0.00	0.00
		<i>« 446.00- 448.00 Fault zone »</i>	379.00	382.00	206942	3.00	0.01	0.00
		<i>Epidote and light feldspar banding with hematite alteration 20° to end of</i>	382.00	385.00	206943	3.00	0.00	0.00
		<i>hole.</i>	385.00	388.00	206944	3.00	0.01	0.00
			388.00	391.00	206946	3.00	0.01	0.03
			391.00	394.00	206947	3.00	0.00	0.00
			394.00	397.00	206948	3.00	0.00	0.00
			397.00	400.00	206949	3.00	0.01	0.00

From	To	Rocktype & Description	From	To	Sample	Width	Cu %	Au g/t
			400.00	403.00	206950	3.00	0.01	0.06
			403.00	406.00	206951	3.00	0.04	0.06
			406.00	409.00	206952	3.00	0.02	0.00
			409.00	412.00	206953	3.00	0.01	0.00
			412.00	415.00	206954	3.00	0.01	0.00
			415.00	418.00	206955	3.00	0.01	0.00
			418.00	421.00	206956	3.00	0.01	0.00
			421.00	424.00	206957	3.00	0.00	0.00
			424.00	427.00	206959	3.00	0.00	0.00
			427.00	430.00	206960	3.00	0.04	0.74
			430.00	433.00	206961	3.00	0.13	0.38
			433.00	436.00	206962	3.00	0.04	0.04
			436.00	439.00	206963	3.00	0.01	0.00
			439.00	442.00	206964	3.00	0.00	0.00
			442.00	445.00	206965	3.00	0.01	0.00
			445.00	448.00	206966	3.00	0.02	0.00
			448.00	451.00	206967	3.00	0.01	0.00
451.10	451.10	EOH 451.1						