

**GWR RESOURCES INC.**

**Diamond Drill Log**

**Lac La Hache Mt. Timothy Project**

**Hole: AZ07-40**

Field Log:2007/10/01

Northing: 5758166

Easting: 617928

Elevation:1356 m

Area:Aurizon

Length: 391.7 m

Azimuth:210.0°

Dip: -75.00°

Logged By:BGG

<b>Project: LAC LA HACHE</b>				<b>Hole Number: AZ07-40</b>				
<b>From</b>	<b>To</b>	<b>Rocktype &amp; Description</b>	<b>From</b>	<b>To</b>	<b>Sample</b>	<b>Width</b>	<b>Cu %</b>	<b>Au g/t</b>
0.00	21.30	<b>Casing</b>						
21.30	55.80	<b>Polyolithic Felsic Tuff Breccia</b>	21.30	23.00	207201	1.70	0.15	0.21
		<i>Polyolithic fragments of feldspars varying from fine grain to white speckled</i>	23.00	25.00	207202	2.00	0.20	0.21
		<i>feldspars and feldsparphyritic with some mafics. Medium grained, mottled orange</i>	25.00	27.00	207203	2.00	0.23	0.18
		<i>gray green to brownish with some k-spar and epidote.</i>	27.00	29.00	207204	2.00	0.12	0.20
		<i>Metasomatized volcanics intermixed with Black Gray to Orange</i>	29.00	31.00	207205	2.00	0.19	0.30
		<i>Medium grained</i>						
		<i>Monzonite fragments with black magnetite/hematite and dark chlorite, light</i>	31.00	33.00	207206	2.00	0.23	0.30
		<i>chlorite on fractures, extensively broken. Good NC throughout.</i>	33.00	35.00	207208	2.00	0.15	0.26
		<i>disseminated</i>						
		<i>magnetite.</i>	35.00	37.00	207209	2.00	0.15	0.16
		<i>26.5 - 27.4 0.5% chalcopryrite, 50% lost core.</i>	37.00	39.00	207210	2.00	0.05	0.04
		<i>37.6 - 39.6 Xenolith black green fine grain with NC.</i>	39.00	41.00	207211	2.00	0.09	0.09
		<i>39 - 48.6 Broken and gound core NC.</i>	41.00	43.00	207212	2.00	0.11	0.14
			43.00	45.00	207213	2.00	0.07	0.12
			45.00	47.00	207214	2.00	0.08	0.09
			47.00	49.00	207215	2.00	0.12	0.14
			49.00	51.00	207216	2.00	0.09	0.13
			51.00	53.00	207218	2.00	0.15	0.18
			53.00	55.00	207219	2.00	0.14	0.14
			55.00	57.00	207220	2.00	0.07	0.07
55.80	71.50	<b>Monzonite Orange</b>	57.00	59.00	207221	2.00	0.06	0.05
		<i>Medium grain, orange/gray with feldspar alteration. Dark green hornblende with</i>	59.00	61.00	207222	2.00	0.06	0.10
		<i>chlorite alteration, feldsparphyritic with calcite/hematite alteration, non</i>	61.00	63.00	207223	2.00	0.04	0.04
		<i>magnetic, weak chalcopryrite and NC.</i>	63.00	65.00	207224	2.00	0.07	0.06
		<i>« 61.00- 64.00 Saussurization » green epidote alteration.</i>	65.00	67.00	207225	2.00	0.06	0.04
		<i>« 63.50- 67.10 Fault zone » 50% core recovery, core</i>	67.00	69.00	207226	2.00	0.05	0.05
		<i>continues</i>						
		<i>sem-broken with light chlorite alteration and some criss cross calcite</i>	69.00	71.00	207227	2.00	0.03	0.00
			71.00	73.00	207228	2.00	0.10	0.16
		<i>veinlets.</i>						
71.50	106.70	<b>Hydrothermal Breccia</b>	73.00	75.00	207230	2.00	0.25	0.27
		<i>Hydrothermally brecciated monzonite, varying from crackle breccia to framework</i>	75.00	77.00	207231	2.00	0.33	0.24

From	To	Rocktype & Description	From	To	Sample	Width	Cu %	Au g/t
		<i>supported and matrix supported. Moderate to good development of magnetite as</i>	77.00	79.00	207232	2.00	0.10	0.08
		<i>blotches and veinlets. White calcite flooding, NC and some good chalcopyrite.</i>	79.00	81.00	207233	2.00	0.09	0.09
		<i>80 - 82 Orange monzonite finger, epidote and hematite alteration pyrite to 5%, some chalcopyrite.</i>	81.00	83.00	207234	2.00	0.08	0.10
		« 82.50- 84.00 Mafic » <i>Fine grain green with calcite and epidote.</i>	83.00	85.00	207235	2.00	0.36	0.37
		« 85.40- 86.10 Fault zone » <i>red hematite mud, gouge, calcocite.</i>	85.00	87.00	207236	2.00	0.23	0.24
		« 86.00- 92.00 Mineral Zone »	87.00	89.00	207237	2.00	0.67	0.15
		<i>90.3 Chalcocite 2cm with dark chlorite/epidote. Slickensides 90° to CA with</i>	89.00	91.00	207238	2.00	0.28	0.14
		<i>red hematite alteration.</i>	91.00	93.00	207239	2.00	0.11	0.18
		<i>94.5 - 97.5 K-spar with some NC and chalcopyrite.</i>	93.00	95.00	207240	2.00	0.18	0.09
		« 97.50- 102.10 Fault zone » <i>red hematite gouge in several sections</i>	95.00	97.00	207241	2.00	0.12	0.11
		<i>103 - 106.7 Decrease in hematite alteration core more magnetic with dark</i>	97.00	99.00	207243	2.00	0.06	0.05
		<i>magneite and black chlorite, some pyrite and chalcopyrite.</i>	99.00	101.00	207244	2.00	0.02	0.06
			101.00	103.00	207245	2.00	0.22	0.07
			103.00	105.00	207246	2.00	0.04	0.06
			105.00	107.00	207247	2.00	0.01	0.05
<b>106.70</b>	<b>159.30</b>	<b>Monzonite Orange</b>	107.00	109.00	207248	2.00	0.01	0.00
		<i>Medium grain, orange/gray with feldspar alteration. Dark green hornblende with</i>	109.00	111.00	207249	2.00	0.00	0.00
		<i>chlorite alteration. Broken 45° to CA, light and dark chlorite on fractures</i>	111.00	113.00	207250	2.00	0.00	0.00
		<i>with magnetite and hematite, some 3cm accidentals</i>	113.00	115.00	207251	2.00	0.00	0.00
		<i>115.8 Increase in light gray green monzonite, sections of epidote blotches,</i>	115.00	117.00	207252	2.00	0.00	0.00
		<i>minor chalcopyrite, light feldspar bandint 20° .</i>	117.00	119.00	207253	2.00	0.01	0.00
		« @ 150.50 Albite 20 cm »	119.00	121.00	207254	2.00	0.01	0.00
			121.00	123.00	207255	2.00	0.03	0.03
			123.00	125.00	207256	2.00	0.00	0.00
			125.00	127.00	207257	2.00	0.01	0.00
			127.00	129.00	207259	2.00	0.00	0.00
			129.00	131.00	207260	2.00	0.00	0.00
			131.00	133.00	207261	2.00	0.00	0.00
			133.00	135.00	207262	2.00	0.00	0.00
			135.00	137.00	207263	2.00	0.00	0.00
			137.00	139.00	207264	2.00	0.00	0.00
			139.00	141.00	207265	2.00	0.00	0.00
			141.00	143.00	207266	2.00	0.01	0.00
			143.00	145.00	207267	2.00	0.00	0.00
			145.00	147.00	207269	2.00	0.00	0.00
			147.00	149.00	207270	2.00	0.00	0.00
			149.00	151.00	207271	2.00	0.01	0.00
			151.00	153.00	207272	2.00	0.01	0.00

From	To	Rocktype & Description	From	To	Sample	Width	Cu %	Au g/t
			153.00	155.00	207273	2.00	0.00	0.03
			155.00	157.00	207274	2.00	0.01	0.03
			157.00	159.00	207275	2.00	0.01	0.04
			159.00	161.00	207276	2.00	0.04	0.06
<b>159.30</b>	<b>241.20</b>	<b>Hydrothermal Breccia</b>	161.00	163.00	207277	2.00	0.02	0.00
		<i>Hydrothermally brecciated monzonite, varying from crackle breccia to framework supported and matrix supported. Moderate to good development of magnetite as blotches and veinlets. Mottled with k-spar and epidote, strong albitization with magnetite; specks and disseminated chalcopyrite throughout.</i>	163.00	165.00	207278	2.00	0.06	0.10
		<i>178.8 Increase in chalcopyrite 1-3% locally with strong magnetite weaker bornite.</i>	165.00	167.00	207279	2.00	0.03	0.09
		<i>« 178.00- 180.00 Bn »</i>	167.00	169.00	207281	2.00	0.09	0.31
		<i>182.3 - 182.9 K-spar parallel and 45° with less albite</i>	169.00	171.00	207282	2.00	0.01	0.03
		<i>196.1 Albite blotch, 2 1cm quartz veins 80° to CA less mineral</i>	171.00	173.00	207283	2.00	0.03	0.03
		<i>202 - 209 Stronger chalcopyrite bornite, after 209 lessr chalcopyrite and bornite, strongly magnetic and mottled looking.</i>	173.00	175.00	207284	2.00	0.01	0.00
		<i>« 200.00- 210.00 Bn »</i>	175.00	177.00	207285	2.00	0.01	0.00
		<i>« 215.00- 220.00 Bn »</i>	177.00	179.00	207286	2.00	0.03	0.04
		<i>« 225.00- 230.00 Bn »</i>	179.00	181.00	207287	2.00	0.33	0.70
		<i>222.5 Zone continues with a slight increase in epidote blotches with chalcopyrite and bornite, increase in fragment size to 3 - 10 cm, more orange k-spar fragments and variable chalcopyrite and bornite.</i>	181.00	183.00	207288	2.00	0.39	0.96
		<i>234 increase in red hematite on fractures</i>	183.00	185.00	207289	2.00	0.32	0.64
		<i>235 - 237.3 mafic xenolithe with epidote and chalcopyrite</i>	185.00	187.00	207290	2.00	0.20	0.31
		<i>237.3 - 241.2 Decrease in breccia to albite with dark magnetite fracture filling 20° to CA.</i>	187.00	189.00	207291	2.00	0.17	0.30
			189.00	191.00	207292	2.00	0.04	0.05
			191.00	193.00	207294	2.00	0.04	0.13
			193.00	195.00	207295	2.00	0.07	0.10
			195.00	197.00	207296	2.00	0.13	0.38
			197.00	199.00	207297	2.00	0.04	0.08
			199.00	201.00	207298	2.00	0.05	0.11
			201.00	203.00	207299	2.00	0.12	0.28
			203.00	205.00	207300	2.00	0.19	0.51
			205.00	207.00	207301	2.00	0.05	0.16
			207.00	209.00	207302	2.00	0.77	5.40
			209.00	211.00	207303	2.00	0.34	0.91
			211.00	213.00	207304	2.00	0.05	0.16
			213.00	215.00	207305	2.00	0.16	0.43
			215.00	217.00	207306	2.00	0.39	0.60
			217.00	219.00	207307	2.00	0.40	0.62
			219.00	221.00	207308	2.00	0.46	0.93
			221.00	223.00	207309	2.00	0.11	0.31
			223.00	225.00	207311	2.00	0.15	0.44
			225.00	227.00	207312	2.00	0.08	0.32
			227.00	229.00	207313	2.00	0.04	0.08
			229.00	231.00	207314	2.00	0.02	0.06

From	To	Rocktype & Description	From	To	Sample	Width	Cu %	Au g/t
			231.00	233.00	207315	2.00	0.01	0.05
			233.00	235.00	207316	2.00	0.03	0.04
			235.00	237.00	207317	2.00	0.03	0.06
			237.00	239.00	207318	2.00	0.02	0.16
			239.00	241.00	207319	2.00	0.02	0.03
			241.00	243.00	207321	2.00	0.01	0.04
			243.00	245.00	207322	2.00	0.00	0.05
<b>241.20</b>	<b>262.10</b>	<b>Monzonite Orange</b>	245.00	247.00	207323	2.00	0.00	0.04
		Medium grain, orange/gray with feldspar alteration. Dark green hornblende with						
		chlorite alteration, moderate magnetite, dark and light chlorite, magnetite/epidote fracture filling.	247.00	249.00	207324	2.00	0.07	0.07
		245.7 - 248.5 Mafic xenolith, epidote blotching and veining 15 - 30° with red	249.00	251.00	207325	2.00	0.31	0.33
		hematite, weak magnetite. Sharp contact 45° with 3cm fragments into the	251.00	253.00	207326	2.00	0.02	0.00
		monzonite.	253.00	255.00	207327	2.00	0.02	0.04
		« 248.80- 250.10 Albite pink alteration » barigate with black hematite	255.00	257.00	207328	2.00	0.03	0.12
		0.5 cm pyrite crystals with minor chalcopyrite.	257.00	260.00	207329	3.00	0.01	0.04
		249.7 2cm chalcopyrite,						
		250.1 contact 40°						
		251.5 - 251.9 k-spar rich monzonite with hematite						
		« 251.70- 252.80 Albite epidote »						
		252.8 - 256.7 mafic xenolithe strong epidote alteration some chalcopyrite						
		257 Lighter feldspar banding with hematite 35°						
		257.5 Epidote seam with minor bornite.						
			260.00	263.00	207330	3.00	0.00	0.04
<b>262.10</b>	<b>379.00</b>	<b>Monzonite Gray</b>	263.00	266.00	207331	3.00	0.00	0.00
		Medium grain, Dark to light gray, hornblende with chlorite alteration. Diorite	266.00	269.00	207333	3.00	0.00	0.12
		looking dark chlorite/epidote/hematite banding 20°	269.00	272.00	207334	3.00	0.01	0.12
		Core changes to redish color with weak k-spar flooding, also sections of weak	272.00	275.00	207335	3.00	0.03	0.26
		saussurization.	275.00	278.00	207336	3.00	0.01	0.06
		266 - 277 Broken light chlorite on fractures	278.00	281.00	207337	3.00	0.01	0.06
		286.6 - 292 increase in light green epidote	281.00	284.00	207338	3.00	0.01	0.00
		« 292.00- 298.30 Albite » mottling with dark hematite/chlorite.	284.00	287.00	207339	3.00	0.01	0.04
		Two 3cm						
		chlorite pyrite veins with 10% pyrite 5-15° to CA. Weak mag, some	287.00	290.00	207340	3.00	0.01	0.00
		chalcopyrite.	290.00	293.00	207341	3.00	0.00	0.04
		« 301.40- 305.70 Albite » with mag/hem/cal with dark chlortie	293.00	296.00	207342	3.00	0.02	0.89
		minor						
		chalcopyrite and pyrite.	296.00	299.00	207343	3.00	0.00	0.59
		313 Variagated light feldspar banding 15° with some k-spar and	299.00	302.00	207344	3.00	0.02	0.03
		epidote						
		blotches, several 5-10 cm accidentals	302.00	305.00	207346	3.00	0.03	0.00
		« @ 323.15 Actinolite » epidote seam 15°	305.00	308.00	207347	3.00	0.03	0.00

From	To	Rocktype & Description	From	To	Sample	Width	Cu %	Au g/t
325.6 - 326.1		cal/dark chlorite veins 2cm 5°	308.00	311.00	207348	3.00	0.01	0.00
330.4		3cm pink albite/epidote vein 10°	311.00	314.00	207349	3.00	0.01	0.00
		« 335.80- 338.30 Albitization » black hem/mag/cal 15°	314.00	317.00	207350	3.00	0.03	0.00
338.4		2cm magnetite/hematite seam, core continew with light albite hematite	317.00	320.00	207351	3.00	0.01	0.00
		chlorite epidote and minor pink k-spar.	320.00	323.00	207352	3.00	0.00	0.00
		« @ 345.00 Albite 50 cm cpy 20° »	323.00	326.00	207353	3.00	0.01	0.00
		« @ 347.50 Albite 50 cm amber garnet »	326.00	329.00	207354	3.00	0.01	0.00
348 - 350.5		saussurization specks of chalcopyrite	329.00	332.00	207355	3.00	0.01	0.05
		« 361.00- 363.00 Saussurization »with coarse 1-2cm chalcopyrite vein 15°	332.00	335.00	207357	3.00	0.03	0.00
			335.00	338.00	207358	3.00	0.01	0.00
		« 366.80- 372.70 Saussurization »	338.00	341.00	207359	3.00	0.17	0.07
			341.00	344.00	207360	3.00	0.04	0.04
			344.00	347.00	207361	3.00	0.03	0.12
			347.00	350.00	207362	3.00	0.02	0.03
			350.00	353.00	207363	3.00	0.03	0.00
			353.00	356.00	207364	3.00	0.05	0.00
			356.00	359.00	207365	3.00	0.05	0.04
			359.00	362.00	207366	3.00	0.02	0.00
			362.00	365.00	207367	3.00	0.03	0.15
			365.00	368.00	207369	3.00	0.01	0.05
			368.00	371.00	207370	3.00	0.00	0.00
			371.00	374.00	207371	3.00	0.01	0.04
			374.00	377.00	207372	3.00	0.01	0.03
			377.00	380.00	207373	3.00	0.03	0.06
<b>379.00</b>	<b>391.70</b>	<b>Monzonite Orange</b>	380.00	383.00	207374	3.00	0.01	0.03
		Medium grain, orange/gray with feldspar alteration. Dark green hornblende with	383.00	386.00	207375	3.00	0.01	0.00
		chlorite alteration, with light feldspar varigated with epidote 15° to CA.	386.00	389.00	207376	3.00	0.01	0.03
		390.2 - 390.6 mafic xenolith.	389.00	391.70	207377	2.70	0.07	0.06
<b>391.70</b>	<b>391.70</b>	<b>EOH 391.7</b>						