

GWR RESOURCES INC.

Diamond Drill Log

Lac La Hache Mt. Timothy Project

Hole: AZ07-44

Field Log:2007/10/22

Northing: 5758839

Easting: 617354

Elevation:1309 m

Area:Aurizon North

Length: 403.9 m

Azimuth:220.0°

Dip:-60.00°

Logged By:BGG

Project: LAC LA HACHE				Hole Number: AZ07-44					
From	To	Rocktype	& Description	From	To	Sample	Width	Cu %	Au g/t
0.00	6.10	Casing							
6.10	32.00	Volcanic Extrusive		6.10	9.00	208151	2.90	0.03	0.00
			<i>Medium grain, black green, variable amounts of blotchy epidote alteration.</i>	9.00	12.00	208152	3.00	0.04	0.00
			<i>Slight hybrid with orange monzonite dykes and veinlets. Upper portion more</i>	12.00	15.00	208153	3.00	0.02	0.00
			<i>volcanic, highly sheared and broken with light calcite chlorite hematite</i>	15.00	18.00	208154	3.00	0.02	0.00
			<i>alteration, some disseminated magnetite, minor pyrite, trace chalcocopyrite.</i>	18.00	21.00	208155	3.00	0.06	0.00
			<i>16.2 3cm chlorite shear 80°</i>	21.00	24.00	208156	3.00	0.03	0.03
			<i>20.8- 22.3 Orange monzonite medium grain</i>	24.00	27.00	208158	3.00	0.65	1.05
			<i>« 22.30- 26.00 Fault zone » gouge 22.3 -23, 24.2-24.7 fracturing 15 and 45°</i>	27.00	30.00	208159	3.00	0.10	0.08
			<i>« 25.00- 27.80 Andesite-dyke » Fine grain dark green minor cpy calcite hematite shear 10°</i>						
			<i>31 - 31.6 2cm feldspar/epi/mag/hem minor cpy and amber garnet</i>						
			<i>31.6 Shear 75°</i>	30.00	33.00	208160	3.00	0.11	0.10
32.00	115.70	Monzonite Gray		33.00	36.00	208161	3.00	0.00	0.03
			<i>Medium grain, Dark to light gray, hornblende with chlorite alteration. Rusty</i>	36.00	39.00	208162	3.00	0.00	0.06
			<i>orange hematite alteration broken, calcite fracture filling 15 - 45°</i>	39.00	42.00	208163	3.00	0.01	0.00
			<i>48 Magnetite hematite seam 5°</i>	42.00	45.00	208164	3.00	0.01	0.03
			<i>48.5 - 49 Sheared cal/hem crushed 5°</i>	45.00	48.00	208165	3.00	0.12	0.09
			<i>51.8 Light feldspar seams 5° broken dark chl/hem on fractures.</i>	48.00	51.00	208166	3.00	0.00	0.07
			<i>« 77.50- 79.00 Fault zone » cal/chl gouge 5°</i>	51.00	54.00	208167	3.00	0.00	0.00
			<i>86.3 - 87 Dark chlorite/hem 3cm seam 5°</i>	54.00	57.00	208168	3.00	0.00	0.04
			<i>97 - 98 Epidote seam with minor cpy 5°, light feldspar bands 5°</i>	57.00	60.00	208170	3.00	0.01	0.00
				60.00	63.00	208171	3.00	0.00	0.05
				63.00	66.00	208172	3.00	0.00	0.03
				66.00	69.00	208173	3.00	0.01	0.04
				69.00	72.00	208174	3.00	0.01	0.05
				72.00	75.00	208175	3.00	0.00	0.00
				75.00	78.00	208176	3.00	0.02	0.05
				78.00	81.00	208177	3.00	0.01	0.00
				81.00	84.00	208178	3.00	0.01	0.03
2008/06/20								Page	1

From	To	Rocktype & Description	From	To	Sample	Width	Cu %	Au g/t
			84.00	87.00	208179	3.00	0.02	0.00
			87.00	90.00	208180	3.00	0.01	0.03
			90.00	93.00	208182	3.00	0.01	0.04
			93.00	96.00	208183	3.00	0.02	0.04
			96.00	99.00	208184	3.00	0.02	0.03
			99.00	102.00	208185	3.00	0.00	0.00
			102.00	105.00	208186	3.00	0.00	0.00
			105.00	108.00	208187	3.00	0.00	0.00
			108.00	111.00	208188	3.00	0.01	0.00
			111.00	114.00	208189	3.00	0.00	0.03
			114.00	117.00	208190	3.00	0.00	0.00
			117.00	120.00	208191	3.00	0.00	0.00
115.70	133.20	Volcanic Extrusive	120.00	123.00	208192	3.00	0.00	0.00
		<i>Medium grain, black green, variable amounts of blotchy epidote alteration along fractures 5 - 10° with hematite and light chlorite, calcite fracture filling</i>						
		<i>80°. 1- 10cm feldspar dyklets 10°</i>	123.00	126.00	208193	3.00	0.00	0.00
		<i>« 118.80- 122.00 Fault zone » Hematite chlorite alteration.</i>						
			126.00	129.00	208195	3.00	0.00	0.00
			129.00	132.00	208196	3.00	0.00	0.00
			132.00	135.00	208197	3.00	0.00	0.00
133.20	140.80	Monzonite Gray	135.00	138.00	208198	3.00	0.00	0.00
		<i>Medium grain, Dark to light gray, hornblende with chlorite alteration. Rusty orange alteration, contact wavy 5 -10° with 10cm blotches of epidote altered andesite with lighter feldspar and k-spar.</i>	138.00	141.00	208199	3.00	0.00	0.00
			141.00	144.00	208200	3.00	0.00	0.00
140.80	151.30	Volcanic Extrusive	144.00	147.00	208201	3.00	0.00	0.00
		<i>Medium grain, black green, variable amounts of blotchy epidote alteration, and feldspar seams 5°</i>						
		<i>149 40cm shear healed with calcite.hematite alteration, some brx fragments</i>	147.00	150.00	208202	3.00	0.00	0.00
		<i>15°. 8cm epidote seam with light to pink feldspar alteration along rims.</i>						
			150.00	153.00	208203	3.00	0.00	0.00
151.30	178.10	Monzonite Gray	153.00	156.00	208204	3.00	0.00	0.00
		<i>Medium grain, Dark to light gray, hornblende with chlorite alteration. Slighty more coarser grained in places, pinkish with light feldspar bands 5 - 10°,</i>	156.00	159.00	208205	3.00	0.00	0.00
		<i>167.4 168.9 Albite k-spar alteration with epidote 5° some coarse cpy and minor bornite</i>						
		<i>168.9 - 172.4 Andesite volcanic intense epidote and minor k-spar alteraton.</i>	159.00	162.00	208206	3.00	0.00	0.00
			162.00	165.00	208208	3.00	0.00	0.00
			165.00	168.00	208209	3.00	0.02	0.00
			168.00	171.00	208210	3.00	0.00	0.00
			171.00	174.00	208211	3.00	0.01	0.00
			174.00	177.00	208212	3.00	0.01	0.00
			177.00	180.00	208213	3.00	0.01	0.00
178.10	185.90	Andesite Lapilli Tuff	180.00	183.00	208214	3.00	0.01	0.00

From	To	Rocktype & Description	From	To	Sample	Width	Cu %	Au g/t
		<i>Fine grain dark matrix with lapilli-mm to cm, mottled orange to lighter colors with various rock types. Strong magnetite, contact altered with epidote 50°.</i>	183.00	186.00	208215	3.00	0.01	0.00
		<i>Epidote/k-spar banding 15 - 45°.</i>						
		« 183.50- 189.90 Monzonite Dyke »						
185.90	201.20	Volcanic Breccia	186.00	189.00	208216	3.00	0.01	0.00
		<i>Hydrothermal breccia, tuff blackishwith 40% magnetite with seams and crackle</i>	189.00	192.00	208217	3.00	0.05	0.00
		<i>texture, varigeted orange and green with seams and blotches of epidote and</i>	192.00	195.00	208218	3.00	0.03	0.00
		<i>k-spar. Fragmens of monzonie in tuff.</i>	195.00	198.00	208220	3.00	0.03	0.00
		<i>191.1 - 195.5 chalcopryrite disseminated with magnetite epidote.</i>	198.00	201.00	208221	3.00	0.01	0.00
			201.00	204.00	208222	3.00	0.01	0.00
		<i>195.7 Coarser fragments 1 - 10cm with magnetite crackle veinlets.</i>						
201.20	215.80	Monzonite Gray	204.00	207.00	208223	3.00	0.01	0.00
		<i>Medium grain, Dark to light gray, hornblende with chlorite alteration, light</i>	207.00	210.00	208224	3.00	0.01	0.00
		<i>feldspar veinlets 5°, some 50 - 70° moderate magnetic susceptibility, some 1cm mafic accidentals.</i>	210.00	213.00	208225	3.00	0.01	0.00
		<i>214.3 - 215.8 saussuariztion 5°</i>						
			213.00	216.00	208226	3.00	0.01	0.00
215.80	286.70	Intermediate Tuff Breccia	216.00	219.00	208227	3.00	0.02	0.00
		<i>Dark fine gray matrix varigated with epidote and light feldspars, grades into</i>	219.00	222.00	208228	3.00	0.01	0.00
		<i>more coarse fragments 5-10cm, moderate magnetic suscptibility.</i>	222.00	225.00	208229	3.00	0.02	0.00
		<i>241.2 Start of coarser fragments of all varities of monzonite with andesite</i>	225.00	228.00	208230	3.00	0.01	0.09
		<i>clasts which have undergone dark biotite alteration.</i>	228.00	231.00	208232	3.00	0.02	0.06
		<i>284.4 Minor cpy in andesite.</i>	231.00	234.00	208233	3.00	0.01	0.00
		« 248.40- 250.20 Syenite Dyke » Syenite dyke orange fine grain matrix	234.00	237.00	208234	3.00	0.01	0.00
		<i>with altered hornblende chl/hem/epi seams with fine to coarse chalcopryrite in</i>	237.00	240.00	208235	3.00	0.01	0.00
		<i>dark epidote.</i>	240.00	243.00	208236	3.00	0.01	0.00
		<i>250.2 2cm epidote seam with dark chlorite.</i>	243.00	246.00	208237	3.00	0.01	0.00
		<i>251 Coarse ultrabasic bomb</i>	246.00	249.00	208238	3.00	0.01	0.00
		<i>252.3 Core continues as intermixed volcanic vent breccia unit with various</i>	249.00	252.00	208239	3.00	0.04	0.00
		<i>andesite and monzonite types. Minor cpy, mostly in andsite.</i>	252.00	255.00	208240	3.00	0.01	0.00
		<i>260.7 - 265 20cm sections of epidote with marbled k-spar and lighter feldspars.</i>	255.00	258.00	208241	3.00	0.10	0.00
		<i>Andesites become more epidotized with magnetite and k-spar.</i>	258.00	261.00	208242	3.00	0.01	0.00
		<i>272.7 Hematite alteration.</i>	261.00	264.00	208243	3.00	0.00	0.00
		<i>274.5 Hematite atered andesite crushed with light talcous alteration.</i>	264.00	267.00	208245	3.00	0.00	0.00

From	To	Rocktype & Description	From	To	Sample	Width	Cu %	Au g/t
275 - 282.4		Andesite volcanics with 15 epidote as cracks and veining 15°.	267.00	270.00	208246	3.00	0.00	0.00
	« 278.80- 279.50	Fault zone » 10cm and 20cm gouge	270.00	273.00	208247	3.00	0.01	0.00
282.4		Contact zone, breccia fragments mixed with k-spar epidote alteration, and increase in magnetite as crackle texture with minor cpy.	273.00	276.00	208248	3.00	0.00	0.00
			276.00	279.00	208249	3.00	0.02	0.00
			279.00	282.00	208250	3.00	0.01	0.00
			282.00	285.00	208251	3.00	0.04	0.00
			285.00	288.00	208252	3.00	0.02	0.00
286.70 344.77		Andesite Lapilli Tuff	288.00	291.00	208253	3.00	0.01	0.00
		Fine grain dark matrix with lapilli-mm to cm, mottled orange to lighter colors	291.00	294.00	208254	3.00	0.01	0.00
		with various rock types. Varigated in places with later epidote k-spar	294.00	297.00	208255	3.00	0.01	0.00
		alteration. No associated mineralization. Minor sulphides up to 1%, some	297.00	300.00	208256	3.00	0.00	0.00
		biotite, sericite alteration with minor quartz eyes some triangular shaped.	300.00	303.00	208258	3.00	0.00	0.00
		311.2 Later epi/chl seam 30° no mineral	303.00	306.00	208259	3.00	0.00	0.00
		321 - 326 Epidote/magnetite fracture shallow angle to CA some cpy.	306.00	309.00	208260	3.00	0.04	0.00
		326 - 328.7 Epidote albite 30°, minor cpy, some fine grain biotite.	309.00	312.00	208261	3.00	0.02	0.03
			312.00	315.00	208262	3.00	0.01	0.00
			315.00	318.00	208263	3.00	0.02	0.00
			318.00	321.00	208264	3.00	0.11	0.06
			321.00	324.00	208265	3.00	0.27	0.10
			324.00	327.00	208266	3.00	0.06	0.03
			327.00	330.00	208267	3.00	0.07	0.05
			330.00	333.00	208269	3.00	0.01	0.00
			333.00	336.00	208270	3.00	0.06	0.04
			336.00	339.00	208271	3.00	0.00	0.00
			339.00	342.00	208272	3.00	0.00	0.00
			342.00	345.00	208273	3.00	0.01	0.00
344.77 403.90		Monzonite Gray	345.00	348.00	208274	3.00	0.03	0.05
		Medium grain, Dark to light gray, hornblende with chlorite alteration. Mottles	348.00	351.00	208275	3.00	0.04	0.03
		with epidote at all angles, some 20cm blotches	351.00	354.00	208276	3.00	0.15	0.03
		347.5 20cm epidote/dark chlorite/k-spar as breccia	354.00	357.00	208277	3.00	0.05	0.03
		364 - 366 Blotches and veining 30°	357.00	360.00	208278	3.00	0.00	0.00
		380 More redish with hematite/calcite alteration, broken.	360.00	363.00	208280	3.00	0.01	0.03
		392.2 399.5 Fine grain gray green dacite dyke, minor biotite and sericite 30°,	363.00	366.00	208281	3.00	0.01	0.00
		pinkish calcite seams 30 - 60°	366.00	369.00	208282	3.00	0.00	0.00
			369.00	372.00	208283	3.00	0.00	0.00
			372.00	375.00	208284	3.00	0.00	0.00
			375.00	378.00	208285	3.00	0.00	0.00
			378.00	381.00	208286	3.00	0.00	0.00
			381.00	384.00	208287	3.00	0.01	0.00

From	To	Rocktype & Description	From	To	Sample	Width	Cu %	Au g/t
			384.00	387.00	208288	3.00	0.01	0.03
			387.00	390.00	208289	3.00	0.00	0.00
			390.00	393.00	208290	3.00	0.01	0.00
			393.00	396.00	208291	3.00	0.00	0.00
			396.00	399.00	208293	3.00	0.01	0.03
			399.00	402.00	208294	3.00	0.01	0.03
			402.00	403.90	208295	1.90	0.01	0.18
403.90	403.90	EOH 403.9						