

GWR RESOURCES INC.

Diamond Drill Log

Lac La Hache Mt. Timothy Project

Hole: AZ07-45

Field Log: 2007/10/25

Northing: 5758892

Easting: 617385

Elevation: 1301 m

Area: Aurizon North

Length: 432.8 m

Azimuth: 0.00 °

Dip: -90.00 °

Logged By: BGG

Project: LAC LA HACHE				Hole Number: AZ07-45					
From	To	Rocktype	& Description	From	To	Sample	Width	Cu %	Au g/t
0.00	2.00	Casing							
2.00	24.10	Volcanic Extrusive		2.20	4.00	208301	1.80	0.19	0.16
			<i>Medium grain, black green, variable amounts of blotchy epidote alteration.</i>	4.00	7.00	208302	3.00	0.05	0.06
			<i>Broken with hematite and mixed feldspar seams, slightly hybrid, some 30% core</i>	7.00	10.00	208303	3.00	0.02	0.07
			<i>loss, shearing 5 - 15°, some light chlorite mud, minor pyrite and chalcopryrite throughout, NC on fractures.</i>	10.00	13.00	208304	3.00	0.02	0.00
				13.00	16.00	208305	3.00	0.24	0.13
				16.00	19.00	208306	3.00	0.00	0.00
				19.00	22.00	208308	3.00	0.19	0.06
24.10	27.40	Monzonite Orange		22.00	25.00	208309	3.00	0.04	0.00
			<i>Medium grain, orange/gray with feldspar alteration. Dark green hornblende with</i>	25.00	28.00	208310	3.00	0.08	0.00
			<i>chlorite alteration, highly crushed with "S" wave shearing 2 - 15°, with</i>						
			<i>hematite and pebble breccia.</i>						
			<i>« 24.00- 27.40 Fault zone » with intervals of gouge with pebble breccia.</i>						
27.40	68.00	Volcanic Extrusive		28.00	31.00	208311	3.00	0.01	0.00
			<i>Medium grain, black green, variable amounts of blotchy epidote alteration.</i>	31.00	34.00	208312	3.00	0.05	0.00
			<i>27.4 - 49 Fault zone some chlorite gouge</i>	34.00	37.00	208313	3.00	0.03	0.00
			<i>55.8 - 65.3 K-spar/epi/hem/mag veining 45° some with 5cm cpy, disseminated</i>	37.00	40.00	208314	3.00	0.01	0.00
			<i>magnetite and weak epidote feldspar flooding locally to 1% cpy.</i>	40.00	43.00	208315	3.00	0.02	0.00
				43.00	46.00	208316	3.00	0.03	0.00
				46.00	49.00	208317	3.00	0.04	0.00
				49.00	52.00	208318	3.00	0.04	0.00
				52.00	55.00	208319	3.00	0.03	0.00
				55.00	57.00	208321	2.00	0.27	0.08
				57.00	59.00	208322	2.00	0.13	0.06
				59.00	61.00	208323	2.00	0.11	0.05
				61.00	63.00	208324	2.00	0.10	0.06
				63.00	65.00	208325	2.00	0.03	0.00
				65.00	67.00	208326	2.00	0.06	0.04
				67.00	69.00	208327	2.00	0.02	0.00
68.00	73.40	Lapilli Tuff		69.00	71.00	208328	2.00	0.02	0.04

From	To	Rocktype & Description	From	To	Sample	Width	Cu %	Au g/t
		<i>Finegrain dark matrix with lapilli-mm to cm, mottled orange to lighter colors with various rock types. Almost a pebble breccia, mixed feldspar and andesite fragments, crushed calcite crinkle veinlets. « 71.20- 73.40 Fault zone 30°» includes 40cm felsic tuff fragment.</i>	71.00	73.00	208329	2.00	0.14	0.00
73.40	85.00	Felsic Tuff	73.00	75.00	208330	2.00	0.05	0.00
		<i>Orange fine grain matrix with lighe feldspar and K-spar 1 - 5mm lapilli, a few quartz eyes.</i>	75.00	77.00	208332	2.00	0.00	0.00
			77.00	79.00	208333	2.00	0.00	0.00
			79.00	81.00	208334	2.00	0.00	0.00
			81.00	83.00	208335	2.00	0.00	0.00
			83.00	85.00	208336	2.00	0.00	0.00
85.00	107.60	Lapilli Tuff	85.00	87.00	208337	2.00	0.29	0.13
		<i>Finegrain dark matrix with lapilli-mm to cm, mottled orange to lighter colors with various rock types. Highly altered with calcite crinkles, epidote hematite magnetite seams, has mottled appearence, some fine grain cpy</i>	87.00	89.00	208338	2.00	0.09	0.06
			89.00	91.00	208339	2.00	0.02	0.00
			91.00	93.00	208340	2.00	0.01	0.00
			93.00	95.00	208341	2.00	0.01	0.03
			95.00	97.00	208342	2.00	0.02	0.00
			97.00	99.00	208344	2.00	0.00	0.00
			99.00	101.00	208345	2.00	0.00	0.00
			101.00	103.00	208346	2.00	0.00	0.00
			103.00	105.00	208347	2.00	0.00	0.00
			105.00	107.00	208348	2.00	0.01	0.00
95.70	98.90	Dacite dyke						
		<i>Fine grain dark brown green, small white stressed amygdules, weakly magnetic. « 94.50- 96.00 Fault zone » gouge chlorite mud.</i>	99.00	101.00	208345	2.00	0.00	0.00
98.90	107.60	Felsic Tuff						
		<i>Finegrain dark matrix with lapilli-mm to cm, mottled orange to lighter colors with various rock types. Highly altered with calcite crinkles, epidote hematite magnetite seams, has mottled appearence, some fine grain cpy.</i>	101.00	103.00	208346	2.00	0.00	0.00
			103.00	105.00	208347	2.00	0.00	0.00
			105.00	107.00	208348	2.00	0.01	0.00
			107.00	109.00	208349	2.00	0.41	0.24
		« 106.90- 107.60 Fault zone »						
107.60	135.50	Lapilli Tuff	109.00	111.00	208350	2.00	0.04	0.00
		<i>Finegrain dark matrix with lapilli-mm to 5 cm, mottled orange to lighter colors with various rock types. Fragments higly chloritized from blue green to dark jade green , epidote and clacite. « 112.60- 113.40 Fault zone » Dark chlorite and light chlorite shearing 5 - 10° to CA. Epidote - feldspar mottling, seams 15, 30, 45°, minor cpy</i>	111.00	113.00	208351	2.00	0.05	0.08
			113.00	115.00	208352	2.00	0.04	0.00
			115.00	117.00	208353	2.00	0.04	0.00
			117.00	119.00	208354	2.00	0.03	0.00
			119.00	121.00	208355	2.00	0.08	0.00

From	To	Rocktype & Description	From	To	Sample	Width	Cu %	Au g/t
<i>throughout.</i>			121.00	123.00	208356	2.00	0.13	0.00
			123.00	125.00	208358	2.00	0.02	0.00
			125.00	127.00	208359	2.00	0.05	0.00
			127.00	129.00	208360	2.00	0.04	0.00
			129.00	131.00	208361	2.00	0.02	0.00
			131.00	133.00	208362	2.00	0.02	0.00
			133.00	135.00	208363	2.00	0.05	0.00
			135.00	137.00	208364	2.00	0.04	0.00
135.50	151.20	Hydrothermal Lapilli Breccia	137.00	139.00	208365	2.00	0.21	0.13
<i>Mottled green with epidote and oragne k-spar blotches, increase in magnetite</i>			139.00	141.00	208366	2.00	0.07	0.00
<i>and hematite with fine grain cpy to 1%.</i>			141.00	143.00	208367	2.00	0.07	0.00
<i>135.5 - 136 cal/hen/mag vein 15°</i>			143.00	145.00	208368	2.00	0.02	0.00
<i>144.4 - 149.8 3cm cal/chl/hem vein 30°, some crackle magnetite filled</i>			145.00	147.00	208369	2.00	0.09	0.04
<i>veinlets.</i>			147.00	149.00	208371	2.00	0.08	0.09
			149.00	151.00	208372	2.00	0.23	0.16
			151.00	153.00	208373	2.00	0.06	0.04
151.20	162.20	Volcanic Extrusive	153.00	155.00	208374	2.00	0.02	0.00
<i>Medium grain, black green, variable amounts of blotchy epidote alteration.</i>			155.00	157.00	208375	2.00	0.06	0.04
<i>Epidote and feldspar veining, 10cm pink calcite in light chlorrite hematite dark</i>			157.00	159.00	208376	2.00	0.08	0.04
<i>chlorite alteration.</i>			159.00	161.00	208377	2.00	0.01	0.00
<i>161.9 - 162.2 Monzonite dyke orange with hornblende 30° minor cpy.</i>			161.00	163.00	208378	2.00	0.01	0.00
162.20	225.60	Lapilli Tuff	163.00	165.00	208379	2.00	0.02	0.00
<i>Finegrain dark matrix with lapilli-mm to 1 - 10 cm, mottled orange to</i>			165.00	167.00	208381	2.00	0.00	0.00
<i>lighter colors with various rock types and epidote alteration.</i>			167.00	169.00	208382	2.00	0.01	0.00
<i>162.4 Ultrabasic 15cm bomb</i>			169.00	171.00	208383	2.00	0.01	0.06
<i>176 - 171.2 Several monzonite dykes 2 -5cm 30°</i>			171.00	173.00	208384	2.00	0.01	0.00
<i>Moderate magnetic susceptibility</i>			173.00	175.00	208385	2.00	0.02	0.00
<i>178.7 - 179. epidote seams 15° minor pyrite</i>			175.00	177.00	208386	2.00	0.01	0.00
<i>182 Darker matrix beoming mixed with lighter green fragments up to 4cm</i>			177.00	179.00	208387	2.00	0.01	0.00
<i>185.2 50cm of epi/feld veinlests sheared 40°</i>			179.00	181.00	208388	2.00	0.01	0.00
<i>198.8 25cm monzonite bomb</i>			181.00	183.00	208389	2.00	0.01	0.00
<i>199 k-spar/epidote mottling minor pyrite</i>			183.00	185.00	208390	2.00	0.02	0.00
<i>204.3 - 210.6 1cm mag in epidote flooding 45°</i>			185.00	187.00	208391	2.00	0.08	0.03
<i>210.6 50cm darker orange syentie dyke 30° to CA, some cpy</i>			187.00	189.00	208393	2.00	0.06	0.03
<i>216.7 - 225 5cm calcite filled shear 15°. Low angle</i>			189.00	191.00	208394	2.00	0.02	0.00
<i>k-spar/epidote/albite</i>								
<i>alteration with minor cpy.</i>			191.00	193.00	208395	2.00	0.01	0.00
			193.00	195.00	208396	2.00	0.02	0.00
			195.00	197.00	208397	2.00	0.02	0.00
			197.00	199.00	208398	2.00	0.02	0.03

From	To	Rocktype & Description	From	To	Sample	Width	Cu %	Au g/t
			199.00	201.00	208399	2.00	0.21	0.18
			201.00	203.00	208400	2.00	0.02	0.00
			203.00	205.00	131501	2.00	0.02	0.00
			205.00	207.00	131502	2.00	0.08	0.04
			207.00	209.00	131503	2.00	0.09	0.03
			209.00	211.00	131504	2.00	0.04	0.00
			211.00	213.00	131505	2.00	0.02	0.00
			213.00	215.00	131506	2.00	0.02	0.00
			215.00	217.00	131508	2.00	0.01	0.00
			217.00	219.00	131509	2.00	0.04	0.08
			219.00	221.00	131510	2.00	0.02	0.00
			221.00	223.00	131511	2.00	0.03	0.00
			223.00	225.00	131512	2.00	0.01	0.00
225.60	228.60	Mineralized Lapilli Tuff						
			225.00	227.00	131513	2.00	0.09	0.05
			227.00	229.00	131514	2.00	0.02	0.00
		<i>Core becomes bedded with fine grain black and lighter green sediment 80° to CA.</i>						
		<i>Non magnetic, but strong in places, minor cpy in lighter tuff.</i>						
228.60	320.00	Lapilli Tuff						
		<i>Finegrain dark matrix with lapilli-mm to cm, mottled orange to lighter colors</i>	229.00	231.00	131515	2.00	0.02	0.03
		<i>with various rock types.</i>	231.00	233.00	131516	2.00	0.02	0.04
		<i>228.6 Coarser lapilli, with feldspar/epidote mottling with minor cpy to 248.</i>	233.00	235.00	131517	2.00	0.01	0.00
		<i>251.9 - 252.5 chlorite/calcite shear 30°</i>	235.00	237.00	131518	2.00	0.01	0.03
		<i>276 - 276.4 Epidote/k-spar calcite shear with 1-2cm chalcopyrite pyrite vein</i>	237.00	239.00	131520	2.00	0.01	0.00
		<i>15°</i>	239.00	241.00	131521	2.00	0.01	0.00
		<i>« 277.60- 281.00 Monzonite Dyke » Grayish orange medium grain with</i>	241.00	243.00	131522	2.00	0.00	0.03
		<i>approximately 0.5% cpy and light chl/epi</i>	243.00	245.00	131523	2.00	0.00	0.00
		<i>292.2 - 294.7 Epidote/k-spar/albite with dark chlorite hematite and minor</i>	245.00	247.00	131524	2.00	0.01	0.03
		<i>pyrite, non magnetic</i>	247.00	249.00	131525	2.00	0.01	0.00
		<i>306 - 319 Core broken medium green chlorite on shallow angle fractures, talcous</i>	249.00	251.00	131526	2.00	0.05	0.04
		<i>with some hematite, 316 - 319 rusty brown monzonite.</i>	251.00	253.00	131527	2.00	0.02	0.06
			253.00	255.00	131528	2.00	0.00	0.00
			255.00	257.00	131529	2.00	0.01	0.04
			257.00	259.00	131531	2.00	0.04	0.04
			259.00	261.00	131532	2.00	0.01	0.00
			261.00	263.00	131533	2.00	0.01	0.04
			263.00	265.00	131534	2.00	0.03	0.05
			265.00	267.00	131535	2.00	0.01	0.00
			267.00	269.00	131536	2.00	0.02	0.00
			269.00	271.00	131537	2.00	0.01	0.03
			271.00	273.00	131538	2.00	0.01	0.00
			273.00	275.00	131539	2.00	0.00	0.00

From	To	Rocktype & Description	From	To	Sample	Width	Cu %	Au g/t
			361.00	363.00	131587	2.00	0.23	0.06
			363.00	365.00	131588	2.00	0.26	0.11
			365.00	367.00	131589	2.00	0.09	0.04
			367.00	369.00	131590	2.00	0.02	0.04
368.00	432.80	Lapilli Tuff	369.00	371.00	131591	2.00	0.31	0.10
		<i>Finegrain dark matrix with lapilli-mm to cm, mottled orange to lighter colors</i>	371.00	373.00	131593	2.00	0.03	0.00
		<i>with various rock types.</i>	373.00	375.00	131594	2.00	0.02	0.00
		<i>371.2 - 396.0 2cm to 15 cm cal/chl/hem/feldspar seams 20° to CA, some k-spar</i>	375.00	377.00	131595	2.00	0.01	0.06
		<i>alteration. Sulphides 1 - 3% locally.</i>	377.00	379.00	131596	2.00	0.07	0.00
		<i>405.3 Calcite stress fracture filling parallel to 10° with some epidote</i>	379.00	381.00	131597	2.00	0.26	0.08
		<i>chalcopyrite and pyrite.</i>	381.00	383.00	131598	2.00	0.16	0.05
		<i>406.2- 408.5 K-spar/epidote veining 5°</i>	383.00	385.00	131599	2.00	0.02	0.00
		<i>409 - 411 up to 1% fine grain cpy</i>	385.00	387.00	131560	2.00	0.00	0.00
		<i>414.5 - 418.0 K-spar/epi/hem seam 5°</i>	387.00	389.00	131601	2.00	0.02	0.00
		<i>413 - 424 Minor disseminated pyrite and chalcopyrite in small epidote blotches</i>	389.00	391.00	131602	2.00	0.09	0.04
		<i>amongst more evident k-spar/epidote blotching and veining.</i>	391.00	393.00	131603	2.00	0.43	0.19
		<i>Core continues to</i>	393.00	395.00	131604	2.00	0.14	0.05
		<i>end as a volcanoclastin tuff in a dark fine grained matrix</i>	395.00	397.00	131605	2.00	0.06	0.00
			397.00	399.00	131606	2.00	0.04	0.00
			399.00	401.00	131608	2.00	0.08	0.03
			401.00	403.00	131609	2.00	0.08	0.07
			403.00	405.00	131610	2.00	0.05	0.00
			405.00	407.00	131611	2.00	0.07	0.00
			407.00	409.00	131612	2.00	0.05	0.00
			409.00	411.00	131613	2.00	0.07	0.04
			411.00	413.00	131614	2.00	0.04	0.00
			413.00	415.00	131615	2.00	0.04	0.03
			415.00	417.00	131616	2.00	0.05	0.00
			417.00	419.00	131617	2.00	0.08	0.08
			419.00	421.00	131619	2.00	0.04	0.00
			421.00	423.00	131620	2.00	0.02	0.00
			423.00	425.00	131621	2.00	0.11	0.04
			425.00	427.00	131622	2.00	0.01	0.00
			427.00	429.00	131623	2.00	0.02	0.00
			429.00	431.00	131624	2.00	0.04	0.00
432.80	432.80	EOH 432.8						