

GWR RESOURCES INC.

Diamond Drill Log

Lac La Hache Mt. Timothy Project

Hole: AZ07-46

Field Log:2007/10/29

Northing: 5758522

Easting: 617517

Elevation:1358 m

Area:Aurizon North

Length: 219.5 m

Azimuth:220.0°

Dip: -60.00°

Logged By:BGG

Project: LAC LA HACHE				Hole Number: AZ07-46					
From	To	Rocktype	& Description	From	To	Sample	Width	Cu %	Au g/t
0.00	5.20	Casing							
5.20	219.50	Monzonite Gray		5.30	7.00	131651	1.70	0.04	0.03
			Medium grain, Dark to light gray, hornblende with chlorite alteration, with biotite development. Disseminant magnetite altered in places to hematite.	7.00	10.00	131652	3.00	0.05	0.00
			5.2 - 11 Broken, limonite on fractures, some manganese, pink calcite and epidote seamlets, 12.2 less limonite non magnetic, hematite	10.00	13.00	131653	3.00	0.02	0.00
			« 16.90- 17.50 Fault zone 30° » chl/talcous gouge, stronger epidote alteration	13.00	16.00	131654	3.00	0.01	0.00
			18 Biotite hornfels mottling, mod to strong magnetite as disseminated and small veinlets, core very broken every 20cm with limonite on fractures.	16.00	19.00	131655	3.00	0.00	0.11
			« 25.00- 27.00 Epi/Feld 30° »	19.00	22.00	131656	3.00	0.01	0.00
			« 34.00- 37.70 Cpy » Stronger epidote veining 15 - 30° with minor fine grain to coarser chalcopyrite.	22.00	25.00	131658	3.00	0.00	0.00
			37.8 Minor breccia with 3cm chlorite and a 5cm magnetite fragment, some magnetite in crackle veinlet with cpy, continues a dark blackish green color with epidote.	25.00	28.00	131659	3.00	0.03	0.08
			39.4 1.5 x 3cm sharp fragment of cpy with altered edges in epidote with magnetite fragments.	28.00	31.00	131660	3.00	0.00	0.06
			46.6 50cm orange medium grain syenite dyke altered contacts	31.00	34.00	131661	3.00	0.04	0.07
			48 1cm calcite veins 40°	34.00	37.00	131662	3.00	0.14	0.22
			51.4 Magnetite seam 30°	37.00	40.00	131663	3.00	0.64	8.30
			54.7 - 55.5 Sheared and broken	40.00	43.00	131664	3.00	0.07	0.13
			59.4 Epi/feld banding 15° to CA strong magnetite, trace cpy	43.00	46.00	131665	3.00	0.10	0.00
			62 More pronounced hornfels mottled with magnetite	46.00	49.00	131666	3.00	0.05	0.09
			69.2 5cm mafic accidentals, mottled green epidote, some pink calcite alteration.	49.00	52.00	131667	3.00	0.10	0.09
			« 78.00- 83.00 Fault Breccia » annealed with epi/cal/hem/chl	52.00	55.00	131668	3.00	0.12	0.00
			30 -45° with magnetite.	55.00	58.00	131670	3.00	0.06	0.18
				58.00	61.00	131671	3.00	0.01	0.17
				61.00	64.00	131672	3.00	0.02	0.00
				64.00	67.00	131673	3.00	0.04	0.00
				67.00	70.00	131674	3.00	0.03	0.00
				70.00	73.00	131675	3.00	0.01	0.08
				73.00	76.00	131676	3.00	0.06	0.04
				76.00	79.00	131677	3.00	0.04	0.06
				79.00	82.00	131678	3.00	0.03	0.00
				82.00	85.00	131679	3.00	0.00	0.00

From	To	Rocktype & Description	From	To	Sample	Width	Cu %	Au g/t
		Monzonite contiunes darkish gray hornblende biotite chlorite alteration of	85.00	88.00	131680	3.00	0.00	0.00
		hornblend, Calcite on fractures 15° and 45°. Moderate magnetic susceptibility,	88.00	91.00	131682	3.00	0.01	0.00
		core in some places rusty orange with hematite alteration., also varigated with	91.00	94.00	131683	3.00	0.01	0.00
		lighter feldspar bands.	94.00	97.00	131684	3.00	0.01	0.00
		95.1 Epi/mag seam 45°	97.00	100.00	131685	3.00	0.01	0.03
		95.2 - 96.2 K-spar seam 5° trace cpy	100.00	103.00	131686	3.00	0.01	0.00
		104 Hematite/chl/cal fractures 15°	103.00	106.00	131687	3.00	0.01	0.08
		« 106.70- 110.00 Fault zone » chlorite gouge, hem, dark chlorite	106.00	109.00	131688	3.00	0.01	0.00
		alteration, moderate magnetic susceptibility.	109.00	112.00	131689	3.00	0.01	0.00
		114 - 121.9 Feldspar banding 5, 15, 30, 45°, decrease in hem alt'n	112.00	115.00	131690	3.00	0.01	0.00
		127 Core becomes more tomb stone gray less altered with hornblende biotite and	115.00	118.00	131691	3.00	0.00	0.00
		light green chlorite.	118.00	121.00	131692	3.00	0.01	0.00
		146 Continuing light feld/epi/k-spar banding 30°	121.00	124.00	131694	3.00	0.01	0.00
		166 Cal/hem shear 45°	124.00	127.00	131695	3.00	0.00	0.00
		175 Stronger balck speckled hornfels, some k-spar/epi 15° spotty cpy	127.00	130.00	131696	3.00	0.00	0.00
		191.4 K-spar/epi stronger with cpy 30°	130.00	133.00	131697	3.00	0.00	0.00
		192.4 - 195.8 K-spar/epi with 2cm magn/hem seams 45° with some albite	133.00	136.00	131698	3.00	0.01	0.00
		alteration with coarse cpy 1% overall. Varigated green epidote with k-spar and	136.00	139.00	131699	3.00	0.02	0.07
		light feldspar in speckled hornfels monzonite, moderate to weak magnetic	139.00	142.00	131700	3.00	0.00	0.04
		susceptibility to end	142.00	145.00	131701	3.00	0.01	0.00
		199 Trangular 3cm mafic accidental and magnetite seam 15°	145.00	148.00	131702	3.00	0.01	0.00
			148.00	151.00	131703	3.00	0.01	0.00
			151.00	154.00	131704	3.00	0.00	0.00
			154.00	157.00	131705	3.00	0.01	0.00
			157.00	160.00	131707	3.00	0.01	0.00
			160.00	163.00	131708	3.00	0.01	0.00
			163.00	166.00	131709	3.00	0.01	0.00
			166.00	169.00	131710	3.00	0.01	0.00
			169.00	172.00	131711	3.00	0.01	0.00
			172.00	175.00	131712	3.00	0.02	0.00
			175.00	178.00	131713	3.00	0.03	0.00
			178.00	181.00	131714	3.00	0.01	0.00
			181.00	184.00	131715	3.00	0.02	0.00
			184.00	187.00	131716	3.00	0.02	0.00
			187.00	190.00	131717	3.00	0.00	0.00
			190.00	193.00	131719	3.00	0.06	0.06
			193.00	196.00	131720	3.00	0.00	0.00
			196.00	199.00	131721	3.00	0.00	0.00
			199.00	202.00	131722	3.00	0.00	0.00

From	To	Rocktype & Description	From	To	Sample	Width	Cu %	Au g/t
			202.00	205.00	131723	3.00	0.00	0.00
			205.00	208.00	131724	3.00	0.00	0.00
			208.00	211.00	131725	3.00	0.00	0.00
			211.00	214.00	131726	3.00	0.00	0.00
			214.00	217.00	131727	3.00	0.00	0.00
219.50	219.50	EOH 219.5						