

GWR RESOURCES INC.

Diamond Drill Log

Lac La Hache Mt. Timothy Project

Hole: AZ07-49

Field Log:2007/11/12

Northing: 5759145

Easting: 617260

Elevation:1300 m

Area:Aurizon North

Length: 347.5 m

Azimuth:220.0°

Dip: -60.00°

Logged By:BGG

Project: LAC LA HACHE				Hole Number: AZ07-49					
From	To	Rocktype	& Description	From	To	Sample	Width	Cu %	Au g/t
0.00	3.00	Casing							
3.00	159.70	Lapilli Tuff		3.00	6.00	132101	3.00	0.01	0.03
			<i>Finegrain dark matrix with lapilli-mm to cm, mottled orange to lighter colors</i>	6.00	9.00	132102	3.00	0.01	0.00
			<i>with various rock types. Hematite and black chlorite on fractures.</i>	9.00	12.00	132103	3.00	0.11	0.00
			<i>9.1 - 12.2 Lost core Fault zone</i>	12.00	15.00	132104	3.00	0.03	0.00
			<i>« 6.20- 12.20</i>	15.00	18.00	132105	3.00	0.01	0.04
			<i>Dacite-dyke » fine grain tan non magnetic occupies fault zone.</i>	18.00	21.00	132106	3.00	0.01	0.00
			<i>12.2 - 13.2 3-tcm seam epidote k-spar with magnetite, small fractures with NC</i>	21.00	24.00	132108	3.00	0.00	0.00
			<i>2° where magnetite altered to hematite.</i>	24.00	27.00	132109	3.00	0.01	0.00
			<i>19 Epidote/cal/dark chlorite shear 30°</i>	27.00	30.00	132110	3.00	0.01	0.03
			<i>14.8 - 15.2 Syenite dykelet</i>	30.00	33.00	132111	3.00	0.00	0.00
			<i>16.9 - 17.4 Syenite dykelet</i>	33.00	36.00	132112	3.00	0.03	0.00
			<i>20 Dark black tuff matrix mottled with green epidote, with pink calcite</i>	36.00	39.00	132113	3.00	0.00	0.00
			<i>criackle texture, hematite alteration slightly stronger magnetite, becomes more</i>	39.00	42.00	132114	3.00	0.01	0.00
			<i>coarse with feldspar clasts.</i>	42.00	45.00	132115	3.00	0.02	0.00
			<i>« 24.00- 25.80 Fault zone 30- 40°» broken and sheared to 28.4</i>	45.00	48.00	132116	3.00	0.01	0.00
			<i>35 - 50.5 Broken with strong epidote/k-spar banding 10 - 15°, with trace of cpy</i>	48.00	51.00	132117	3.00	0.03	0.00
			<i>and dissminated magnetite and blotches., becomes hornfels with shadow speckled</i>	51.00	54.00	132119	3.00	0.01	0.00
			<i>clasts to 5cm. In places strongly magnetic with epidote crackle seams and bands</i>	54.00	57.00	132120	3.00	0.01	0.00
			<i>5 - 15°, Occasional 5cm orange monzonite bomb or dykelet.</i>	57.00	60.00	132121	3.00	0.00	0.00
			<i>58.7 50cm orange monzonite with hornblende altered to chlorite</i>	60.00	63.00	132122	3.00	0.01	0.00
			<i>61.5 5cm cal/feld shear alteration 15°, epidote alteration of clasts some</i>	63.00	66.00	132123	3.00	0.02	0.00
			<i>stronger blotches of magnetite with cpy</i>	66.00	69.00	132124	3.00	0.02	0.00
			<i>79.2 10cm broken calcite sand</i>	69.00	72.00	132125	3.00	0.03	0.03
			<i>93.3 20cm feldsapr dyke</i>	72.00	75.00	132126	3.00	0.03	0.00
			<i>101.8 20cm epidote/k-spar</i>	75.00	78.00	132127	3.00	0.04	0.03
			<i>120.5 - 121.5 1cm calcite seam darl chlorite pyrite and chalcopyrite</i>	78.00	81.00	132129	3.00	0.03	0.00
			<i>122.1 - 137.8 5 50 - 80cm monzonite dykelets 30°</i>	81.00	84.00	132130	3.00	0.02	0.00
			<i>140 Andesite lapilli tuff 1-5cm clasts cut by k-spar/epidote seams 30° with</i>	84.00	87.00	132131	3.00	0.01	0.00
2008/06/20								Page	1

From	To	Rocktype & Description	From	To	Sample	Width	Cu %	Au g/t	
<i>some blotching and veining at 10°</i>			87.00	90.00	132132	3.00	0.02	0.00	
			90.00	93.00	132133	3.00	0.01	0.00	
			93.00	96.00	132134	3.00	0.02	0.00	
			96.00	99.00	132135	3.00	0.02	0.00	
			99.00	102.00	132136	3.00	0.04	0.00	
			102.00	105.00	132138	3.00	0.06	0.05	
			105.00	108.00	132139	3.00	0.07	0.07	
			108.00	111.00	132140	3.00	0.02	0.00	
			111.00	114.00	132141	3.00	0.06	0.05	
			114.00	117.00	132142	3.00	0.03	0.00	
			117.00	120.00	132143	3.00	0.03	0.00	
			120.00	123.00	132144	3.00	0.10	0.00	
			123.00	126.00	132145	3.00	0.02	0.00	
			126.00	129.00	132146	3.00	0.02	0.00	
			129.00	132.00	132147	3.00	0.02	0.00	
			132.00	135.00	132149	3.00	0.02	0.00	
			135.00	138.00	132150	3.00	0.01	0.00	
			138.00	141.00	132151	3.00	0.02	0.00	
			141.00	144.00	132152	3.00	0.01	0.00	
			144.00	147.00	132153	3.00	0.02	0.00	
			147.00	150.00	132154	3.00	0.01	0.00	
			150.00	153.00	132156	3.00	0.02	0.00	
			153.00	156.00	132157	3.00	0.01	0.00	
			156.00	159.00	132158	3.00	0.00	0.00	
			159.00	162.00	132159	3.00	0.01	0.00	
			159.70 180.30 Monzonite Gray	162.00	165.00	132160	3.00	0.02	0.00
			<i>Medium grain, Dark to light gray, hornblende with chlorite alteration. Highly</i>			165.00	168.00	132161	3.00
<i>varigated wigh light brown orange feldspar of several phases 5° cut by 30°,</i>			168.00	171.00	132162	3.00	0.01	0.00	
<i>minor disseminated pyrite, weaker magnetite. Contact 45°</i>			171.00	174.00	132163	3.00	0.01	0.00	
<i>171.7 Epidote caalcite seamlets 2 - 10° to CA.</i>			174.00	177.00	132164	3.00	0.01	0.00	
			177.00	180.00	132165	3.00	0.02	0.00	
			180.00	183.00	132167	3.00	0.00	0.00	
180.30 188.30 Monzonite Dyke	183.00	186.00	132168	3.00	0.01	0.00			
<i>Medium grain rusty orange porphyritic non magnetic contact 45°</i>			186.00	189.00	132169	3.00	0.01	0.00	
188.30 267.40 Lapilli Tuff	189.00	192.00	132170	3.00	0.05	0.05			
<i>Finegrain dark matrix with lapilli-mm to cm, mottled orange to lighter colors</i>			192.00	195.00	132171	3.00	0.05	0.00	
<i>with various rock types. Some ligher banding likely bedding 70°</i>			195.00	198.00	132172	3.00	0.04	0.00	
<i>191.6 - 193.1 Mangetite to 70% with trace chalcopyrite. Coarser clasts of</i>			198.00	201.00	132173	3.00	0.06	0.03	
<i>feldspar and epidote altered mafics in dark fine grain matrix, some strong</i>			201.00	204.00	132174	3.00	0.04	0.03	
<i>k-spar/epidote mottling and veining 30°, generally strong magnetite, becoming</i>			204.00	207.00	132175	3.00	0.03	0.03	
<i>more broken.</i>			207.00	210.00	132177	3.00	0.03	0.00	

From	To	Rocktype & Description	From	To	Sample	Width	Cu %	Au g/t
		« 228.40- 243.00 Fault zone » chlorite gouge sections 30°	210.00	213.00	132178	3.00	0.04	0.00
		« 232.00- 235.60 Andesite-dyke » occupys fault zone	213.00	216.00	132179	3.00	0.02	0.00
		243 - 261.9 Highly sheared 30 - 45° increase in calcite fractures.	216.00	219.00	132180	3.00	0.01	0.00
		Faulting 252.5, 253.5, 254	219.00	222.00	132181	3.00	0.02	0.05
		259.6 10cm carbonate chlorite alteration 30°	222.00	225.00	132182	3.00	0.01	0.00
		261.8 10cm calcite/chl shear, short sections of blotchy k-spar with magnetite	225.00	228.00	132183	3.00	0.05	0.03
		with minor chalcopyrite and pyrite in epidote.	228.00	231.00	132184	3.00	0.01	0.00
		266.8 20 cm bright orange k-spar 15°	231.00	234.00	132186	3.00	0.01	0.00
			234.00	237.00	132187	3.00	0.03	0.00
			237.00	240.00	132188	3.00	0.12	0.03
			240.00	243.00	132189	3.00	0.07	0.04
			243.00	246.00	132190	3.00	0.13	0.03
			246.00	249.00	132191	3.00	0.15	0.00
			249.00	252.00	132192	3.00	0.03	0.00
			252.00	255.00	132193	3.00	0.04	0.00
			255.00	258.00	132194	3.00	0.01	0.00
			258.00	261.00	132195	3.00	0.05	0.00
			261.00	264.00	132197	3.00	0.24	0.08
			264.00	267.00	132198	3.00	0.08	0.03
			267.00	270.00	132199	3.00	0.05	0.04
			270.00	273.00	132200	3.00	0.04	0.00
267.40	296.50	Monzonite Dyke	273.00	276.00	132201	3.00	0.02	0.00
		Brick orange, medium grain with white average 5mm calcite crystals and						
		occasional quartz-eye, some altered hornblende, non magnetic.	276.00	279.00	132202	3.00	0.04	0.00
		267.4 - 271.5 White speckled medium grain grey green monzonite 15°	279.00	282.00	132203	3.00	0.02	0.00
		289.6 -293.2 Mottled k-spar bright orange with epidote	282.00	285.00	132204	3.00	0.03	0.00
		294.1 - 294.6 Magnetite with minor cpy and pyrite in epidote seam 15°	285.00	288.00	132206	3.00	0.01	0.00
		295.5 - 296.5 Gray monzonite dyke	288.00	291.00	132207	3.00	0.01	0.00
			291.00	294.00	132208	3.00	0.01	0.00
			294.00	297.00	132209	3.00	0.04	0.00
296.50	339.00	Lapilli Tuff	297.00	300.00	132210	3.00	0.06	0.00
		Finegrain dark matrix with lapilli-mm to cm, mottled orange to lighter colors	300.00	303.00	132211	3.00	0.02	0.00
		with various rock types.	303.00	306.00	132212	3.00	0.03	0.00
		308.6 5cm cal/chl seam	306.00	309.00	132213	3.00	0.02	0.00
		Some biotite alteration of tuff with minor sections of sulphides in the	309.00	312.00	132215	3.00	0.12	0.15
		epidote, clasts to 5 cm with swirls of back magnetite (water laid?)	312.00	315.00	132216	3.00	0.10	0.00
		311 - 312 Epidote minor k-spar seam 5°	315.00	318.00	132217	3.00	0.01	0.00
		316.1 30cm chl/cal/hem seam 15°	318.00	321.00	132218	3.00	0.05	0.00
		317.4 5cm chl/cal shear 45° with epidote seams 5°	321.00	324.00	132219	3.00	0.05	0.00
		323 Fine grain matrix becomes more bedded 70° with minor pyrite cpy.	324.00	327.00	132220	3.00	0.02	0.00
			327.00	330.00	132221	3.00	0.01	0.00
			330.00	333.00	132222	3.00	0.05	0.00

From	To	Rocktype & Description	From	To	Sample	Width	Cu %	Au g/t
			333.00	336.00	132223	3.00	0.11	0.00
			336.00	339.00	132224	3.00	0.18	0.04
339.00	347.50	Hybrid Monzonite/Volcanics	339.00	342.00	132226	3.00	0.04	0.00
		<i>Metasomatized lapilli tuff intermixed with Gray to Orange Medium Grained</i>	342.00	345.00	132227	3.00	0.05	0.00
		<i>Monzonite, with epidote and light feldspar 30°, with some epidote blotching and light green saussurization.</i>	345.00	347.50	132228	2.50	0.14	0.03
347.50	347.50	EOH 347.5						