

GWR RESOURCES INC.

Diamond Drill Log

Lac La Hache Mt. Timothy Project

Hole: AZ07-50

Field Log:2007/11/17

Northing: 5759080

Easting: 617345

Elevation:1302 m

Area:Aurizon North

Length: 406.9 m

Azimuth:40.00°

Dip: -60.00°

Logged By:BGG

Project: LAC LA HACHE**Hole Number: AZ07-50**

From	To	Rocktype & Description	From	To	Sample	Width	Cu %	Au g/t
0.00	6.70	Casing	6.60	8.00	132251	1.40	0.04	0.00
6.70	45.70	Lapilli Tuff	8.00	10.00	132252	2.00	0.02	0.00
		<i>Finegrain dark matrix with lapilli-mm to cm, mottled orange to lighter colors</i>	10.00	12.00	132253	2.00	0.03	0.00
		<i>with various rock types. Looks like it could be a monzonite volcanic hybrid.</i>	12.00	14.00	132254	2.00	0.02	0.00
		<i>Medium gray green, epidote blotches broken limonite, malachite, weak NC</i>	14.00	16.00	132255	2.00	0.04	0.07
		<i>17.7 - 19 Shear chl/cal/hem</i>	16.00	18.00	132257	2.00	0.03	0.00
		<i>« 19.10- 23.10 Andesite-dyke » slightly magnetic</i>	18.00	20.00	132258	2.00	0.03	0.00
		<i>Some fine grain cpy and NC, epidote/k-spar banding 45°</i>	20.00	22.00	132259	2.00	0.03	0.00
		<i>32.8 - 33.7 Monzonite gray dyke white speckling</i>	22.00	24.00	132260	2.00	0.06	0.00
		<i>34 2cm pink quartz vein 40°, increasing epidote alteration</i>	24.00	26.00	132261	2.00	0.37	0.17
			26.00	28.00	132262	2.00	0.46	1.36
			28.00	30.00	132263	2.00	0.24	0.43
			30.00	32.00	132264	2.00	0.13	0.14
			32.00	34.00	132265	2.00	0.01	0.00
			34.00	36.00	132267	2.00	0.03	0.00
			36.00	38.00	132268	2.00	0.01	0.00
			38.00	40.00	132269	2.00	0.02	0.00
			40.00	42.00	132270	2.00	0.17	0.19
			42.00	44.00	132271	2.00	0.07	0.07
			44.00	46.00	132272	2.00	0.21	0.05
45.70	54.50	Mafic Pyroclastics	46.00	48.00	132273	2.00	0.11	0.04
		<i>Dark black green fine to medium grain matrix, coarse fragments, sections of tan</i>	48.00	50.00	132274	2.00	0.03	0.00
		<i>green flow top, variably magnetic. 1 - 5cm fragments.</i>	50.00	52.00	132275	2.00	0.05	0.00
			52.00	54.00	132277	2.00	0.06	0.00
			54.00	56.00	132278	2.00	0.07	0.08
54.50	134.10	Lapilli Tuff	56.00	58.00	132279	2.00	0.05	0.04
		<i>Finegrain dark matrix with lapilli-mm to cm, mottled orange to lighter colors</i>	58.00	60.00	132280	2.00	0.13	0.03
		<i>with various rock types. Polyolithic, black magnetite, epidote 30 - 60°</i>	60.00	62.00	132281	2.00	0.06	0.04
		<i>54.5 - 57.9 Light brown green fine to medium grain mottled with feldspar and</i>	62.00	64.00	132282	2.00	0.06	0.04
		<i>epidote, some disseminated cpy. Feldsparphyritic sections of the clasts.</i>	64.00	66.00	132283	2.00	0.03	0.03
		<i>62.2 Quartz/calcite vein 5cm 70°, epidote banding 60°</i>	66.00	68.00	132284	2.00	0.08	0.10

From	To	Rocktype & Description	From	To	Sample	Width	Cu %	Au g/t
66		Epidote and magnetite seams 70°	68.00	70.00	132286	2.00	0.01	0.00
71.2 - 73.2		Fine grain black basaltic dyke, weakly magnetic with 3cm calcite breccia	70.00	72.00	132287	2.00	0.01	0.00
		« 75.50- 77.40 Monzonite Dyke » Fine grain NC at upper contact along alteration 45° broken	72.00	74.00	132288	2.00	0.01	0.00
		77.1 3cm k-spar/epidote/mag and minor cpy 60°, in mottled orange/green/gray/black polyolithic tuff with disseminated magnetite.	74.00	76.00	132289	2.00	0.01	0.00
		81.9 - 82.7 Shear clacite alteration, contiues with light/dark chlorite alteration of matrix with epidote some magnetite/hematite to 86 where there is strong increase in mottled k-spar, epidote with NC.	76.00	78.00	132290	2.00	0.02	0.00
		« 84.00- 90.00 Mineral Zone » Mineral Zone	78.00	80.00	132291	2.00	0.02	0.00
		87 - 89 1mm fractures NC.	80.00	82.00	132292	2.00	0.03	0.00
		89 - 94 Core feldspathic alteration 30° has NC in k-spar; chalcocite, cuprite, NC. in epidote, weak magnetic susceptibility.	82.00	84.00	132293	2.00	0.01	0.00
		95.5 101.5 Stronger epidote, weaker feldspar, chalcocite, bornite, chalcopyrite cuprite to 1%	84.00	86.00	132295	2.00	0.04	0.00
		101.5 Light green apalite alteration with epidote/k-spar 30 - 45°	86.00	88.00	132296	2.00	0.24	0.08
		105.3 - 109.7 Broken, limonite, NC, dark chlorite on fractues, blotches epidote 30° with some chalcopyrite and bornite.	88.00	90.00	132297	2.00	0.16	0.09
		118- 119.2 3 -4cm seams epidote 30° with chalcocite and NC with hematite alteration of magnetite.	90.00	92.00	132298	2.00	0.08	0.00
		120 Less alteration of polyolithic tuff, stronger disseminated and blotches of magnetite with epidote 30°	92.00	94.00	132299	2.00	0.09	0.06
			94.00	96.00	132300	2.00	0.08	0.04
			96.00	98.00	132301	2.00	0.17	0.05
			98.00	100.00	132302	2.00	0.04	0.00
			100.00	102.00	132303	2.00	0.04	0.00
			102.00	104.00	132304	2.00	0.03	0.00
			104.00	106.00	132305	2.00	0.03	0.06
			106.00	108.00	132307	2.00	0.06	0.08
			108.00	110.00	132308	2.00	0.07	0.04
			110.00	112.00	132309	2.00	0.06	0.04
			112.00	114.00	132310	2.00	0.03	0.00
			114.00	116.00	132311	2.00	0.03	0.00
			116.00	118.00	132312	2.00	0.02	0.00
			118.00	120.00	132313	2.00	0.05	0.05
			120.00	122.00	132314	2.00	0.02	0.00
			122.00	124.00	132315	2.00	0.01	0.00
			124.00	126.00	132317	2.00	0.03	0.00
			126.00	128.00	132318	2.00	0.03	0.00
			128.00	130.00	132319	2.00	0.02	0.00
			130.00	132.00	132320	2.00	0.03	0.00
			132.00	134.00	132321	2.00	0.02	0.00
			134.00	136.00	132322	2.00	0.01	0.00
134.10	175.70	Monzonite Dyke	136.00	138.00	132323	2.00	0.00	0.00
		Brick red fine grain monzonite tuff or porphyritic, has angular and round micro fragments, altered hornblende laths, contact 30°	138.00	140.00	132324	2.00	0.01	0.00
		154.7 3cm rounded feldspar fragment.	140.00	142.00	132325	2.00	0.00	0.00
			142.00	144.00	132327	2.00	0.00	0.00

From	To	Rocktype & Description	From	To	Sample	Width	Cu %	Au g/t
			144.00	146.00	132328	2.00	0.00	0.00
			146.00	148.00	132329	2.00	0.01	0.00
			148.00	150.00	132330	2.00	0.01	0.00
			150.00	152.00	132331	2.00	0.01	0.00
			152.00	154.00	132332	2.00	0.01	0.00
			154.00	156.00	132333	2.00	0.01	0.00
			156.00	158.00	132334	2.00	0.01	0.00
			158.00	160.00	132335	2.00	0.00	0.00
			160.00	163.00	132337	3.00	0.01	0.00
			163.00	166.00	132338	3.00	0.00	0.00
			166.00	169.00	132339	3.00	0.01	0.00
			169.00	172.00	132340	3.00	0.00	0.00
			172.00	175.00	132341	3.00	0.01	0.00
			175.00	178.00	132342	3.00	0.03	0.00
175.70	200.00	Lapilli Tuff	178.00	181.00	132343	3.00	0.02	0.00
		<i>Finegrain dark matrix with lapilli-mm to cm, mottled orange to lighter colors</i>	181.00	184.00	132344	3.00	0.01	0.00
		<i>with various rock types. Contact 45° mottled with k-spar epidote with feldspar fragments, trace chalcopyrite.</i>	184.00	187.00	132345	3.00	0.01	0.00
			187.00	190.00	132347	3.00	0.02	0.00
			190.00	193.00	132348	3.00	0.01	0.00
			193.00	196.00	132349	3.00	0.02	0.00
			196.00	199.00	132350	3.00	0.04	0.00
			199.00	202.00	132351	3.00	0.00	0.00
200.00	228.00	Monzonite Dyke	202.00	205.00	132352	3.00	0.00	0.10
		<i>Brick red monzonite or tuff like upper dyke, upper contact 15°, lower contact is altered 10°</i>	205.00	208.00	132353	3.00	0.01	0.00
			208.00	211.00	132354	3.00	0.00	0.00
			211.00	214.00	132355	3.00	0.01	0.00
			214.00	217.00	132357	3.00	0.01	0.00
			217.00	220.00	132358	3.00	0.01	0.00
			220.00	223.00	132359	3.00	0.01	0.00
			223.00	226.00	132360	3.00	0.01	0.00
			226.00	229.00	132361	3.00	0.02	0.00
228.00	378.90	Lapilli Tuff	229.00	232.00	132362	3.00	0.04	0.00
		<i>Finegrain dark matrix with lapilli-mm to cm, mottled orange to lighter colors</i>	232.00	235.00	132363	3.00	0.18	0.05
		<i>with various rock types. Epidote blotches and veinlets 45°, minor cpy in epidote</i>	235.00	238.00	132364	3.00	0.02	0.00
		<i>233.3 Less k-spar and epidote more fine grain siltstone magnetite bedding.</i>	238.00	241.00	132365	3.00	0.03	0.00
		<i>237.8 1.5cm calcite shear 45° between 35cm epidote/k-spar bands with hem/dark chlorite</i>	241.00	244.00	132367	3.00	0.02	0.00
		<i>240.9 Possible fine grain bedding 60°</i>	244.00	247.00	132368	3.00	0.08	0.00
		<i>243.8 5cm band k-spar epidote bands 45° with minor actinolite, continuing</i>	247.00	250.00	132369	3.00	0.02	0.00
			250.00	253.00	132370	3.00	0.03	0.00
			253.00	256.00	132371	3.00	0.03	0.04

From	To	Rocktype & Description	From	To	Sample	Width	Cu %	Au g/t
		<i>k-spar/epidote blotches and bands 3-5cm 45°, to 15 -30° to 257</i>	256.00	259.00	132372	3.00	0.01	0.00
		<i>257 -273 Less fragments fine grain highly magnetic with traces of cpy in</i>	259.00	262.00	132373	3.00	0.01	0.00
		<i>k-spar epidote 30°</i>	262.00	265.00	132374	3.00	0.04	0.00
		<i>280 20cm epidote/k-spar breccia 30°</i>	265.00	268.00	132376	3.00	0.02	0.00
		<i>« 280.30- 282.30 Dacite-dyke » Fine grain brown green black minor white</i>	268.00	271.00	132377	3.00	0.01	0.00
		<i>amygdules, weakly magnetic.</i>	271.00	274.00	132378	3.00	0.01	0.00
		<i>282.2 - 283.8 Sheared annealed qtz/cal pink orthoclase, hem/dark light chlorite</i>	274.00	277.00	132379	3.00	0.01	0.03
		<i>alteration with minor pyrite and chalcopyrite.</i>	277.00	280.00	132380	3.00	0.06	0.00
		<i>283 - 283.5 Fault hem/chl rubble</i>	280.00	283.00	132381	3.00	0.14	0.00
		<i>298 - 299.5 Fault red hem/chl mud 30°</i>	283.00	286.00	132382	3.00	0.08	0.00
		<i>310.0 rhythmic epi/d-spar bancint 30°</i>	286.00	289.00	132383	3.00	0.02	0.00
		<i>313 Increase in 2-3cm fragments</i>	289.00	292.00	132384	3.00	0.02	0.00
		<i>316 - 337 Highly mottled with pinkish green feldspar epidote and greenstone</i>	292.00	295.00	132386	3.00	0.00	0.00
		<i>lapilli, sections strongly magnetic</i>	295.00	298.00	132387	3.00	0.00	0.00
		<i>337 Less fragments/ epidote banding 45°</i>	298.00	301.00	132388	3.00	0.00	0.00
		<i>348.7 - 351.5 30 - 50cm epidote/k-s-ar chl/cal bands 20 - 40° to CA.</i>	301.00	304.00	132389	3.00	0.00	0.00
		<i>357 Increase in black magnetite, epidote, k-spar with hematite alteration some</i>	304.00	307.00	132390	3.00	0.00	0.00
		<i>slickensides 70°, minor cpy</i>	307.00	310.00	132391	3.00	0.00	0.00
		<i>360 30cm rhythmic banded magnetite fine grain greenstone.</i>	310.00	313.00	132392	3.00	0.02	0.00
		<i>365 Stronger lapilli mottling</i>	313.00	316.00	132393	3.00	0.01	0.00
		<i>367.2 Epidote/k-spar seam 30° with 2mm x10mm bornite mineral</i>	316.00	319.00	132394	3.00	0.01	0.00
		<i>371.5 10cm k-spar/epidote with magnetite and minor cpy</i>	319.00	322.00	132396	3.00	0.02	0.00
		<i>377.5 Shearing with chl/cal/hem alteration with minor shear breccia</i>	322.00	325.00	132397	3.00	0.02	0.00
			325.00	328.00	132398	3.00	0.01	0.00
			328.00	331.00	132399	3.00	0.03	0.00
			331.00	334.00	132400	3.00	0.02	0.03
			334.00	337.00	132401	3.00	0.01	0.00
			337.00	340.00	132402	3.00	0.01	0.00
			340.00	343.00	132403	3.00	0.01	0.00
			343.00	346.00	132404	3.00	0.05	0.04
			346.00	349.00	132405	3.00	0.02	0.00
			349.00	352.00	132406	3.00	0.02	0.00
			352.00	355.00	132408	3.00	0.01	0.00
			355.00	358.00	132409	3.00	0.04	0.00
			358.00	361.00	132410	3.00	0.07	0.07
			361.00	364.00	132411	3.00	0.01	0.00
			364.00	367.00	132412	3.00	0.02	0.00
			367.00	370.00	132413	3.00	0.02	0.00
			370.00	373.00	132414	3.00	0.03	0.05
			373.00	376.00	132415	3.00	0.02	0.00
			376.00	379.00	132416	3.00	0.13	0.00

From	To	Rocktype & Description	From	To	Sample	Width	Cu %	Au g/t
378.90	406.90	Monzonite Dyke	379.00	382.00	132418	3.00	0.00	0.00
		<i>Brick green fine grain to coarse porphyritic or mico fragmental, broken</i>	382.00	385.00	132419	3.00	0.00	0.00
		<i>contact. Dyke to end of hole.</i>	385.00	388.00	132420	3.00	0.01	0.00
			388.00	391.00	132421	3.00	0.00	0.00
			391.00	394.00	132422	3.00	0.00	0.00
			394.00	397.00	132423	3.00	0.00	0.00
			397.00	400.00	132424	3.00	0.00	0.00
			400.00	403.00	132425	3.00	0.00	0.00
			403.00	406.00	132427	3.00	0.00	0.00
406.90	406.90	EOH 406.9						