

GWR RESOURCES INC.

Diamond Drill Log

Lac La Hache Mt. Timothy Project

Hole: AZ07-53

Field Log: 2007/11/30

Northing: 5758985

Easting: 617256

Elevation: 1296 m

Area: Aurizon North

Length: 344.4 m

Azimuth: 220.0°

Dip: -60.00°

Logged By: BGG

Project: LAC LA HACHE**Hole Number: AZ07-53**

From	To	Rocktype & Description	From	To	Sample	Width	Cu %	Au g/t
0.00	9.10	Casing	5.70	7.00	132851	1.30	0.01	0.00
		<i>Red monzonite dyke rubble and red mud</i>	7.00	9.00	132852	2.00	0.02	0.04
			9.00	11.00	132853	2.00	0.02	0.04
9.10	40.70	Lapilli Tuff	11.00	13.00	132854	2.00	0.02	0.00
		<i>Finegrain dark matrix with lapilli-mm to cm, mottled orange to lighter colors</i>	13.00	15.00	132855	2.00	0.02	0.00
		<i>with various rock types. K-spar with lighter felspar stockwork, highly broken,</i>	15.00	17.00	132857	2.00	0.05	0.03
		<i>sheared 2° to 17. Cal/chl/hem 30° Sections of coarse NC with blotches of</i>	17.00	19.00	132858	2.00	0.03	0.00
		<i>chalcocite.</i>	19.00	21.00	132859	2.00	0.04	0.03
		<i>Magnetite and chalcopyrite disseminated in the epidote,</i>	21.00	23.00	132860	2.00	0.04	0.00
		<i>« 23.40- 26.40 Bn » 23.4 26.4 Intense cal/chl/hem alteration almost</i>	23.00	25.00	132861	2.00	0.05	0.00
		<i>breccia like with coarse NC and chalcocite 30°</i>	25.00	27.00	132862	2.00	0.12	0.00
		<i>35.3 Fine grain pyrite and chalcopyrite with epidote, broken.</i>	27.00	29.00	132863	2.00	0.14	0.15
			29.00	31.00	132864	2.00	0.02	0.04
			31.00	33.00	132866	2.00	0.03	0.00
			33.00	35.00	132867	2.00	0.02	0.00
			35.00	37.00	132868	2.00	0.02	0.00
			37.00	39.00	132869	2.00	0.52	1.21
			39.00	42.00	132870	3.00	0.02	0.00
40.70	47.20	Monzonite Dyke	42.00	45.00	132871	3.00	0.13	0.10
		<i>Almost a monzonite tuff dyke, k-spar enriched feldspar with coarse andesite</i>	45.00	48.00	132872	3.00	0.27	0.08
		<i>tuff fragments 5 - 30°</i>						
47.20	120.00	Lapilli Tuff	48.00	51.00	132873	3.00	0.03	0.00
		<i>Finegrain dark matrix with lapilli-mm to cm, mottled orange to lighter colors</i>	51.00	54.00	132875	3.00	0.03	0.00
		<i>with various rock types. Some grey shadow like fragments, with hematite and</i>	54.00	57.00	132876	3.00	0.06	0.00
		<i>epidote alteration</i>	57.00	60.00	132877	3.00	0.06	0.04
		<i>57.9 70.1 Shearing intense calcite crinkles with hematite alteration, dark</i>	60.00	63.00	132878	3.00	0.06	0.03
		<i>and light chlorite.</i>	63.00	66.00	132879	3.00	0.04	0.00
		<i>« 62.40- 64.70 Dacite-dyke » Dyke comes up shear zone, some</i>	66.00	69.00	132880	3.00	0.03	0.00
		<i>brecciation. Fine grain dark black brown, minor vesicles, weak magnetite</i>	69.00	72.00	132881	3.00	0.02	0.00
		<i>70.1 Larger fragments 2 - 10 cm of orange feldspar with calcite</i>	72.00	75.00	132883	3.00	0.02	0.00

From	To	Rocktype & Description	From	To	Sample	Width	Cu %	Au g/t
		<i>hematite alteration. Dark chlorite hematite seams 30 - 60°. Epidote blotches and bands</i>	75.00	78.00	132884	3.00	0.03	0.05
			78.00	81.00	132885	3.00	0.01	0.00
		<i>95.4 Tuff become white speckled as well as with orange feldspar lapilli,</i>	81.00	84.00	132886	3.00	0.01	0.00
		<i>broken, hematite chlorite alteration, shearing 5°, becomes finer grained.</i>	84.00	87.00	132887	3.00	0.01	0.00
		<i>114.4 20cm carbonate breccia 30°</i>	87.00	90.00	132888	3.00	0.03	0.04
			90.00	93.00	132889	3.00	0.04	0.00
			93.00	96.00	132890	3.00	0.09	0.03
			96.00	99.00	132892	3.00	0.02	0.00
			99.00	102.00	132893	3.00	0.01	0.00
			102.00	105.00	132894	3.00	0.01	0.00
			105.00	108.00	132895	3.00	0.00	0.00
			108.00	111.00	132896	3.00	0.01	0.00
			111.00	114.00	132897	3.00	0.01	0.00
			114.00	117.00	132898	3.00	0.01	0.00
			117.00	120.00	132899	3.00	0.01	0.00
		120.00 157.00 Mineralized Lapilli Tuff	120.00	123.00	132900	3.00	0.00	0.00
		<i>Fine grained interbedded light green to darker black water laid bedding. Black</i>	123.00	126.00	132901	3.00	0.00	0.00
		<i>bedding commonly fine grained magnetite. May contain occasional larger clast.</i>	126.00	129.00	132902	3.00	0.06	0.03
		<i>Magnetite as spider web in core, chlorite and epidote alteration, with up to</i>	129.00	132.00	132903	3.00	0.04	0.00
		<i>40cm k-spar alteration blotches. Minor pyrite and chalcopyrite throughout.</i>	132.00	135.00	132904	3.00	0.02	0.00
		<i>143.6 - 146.3 K-spar, epidote seams 2°. Trace of actinolite</i>	135.00	138.00	132905	3.00	0.01	0.00
		<i>152 40cm k-spar/epidote blotche cut by calcite seams at 30° to CA.</i>	138.00	141.00	132906	3.00	0.03	0.00
		<i>« 152.50- 154.00 Monzonite Dyke » rusty orange.</i>	141.00	144.00	132908	3.00	0.02	0.00
			144.00	147.00	132909	3.00	0.02	0.00
			147.00	150.00	132910	3.00	0.01	0.00
			150.00	153.00	132911	3.00	0.01	0.00
			153.00	156.00	132912	3.00	0.01	0.00
			156.00	159.00	132913	3.00	0.01	0.30
		157.00 222.00 Lapilli Tuff	159.00	162.00	132914	3.00	0.02	0.00
		<i>Finegrain dark matrix with lapilli-mm to cm, mottled orange to lighter colors</i>	162.00	165.00	132915	3.00	0.00	0.00
		<i>with various rock types. Coarser tuff to 20cm almost flow breccia look,</i>	165.00	168.00	132917	3.00	0.02	0.00
		<i>moderate magnetite</i>	168.00	171.00	132918	3.00	0.01	0.00
		<i>« 168.80- 175.50 Monzonite Dyke » Medium grain orange to gray, varigated</i>	171.00	174.00	132919	3.00	0.01	0.00
		<i>with lighter feldspar bands, contact 30°, continues with mixed monzonite</i>	174.00	177.00	132920	3.00	0.02	0.00
		<i>andesite to 178</i>	177.00	180.00	132921	3.00	0.01	0.00
		<i>179 3cm cal/chl/hem shear 15°</i>	180.00	183.00	132922	3.00	0.01	0.00

From	To	Rocktype & Description	From	To	Sample	Width	Cu %	Au g/t
181.4		Increase in k-spar epidote brecciation and mottling	183.00	186.00	132923	3.00	0.01	0.00
185.2 - 189.3		Shearing 15° with calcite chlorite alteration, some brecciation with weak hematite alteration.	186.00	189.00	132924	3.00	0.01	0.00
191		Coarse lapilli fragments, 5mm to 30mm epidote feldspar alteration seams, low mag.	189.00	192.00	132926	3.00	0.01	0.00
193.5 - 200		Saussurization and k-spar alteration, dark chlorite on fractures, no magnetite.	192.00	195.00	132927	3.00	0.03	0.00
201 - 222		Mottled and banded with k-spar and epidote 30°, some pink calcite seams.	195.00	198.00	132928	3.00	0.01	0.00
			198.00	201.00	132929	3.00	0.00	0.00
			201.00	204.00	132930	3.00	0.01	0.00
			204.00	207.00	132931	3.00	0.02	0.00
			207.00	210.00	132932	3.00	0.02	0.00
			210.00	213.00	132934	3.00	0.01	0.00
			213.00	216.00	132935	3.00	0.01	0.00
			216.00	219.00	132936	3.00	0.01	0.00
			219.00	222.00	132937	3.00	0.01	0.00
222.00 245.00		Mineralized Lapilli Tuff	222.00	225.00	132938	3.00	0.01	0.00
		Fine grained interbedded light green to darker black water laid bedding. Black bedding commonly fine grained magnetite. May contain occasional larger clast.	225.00	228.00	132939	3.00	0.01	0.00
		Bedding 45°, strong magnetite, some fine grain disseminated pyrite and chalcopyrite with epidote. Varigated with epidote k-spar metasomatism, with stronger mineralization 231 - 237.	228.00	231.00	132940	3.00	0.05	0.00
			231.00	234.00	132941	3.00	0.20	0.09
			234.00	237.00	132942	3.00	0.13	0.05
			237.00	240.00	132943	3.00	0.02	0.00
			240.00	243.00	132945	3.00	0.03	0.00
			243.00	246.00	132946	3.00	0.02	0.00
245.00 308.00		Lapilli Tuff	246.00	249.00	132947	3.00	0.01	0.00
		Finegrain dark matrix with lapilli-mm to cm, mottled orange to lighter colors with various rock types.	249.00	252.00	132948	3.00	0.01	0.00
		245 - 251.9 Gray medium gain monzonite dykes 60 - 300cm	252.00	255.00	132949	3.00	0.12	0.09
		258 - 262 chlorite calcite hematite alteration 14" with some brecciation 30"	255.00	258.00	132950	3.00	0.12	0.12
		263 Increase in biotite alteration	258.00	261.00	132951	3.00	0.06	0.05
		275.6 5cm k-spar vein 45"	261.00	264.00	132952	3.00	0.06	0.05
		297 Increase in light medium grain feldspar intrusive bands with green saussurization, beoming stoped hybrid.	264.00	267.00	132953	3.00	0.04	0.04
			267.00	270.00	132954	3.00	0.02	0.00
			270.00	273.00	132955	3.00	0.02	0.00
			273.00	276.00	132956	3.00	0.03	0.00
			276.00	279.00	132958	3.00	0.00	0.00
			279.00	282.00	132959	3.00	0.01	0.04
			282.00	285.00	132960	3.00	0.02	0.04
			285.00	288.00	132961	3.00	0.01	0.00
			288.00	291.00	132962	3.00	0.01	0.00
			291.00	294.00	132963	3.00	0.01	0.00
			294.00	297.00	132964	3.00	0.01	0.00

From	To	Rocktype & Description	From	To	Sample	Width	Cu %	Au g/t
			297.00	300.00	132965	3.00	0.00	0.00
			300.00	303.00	132966	3.00	0.01	0.00
			303.00	306.00	132968	3.00	0.01	0.00
			306.00	309.00	132969	3.00	0.00	0.00
308.00	344.40	Monzonite Gray	309.00	312.00	132970	3.00	0.00	0.00
		<i>Medium grain, Dark to light gray, hornblende with chlorite alteration with 5 -</i>	312.00	315.00	132971	3.00	0.00	0.00
		<i>10cm altered fragments of andesite. Apple green saussurization.</i>	315.00	318.00	132972	3.00	0.02	0.00
		<i>315 Broken chlorite hematite shearing</i>	318.00	321.00	132973	3.00	0.00	0.00
		<i>« 316.50- 321.00 Dacite-dyke » Fine grain black green weak mag, upper</i>	321.00	324.00	132974	3.00	0.01	0.00
		<i>contact 45" lower contact 15"</i>	324.00	327.00	132975	3.00	0.00	0.00
		<i>316.9 - 317.9 Diatreme all fragments, 1cm epidote with pyrite, bright orange</i>	327.00	330.00	132976	3.00	0.00	0.00
		<i>clam shell crystals.</i>	330.00	333.00	132978	3.00	0.00	0.00
		<i>324 10 to 100cm saussurization, minor k-spar to 337, shearing with hematite,</i>	333.00	336.00	132979	3.00	0.00	0.00
		<i>slickensides 45"</i>	336.00	339.00	132980	3.00	0.00	0.00
			339.00	342.00	132981	3.00	0.00	0.00
344.40	344.40	EOH 344.4						