

**GWR RESOURCES INC.**

**Diamond Drill Log**

**Lac La Hache Mt. Timothy Project**

**Hole: AZ07-54**

Field Log:2007/12/04

Northing: 5758950

Easting: 617345

Elevation:1298 m

Area:Aurizon North

Length: 353.6 m

Azimuth:220.0°

Dip: -60.00°

Logged By:BGG

<b>Project: LAC LA HACHE</b>				<b>Hole Number: AZ07-54</b>				
<b>From</b>	<b>To</b>	<b>Rocktype &amp; Description</b>	<b>From</b>	<b>To</b>	<b>Sample</b>	<b>Width</b>	<b>Cu %</b>	<b>Au g/t</b>
<b>0.00</b>	<b>6.00</b>	<b>Casing</b>						
<b>6.00</b>	<b>45.70</b>	<b>Lapilli Tuff</b>	6.00	9.00	133001	3.00	<b>0.05</b>	<b>0.00</b>
		<i>Medium grain dark matrix with lapilli-mm to 5 cm, mottled orange to lighter colors with various rock types. Mottled with light green epidote and feldspar fragments, lomonite, hematite on fractures.</i>	9.00	12.00	133002	3.00	<b>0.07</b>	<b>0.06</b>
		<i>9.5 10cm Fault, dark gray cal/hem gouge with 20cm hydrothermal alteration, 30° to CA. Broken with lesser alteration to 12.2 30.5 stronger magnetite as disseminated and swirls</i>	12.00	15.00	133003	3.00	<b>0.03</b>	<b>0.00</b>
		<i>36 39.7 Gray monzonite dyke, rusty orange varigated with lighter feldsapr contact 30°, has increased hematite altered magnetite and epidote at contacts, trace chalcopyrite and pyrite.</i>	15.00	18.00	133004	3.00	<b>0.03</b>	<b>0.00</b>
		<i>43.3 - 45.7 cal/hem/epidote shear 15° NC.</i>	18.00	21.00	133006	3.00	<b>0.03</b>	<b>0.00</b>
			21.00	24.00	133007	3.00	<b>0.09</b>	<b>0.00</b>
			24.00	27.00	133008	3.00	<b>0.07</b>	<b>0.00</b>
			27.00	30.00	133009	3.00	<b>0.10</b>	<b>0.11</b>
			30.00	33.00	133010	3.00	<b>0.02</b>	<b>0.00</b>
			33.00	36.00	133011	3.00	<b>0.03</b>	<b>0.09</b>
			36.00	39.00	133012	3.00	<b>0.05</b>	<b>0.00</b>
			39.00	42.00	133013	3.00	<b>0.03</b>	<b>0.00</b>
			42.00	45.00	133015	3.00	<b>0.03</b>	<b>0.00</b>
			45.00	48.00	133016	3.00	<b>0.00</b>	<b>0.00</b>
<b>45.70</b>	<b>65.60</b>	<b>Monzonite Dyke</b>	48.00	51.00	133017	3.00	<b>0.01</b>	<b>0.00</b>
		<i>Brick red porphyritic monzonite, calcite alteration, broken, shear contact. contains a tuff fragments</i>	51.00	54.00	133018	3.00	<b>0.01</b>	<b>0.00</b>
			54.00	57.00	133019	3.00	<b>0.00</b>	<b>0.00</b>
			57.00	60.00	133020	3.00	<b>0.02</b>	<b>0.00</b>
			60.00	63.00	133021	3.00	<b>0.02</b>	<b>0.05</b>
			63.00	66.00	133022	3.00	<b>0.01</b>	<b>0.00</b>
<b>65.60</b>	<b>98.70</b>	<b>Lapilli Tuff</b>	66.00	69.00	133023	3.00	<b>0.03</b>	<b>0.00</b>
		<i>Finegrain dark matrix with lapilli-mm to cm, mottled orange to lighter colors with various rock types.</i>	69.00	72.00	133024	3.00	<b>0.01</b>	<b>0.00</b>
		<i>« 65.60- 81.30 Fault zone » chl/hem/talcous gouge 30°</i>	72.00	75.00	133026	3.00	<b>0.00</b>	<b>0.00</b>
		<i>« 78.30- 80.00 Dacite-dyke » Black tan fine grain white speckles</i>	75.00	78.00	133027	3.00	<b>0.00</b>	<b>0.00</b>
		<i>88.4 - 89.4 K-spar /epidote alteration</i>	78.00	81.00	133028	3.00	<b>0.00</b>	<b>0.00</b>
		<i>91.6 - 93.2 calcite hematite chlorite fracture filling 2°</i>	81.00	84.00	133029	3.00	<b>0.02</b>	<b>0.00</b>
		<i>93.2 - 93.7 Epidote alteration blac hematite trace pyrite</i>	84.00	87.00	133030	3.00	<b>0.06</b>	<b>0.00</b>
			87.00	90.00	133031	3.00	<b>0.03</b>	<b>0.00</b>
			90.00	93.00	133032	3.00	<b>0.04</b>	<b>0.00</b>
			93.00	96.00	133033	3.00	<b>0.34</b>	<b>0.10</b>
			96.00	99.00	133035	3.00	<b>0.12</b>	<b>0.05</b>

From	To	Rocktype & Description	From	To	Sample	Width	Cu %	Au g/t
98.70	103.00	<b>Monzonite Dyke</b>	99.00	102.00	133036	3.00	0.00	0.00
			102.00	105.00	133037	3.00	0.01	0.00
		<i>Rusty orange medium grain with k-spar epidote hematite alteration 5°, lower contact has 40cm epidote alteration.</i>						
103.00	353.60	<b>Lapilli Tuff</b>	105.00	108.00	133038	3.00	0.01	0.00
		<i>Finegrain dark matrix with lapilli-mm to cm, mottled orange to lighter colors</i>	108.00	111.00	133039	3.00	0.01	0.00
		<i>with various rock types. Some disseminated magnetite and pyrite</i>	111.00	114.00	133040	3.00	0.07	0.03
		<i>123 - 124 Epidote dark chlorite/hematite, broken</i>	114.00	117.00	133041	3.00	0.04	0.00
		<i>126 - 127 cal/hem crackle texture 10 - 30°</i>	117.00	120.00	133042	3.00	0.07	0.03
		<i>129 - 132 Calcite/hematite with more k-spar epidote slickenside 60° to CA.</i>	120.00	123.00	133043	3.00	0.03	0.00
		<i>Shearing with alteration 30 - 45° to 135.</i>	123.00	126.00	133044	3.00	0.03	0.00
		<i>135.5 2cm k-spar magnetite seam 20°, broken, with blotches and veinlets of</i>	126.00	129.00	133045	3.00	0.10	0.00
		<i>epidote and minor k-spar, moderate to strong magnetite.</i>	129.00	132.00	133047	3.00	0.03	0.03
		<i>146.3 - 152 Fine grain black magnetite/green stiltstone bedding 60° minor</i>	132.00	135.00	133048	3.00	0.04	0.00
		<i>pyrite, mixed with coarser tuff.</i>	135.00	138.00	133049	3.00	0.04	0.00
		<i>164 - 168.2 Stronger k-spar/epidote alteration 30 - 45°</i>	138.00	141.00	133050	3.00	0.05	0.00
		<i>179.7 Subtle light invasive epidote flooding 15° trace pyrite cpy</i>	141.00	144.00	133051	3.00	0.04	0.00
		<i>180 - 260 Andesite tuff with mixed feldspars dykes, variable epidote and</i>	144.00	147.00	133052	3.00	0.02	0.00
		<i>k-spar</i>	147.00	150.00	133053	3.00	0.03	0.00
		<i>173.1 - 182 Stronger k-spar epidote</i>	150.00	153.00	133054	3.00	0.02	0.00
		<i>185.2 - 198.4 Monzonite with mixed epidotized andesite tuff with k-spar bands</i>	153.00	156.00	133055	3.00	0.01	0.00
		<i>45°</i>	156.00	159.00	133057	3.00	0.01	0.00
		<i>202.5 - 222 Monzonite mixed with andesite tuff, with epidote k-spar</i>	159.00	162.00	133058	3.00	0.00	0.00
		<i>alteration, broken, calcite filled fractures.</i>	162.00	165.00	133059	3.00	0.01	0.00
		<i>233.5 - 235 Broken sheared cal/chl/hem</i>	165.00	168.00	133060	3.00	0.00	0.00
		<i>235 - 237 Green saussurization</i>	168.00	171.00	133061	3.00	0.28	0.12
		<i>249.3 - 255.3 Monzonite rusty orange, some albitization contact 30°</i>	171.00	174.00	133062	3.00	0.13	0.08
		<i>356 - 259 Fine grained bedded tuff 60° more evident with varigated epidote</i>	174.00	177.00	133063	3.00	0.01	0.00
		<i>albitization, moderte magnetite.</i>	177.00	180.00	133064	3.00	0.00	0.00
		<i>260.8 - 261.7 Monzonite</i>	180.00	183.00	133066	3.00	0.00	0.00
		<i>272.9 - 276.1 Chl/cal/hem shear 10° with dark chlorite, k-spar, epidote</i>	183.00	186.00	133067	3.00	0.00	0.00
		<i>273 Andesite tuff with dark matrix and darker gray green coarser lapilli</i>	186.00	189.00	133068	3.00	0.00	0.03
		<i>1-3cm, mottled k-spar/epidote.</i>	189.00	192.00	133069	3.00	0.00	0.00
		<i>274 - 275.1 Stronger epidote/k-spar</i>	192.00	195.00	133070	3.00	0.00	0.00
		<i>278 Shear chl/cal/hem 15° broken</i>	195.00	198.00	133071	3.00	0.02	0.00
		<i>280 - 285.3 Weak chalcopyrite with epidote in tuff matrix</i>	198.00	201.00	133072	3.00	0.00	0.00

From	To	Rocktype & Description	From	To	Sample	Width	Cu %	Au g/t
		« 280.00- 285.00 Cpy »	201.00	204.00	133073	3.00	0.01	0.00
		286 60cm cal/chl/hem shear 60°	204.00	207.00	133074	3.00	0.00	0.00
		286.8 - 287.5 Monzonite rusty orange contact 20° dark chlorite alteration	207.00	210.00	133075	3.00	0.00	0.00
		294.4 40cm Apple green epidote	210.00	213.00	133077	3.00	0.00	0.00
		301.4 - 303.5 Two monzonite medium grain crystal texture 45° dykes	213.00	216.00	133078	3.00	0.00	0.00
		309.5 Begins small blotches of actinolite with metasomatic epidote alteration	216.00	219.00	133079	3.00	0.00	0.00
		with trace pyrite and chalcopyrite, some blotchy k-spar	219.00	222.00	133080	3.00	0.00	0.00
		313.6 - 315.4 & 316.8, Gray monzonite k-spar varigated contact 30°	222.00	225.00	133081	3.00	0.00	0.00
		324 50cm Monzonite with k-spar 30°	225.00	228.00	133082	3.00	0.00	0.00
		324 Andesite tuff has become darker black with less evident lapilli moderate magnetic susceptibility.	228.00	231.00	133083	3.00	0.00	0.00
			231.00	234.00	133084	3.00	0.00	0.00
		328 30cm Monzonite gray 30°	234.00	237.00	133086	3.00	0.00	0.00
		333.3 - 337 Gray monzonite with coarse tuff fragments	237.00	240.00	133087	3.00	0.00	0.00
		337 Andesite fine grain tuff black/green with some metasomatism with actinolite.	240.00	243.00	133088	3.00	0.16	0.17
			243.00	246.00	133089	3.00	0.01	0.00
		345.5 Becomes coarser lapillig trace fine grain pyrite and chalcopyrite.	246.00	249.00	133090	3.00	0.00	0.00
			249.00	252.00	133091	3.00	0.00	0.00
			252.00	255.00	133092	3.00	0.00	0.00
			255.00	258.00	133093	3.00	0.00	0.00
			258.00	261.00	133094	3.00	0.00	0.00
			261.00	264.00	133095	3.00	0.01	0.00
			264.00	267.00	133096	3.00	0.01	0.00
			267.00	270.00	133098	3.00	0.00	0.00
			270.00	273.00	133099	3.00	0.02	0.00
			273.00	276.00	133100	3.00	0.05	0.00
			276.00	279.00	133101	3.00	0.11	0.08
			279.00	282.00	133102	3.00	0.17	0.10
			282.00	285.00	133103	3.00	0.27	0.08
			285.00	288.00	133104	3.00	0.05	0.00
			288.00	291.00	133106	3.00	0.04	0.00
			291.00	294.00	133107	3.00	0.03	0.00
			294.00	297.00	133108	3.00	0.01	0.00
			297.00	300.00	133109	3.00	0.02	0.00
			300.00	303.00	133110	3.00	0.01	0.00
			303.00	306.00	133111	3.00	0.00	0.00
			306.00	309.00	133112	3.00	0.01	0.00
			309.00	312.00	133113	3.00	0.01	0.00
			312.00	315.00	133115	3.00	0.03	0.00
			315.00	318.00	133116	3.00	0.01	0.00
			318.00	321.00	133117	3.00	0.01	0.00
			321.00	324.00	133118	3.00	0.04	0.00

From	To	Rocktype & Description	From	To	Sample	Width	Cu %	Au g/t
			324.00	327.00	133119	3.00	0.01	0.00
			327.00	330.00	133120	3.00	0.02	0.03
			330.00	333.00	133121	3.00	0.02	0.03
			333.00	336.00	133122	3.00	0.00	0.00
			336.00	339.00	133123	3.00	0.01	0.00
			339.00	342.00	133125	3.00	0.00	0.00
			342.00	345.00	133126	3.00	0.06	0.00
			345.00	348.00	133127	3.00	0.01	0.00
			348.00	351.00	133128	3.00	0.09	0.04
			351.00	353.60	133129	2.60	0.09	0.03
353.60	353.60	EOH 353.6						