

GWR RESOURCES INC.

Diamond Drill Log

Lac La Hache Mt. Timothy Project

Hole: AZ08-56

Field Log:2008/02/01

Northing: 5758039

Easting: 617972

Elevation:1355 m

Area:Aurizon

Length: 338.3 m

Azimuth:270.0°

Dip: -60.00°

Logged By:BGG

Project: LAC LA HACHE				Hole Number: AZ08-56				
From	To	Rocktype & Description	From	To	Sample	Width	Cu %	Au g/t
0.00	7.30	Casing	7.00	9.00	133351	2.00	0.12	0.39
7.30	55.00	Polyolithic Felsic Tuff Breccia	9.00	11.00	133352	2.00	0.04	0.12
		<i>Two meters, medium grain, orange/gray with feldspar alteration. Polyolithic</i>	11.00	13.00	133353	2.00	0.08	0.12
		<i>fragments of feldspars varying from fine grain to white speckled feldspars and</i>	13.00	15.00	133354	2.00	0.04	0.00
		<i>feldsparphyritic with some mafics. Medium grained, mottled orange gray green to</i>	15.00	17.00	133355	2.00	0.09	0.07
		<i>brownly with some k-spar and epidote.</i>	17.00	19.00	133356	2.00	0.18	0.19
		<i>Dark green hornblende with chlorite alteration. Some NC and malachite stain.</i>	19.00	21.00	133357	2.00	0.10	0.11
		<i>Becomes Hydrothermally brecciated monzonite, varying from crackle breccia to</i>	21.00	23.00	133358	2.00	0.08	0.06
		<i>framework supported and matrix supported. Moderate to good development of</i>	23.00	25.00	133359	2.00	0.08	0.06
		<i>magnetite as blotches and veinlets.</i>	25.00	27.00	133360	2.00	0.09	0.12
		<i>Limonite manganese on fractures, light feldspar laths, feldsparphyritic, minor</i>	27.00	29.00	133361	2.00	0.09	0.18
		<i>amber mineral, light green and black chlorite, NC.</i>	29.00	31.00	133362	2.00	0.05	0.08
		<i>9.1 - 12.1 30% core recovery</i>	31.00	33.00	133363	2.00	0.05	0.05
		<i>12.1 - 14.2 70% core recovery</i>	33.00	35.00	133364	2.00	0.09	0.05
		<i>« 24.30- 28.90 Fault zone » Red hematite mud, limonite NC and</i>	35.00	37.00	133365	2.00	0.08	0.05
		<i>chalcocite, broken core to 36 NC on fractures</i>	37.00	39.00	133366	2.00	0.09	0.08
		<i>« 39.60- 42.60 Fault zone » Some albite in shear rubble</i>	39.00	41.00	133367	2.00	0.03	0.21
		<i>43.2 - 47.5 Metamorphosed volcanic xenolith with epidote, fine grain</i>	41.00	43.00	133368	2.00	0.07	0.19
		<i>chalcopyrite and boxwork vugs.</i>	43.00	45.00	133369	2.00	0.05	0.14
		<i>52 - 55 K-spar blotching, coarse chalcocite NC intense 1-2cm seams brown</i>	45.00	47.00	133370	2.00	0.07	0.10
		<i>hematite alteration 15°, light albite.</i>	47.00	49.00	133371	2.00	0.15	0.24
		<i>« 52.00- 55.00 NC »</i>	49.00	51.00	133372	2.00	0.07	0.23
			51.00	53.00	133373	2.00	0.14	0.20
			53.00	55.00	133374	2.00	0.01	0.05
		55.00 269.00 Hydrothermal Breccia	55.00	57.00	133375	2.00	0.02	0.00
		<i>Mottled fragmental look with black and orange fragments but strong increase in</i>	57.00	59.00	133376	2.00	0.11	0.11
		<i>magnetite as blotches and disseminated with blotches and veining of epidote.</i>	59.00	61.00	133377	2.00	0.06	0.16
20/06/2008							Page	1

From	To	Rocktype & Description	From	To	Sample	Width	Cu %	Au g/t
		« 52.00- 55.00 NC »	61.00	63.00	133378	2.00	0.11	0.17
		57 - 82 Broken stronger magnetite, chalcopyrite 1-3% in epidote with strong dark to orange k-spar and epidote blotching.	63.00	65.00	133379	2.00	0.07	0.07
		« 69.00- 74.00 Cpy »	65.00	67.00	133380	2.00	0.07	0.12
		87 40cm coarse pyrite seam 10° dark chl/hem/epi shear 20°	67.00	69.00	133381	2.00	0.14	0.25
		94 Broken NC on fractures	69.00	71.00	133382	2.00	0.53	0.67
		100 - 102 Light pinkish albite, chlorite	71.00	73.00	133383	2.00	0.10	0.13
		« 102.00- 106.00 Monzonite Dyke » Broken 2cm accidentals	73.00	75.00	133384	2.00	0.31	0.42
		115 - 117 Gray monzonite, calcite alteration, non magnetic, mixed rock types.	75.00	77.00	133385	2.00	0.10	0.12
		117 - 131 Chlorite/hem/k-spar fine grain pyrite and chalcopyrite.	77.00	79.00	133386	2.00	0.21	0.30
		« 132.50- 136.00 Dacite-dyke » Black green fine grain slightly magnetic,	79.00	81.00	133387	2.00	0.15	0.39
		upper and lower contacts 40cm fault breccia with red hematite mud	81.00	83.00	133388	2.00	0.16	0.29
		146 - 162 Blotches and disseminated magnetite some k-spar blotching, low sulphides	83.00	85.00	133389	2.00	0.11	0.16
		« @ 162.00 Qtz vein » quartz/calcite breccia vein 3-5cm strong cpy 5°	85.00	87.00	133390	2.00	0.08	0.17
		« 162.00- 170.00 Cpy »	87.00	89.00	133391	2.00	0.04	0.07
		164.5 - 170 Chl/hem/cal on fractures, broken minor disseminated chalcopyrite in epidote.	89.00	91.00	133392	2.00	0.12	0.16
		« @ 170.80 Fault » 15cm gouge mud	91.00	93.00	133393	2.00	0.03	0.07
		« 171.00- 173.50 Albite » Good albite, chl, hem with fine grain cpy,	93.00	95.00	133394	2.00	0.01	0.09
		k-spar mottling.	95.00	97.00	133395	2.00	0.05	0.28
		187 Saussurization of feldsparphyrite monzonte xenolith or finger dyke 30°	97.00	99.00	133396	2.00	0.07	1.07
		0.5 - 1% chalcopyrite	99.00	101.00	133397	2.00	0.06	0.32
		« 187.00- 193.00 Cpy »	101.00	103.00	133398	2.00	0.02	0.05
		215 Increase in fine grain orange monzonite with k-spar/calcite stress fractures, minor fine grain cpy	103.00	105.00	133399	2.00	0.01	0.03
		« 227.00- 232.00 Cpy »	105.00	107.00	133400	2.00	0.04	0.06
		240 Decrease in orange k-spar 1cm accidentals fine grain cpy in epidote,	107.00	109.00	133401	2.00	0.04	0.11
		slickensides 80°	109.00	111.00	133402	2.00	0.03	0.23
		250 Start fine grain bornite with black chlorite decrease in magnetite	111.00	113.00	133403	2.00	0.09	0.08
		« 250.00- 255.00 Bn »	113.00	115.00	133404	2.00	0.04	0.08
		« 260.00- 265.00 Bn »	115.00	117.00	133405	2.00	0.02	0.04
		255 - 266 Bornite as speck with epidote, slow decrease in hydrothermal alteration.	117.00	119.00	133406	2.00	0.02	0.00
			119.00	121.00	133407	2.00	0.02	0.06
			121.00	123.00	133408	2.00	0.04	0.06
			123.00	125.00	133409	2.00	0.15	0.24
			125.00	127.00	133410	2.00	0.09	0.11
			127.00	129.00	133411	2.00	0.03	0.10
			129.00	131.00	133412	2.00	0.04	0.06
			131.00	133.00	133413	2.00	0.02	0.16

From	To	Rocktype & Description	From	To	Sample	Width	Cu %	Au g/t
			133.00	135.00	133414	2.00	0.01	0.05
			135.00	137.00	133415	2.00	0.05	0.67
			137.00	139.00	133416	2.00	0.04	0.26
			139.00	141.00	133417	2.00	0.17	0.30
			141.00	143.00	133418	2.00	0.06	0.19
			143.00	145.00	133419	2.00	0.10	0.21
			145.00	147.00	133420	2.00	0.04	0.11
			147.00	149.00	133421	2.00	0.16	0.35
			149.00	151.00	133422	2.00	0.07	0.09
			151.00	153.00	133423	2.00	0.06	0.05
			153.00	155.00	133424	2.00	0.03	2.36
			155.00	157.00	133425	2.00	0.05	0.09
			157.00	159.00	133426	2.00	0.03	0.81
			159.00	161.00	133427	2.00	0.08	0.28
			161.00	163.00	133428	2.00	0.05	14.70
			163.00	165.00	133429	2.00	0.03	0.47
			165.00	167.00	133430	2.00	0.13	0.31
			167.00	169.00	133431	2.00	0.14	0.21
			169.00	171.00	133432	2.00	0.09	0.16
			171.00	173.00	133433	2.00	0.14	0.34
			173.00	175.00	133434	2.00	0.07	0.11
			175.00	177.00	133435	2.00	0.07	0.13
			177.00	179.00	133436	2.00	0.11	0.10
			179.00	181.00	133437	2.00	0.09	0.07
			181.00	183.00	133438	2.00	0.03	0.00
			183.00	185.00	133439	2.00	0.03	0.00
			185.00	187.00	133440	2.00	0.13	0.11
			187.00	189.00	133441	2.00	0.16	0.16
			189.00	191.00	133442	2.00	0.19	0.13
			191.00	193.00	133443	2.00	0.15	0.14
			193.00	195.00	133444	2.00	0.31	0.43
			195.00	197.00	133445	2.00	0.12	0.12
			197.00	199.00	133446	2.00	0.12	0.13
			199.00	201.00	133447	2.00	0.14	0.15
			201.00	203.00	133448	2.00	0.13	0.14
			203.00	205.00	133449	2.00	0.16	0.19
			205.00	207.00	133450	2.00	0.17	0.18
			207.00	209.00	133451	2.00	0.23	0.46
			209.00	211.00	133452	2.00	0.10	0.18
			211.00	213.00	133453	2.00	0.16	1.10
			213.00	215.00	133454	2.00	0.26	0.68
			215.00	217.00	133455	2.00	0.05	0.09
			217.00	219.00	133456	2.00	0.14	0.16
			219.00	221.00	133457	2.00	0.14	0.14
			221.00	223.00	133458	2.00	0.18	0.29
			223.00	225.00	133459	2.00	0.08	0.27
			225.00	227.00	133460	2.00	0.06	0.08
			227.00	229.00	133461	2.00	0.14	0.17

From	To	Rocktype & Description	From	To	Sample	Width	Cu %	Au g/t
			229.00	231.00	133462	2.00	0.28	0.38
			231.00	233.00	133463	2.00	0.31	0.57
			233.00	235.00	133464	2.00	0.09	0.22
			235.00	237.00	133465	2.00	0.07	0.06
			237.00	239.00	133466	2.00	0.11	0.12
			239.00	241.00	133467	2.00	0.12	0.09
			241.00	243.00	133468	2.00	0.08	0.10
			243.00	245.00	133469	2.00	0.07	0.08
			245.00	247.00	133470	2.00	0.01	0.03
			247.00	249.00	133471	2.00	0.06	0.06
			249.00	251.00	133472	2.00	0.23	0.17
			251.00	253.00	133473	2.00	0.08	0.08
			253.00	255.00	133474	2.00	0.09	0.14
			255.00	257.00	133475	2.00	0.20	0.28
			257.00	259.00	133476	2.00	0.75	1.09
			259.00	261.00	133477	2.00	0.31	0.43
			261.00	263.00	133478	2.00	0.30	0.37
			263.00	265.00	133479	2.00	0.20	0.23
			265.00	267.00	133480	2.00	0.29	0.23
			267.00	269.00	133481	2.00	0.26	0.20
269.00	338.30	Monzonite Orange	269.00	271.00	133482	2.00	0.12	0.13
		<i>Medium grain, orange/gray with feldspar alteration. Dark green hornblende with chlorite alteration. Varigated with lighter feldspar, small mafic accidentals, broken, black and lighte chlorite on fractures 20°</i>	271.00	273.00	133483	2.00	0.02	0.00
		<i>238.9 5cm mafic accidental, epi/hem/chl altered</i>	273.00	275.00	133484	2.00	0.02	0.00
		<i>286 Sharp edge 3cm hematite shear 40° , begins intense criss cross calcite</i>	275.00	277.00	133485	2.00	0.01	0.00
		<i>with light chlorite filled fractures, talcous hematite alteration, some bleaching with red hematite rust, non magnetic.</i>	277.00	279.00	133486	2.00	0.02	0.00
		<i>320 - 322 Strong hematite talcous alteration with dark chlorite and calcite filled seams 30 - 40°</i>	279.00	281.00	133487	2.00	0.00	0.00
		<i>« 325.00- 329.00 Fault zone » Talcous hem/cal gouge zones, shearing 45° , some fractures 15°</i>	281.00	283.00	133488	2.00	0.01	0.00
			283.00	285.00	133489	2.00	0.02	0.00
			285.00	287.00	133490	2.00	0.01	0.00
			287.00	289.00	133491	2.00	0.00	0.00
			289.00	291.00	133492	2.00	0.00	0.00
			291.00	293.00	133493	2.00	0.01	0.00
			293.00	295.00	133494	2.00	0.04	0.00
			295.00	297.00	133495	2.00	0.02	0.00
			297.00	299.00	133496	2.00	0.00	0.00
			299.00	301.00	133497	2.00	0.02	0.00
			301.00	303.00	133498	2.00	0.02	0.00
			303.00	305.00	133499	2.00	0.02	0.05
			305.00	307.00	133500	2.00	0.00	0.00
			307.00	309.00	133501	2.00	0.00	0.00
			309.00	311.00	133502	2.00	0.00	0.00
			311.00	313.00	133503	2.00	0.00	0.00

From	To	Rocktype & Description	From	To	Sample	Width	Cu %	Au g/t
			313.00	315.00	133504	2.00	0.00	0.00
			315.00	317.00	133505	2.00	0.00	0.05
			317.00	319.00	133506	2.00	0.00	0.00
			319.00	321.00	133507	2.00	0.00	0.07
			321.00	323.00	133508	2.00	0.00	0.00
			323.00	325.00	133509	2.00	0.00	0.00
			325.00	327.00	133510	2.00	0.00	0.00
			327.00	329.00	133511	2.00	0.00	0.00
			329.00	331.00	133512	2.00	0.00	0.06
			331.00	333.00	133513	2.00	0.01	0.00
			333.00	335.00	133514	2.00	0.00	0.00
			335.00	337.00	133515	2.00	0.00	0.00
			337.00	338.30	133516	1.30	0.00	0.00
338.30	338.30	EOH 338.3						