

**GWR RESOURCES INC.**

**Diamond Drill Log**

**Lac La Hache Mt. Timothy Project**

**Hole: AZ08-58**

Field Log:2008/02/11

Northing: 5758039

Easting: 617997

Elevation:1340 m

Area:Aurizon

Length: 294.5 m

Azimuth:270.0°

Dip: -60.00°

Logged By:BGG

<b>Project: LAC LA HACHE</b>				<b>Hole Number: AZ08-58</b>					
<b>From</b>	<b>To</b>	<b>Rocktype</b>	<b>&amp; Description</b>	<b>From</b>	<b>To</b>	<b>Sample</b>	<b>Width</b>	<b>Cu %</b>	<b>Au g/t</b>
0.00	12.00	<b>Casing</b>		11.60	13.00	133701	1.40	0.01	0.00
12.00	38.00	<b>Volcanic Extrusive</b>		13.00	15.00	133702	2.00	0.02	0.06
			<i>Medium grain, black green, variable amounts of blotchy epidote . Metamorphose intense epidote, black chlorite and some hematite alteration with calcite gash filling, weak to moderate mag 21.6 fine grain specks of NC increasing to contact.alteration. 33 - 36 Shearing 30° epidote/chl/hem.</i>	15.00	17.00	133703	2.00	0.01	0.03
				17.00	19.00	133704	2.00	0.03	0.04
				19.00	21.00	133705	2.00	0.05	0.04
				21.00	23.00	133707	2.00	0.07	0.06
				23.00	25.00	133708	2.00	0.03	0.05
				25.00	27.00	133709	2.00	0.04	0.09
				27.00	29.00	133710	2.00	0.03	0.04
				29.00	31.00	133711	2.00	0.03	0.00
				31.00	33.00	133712	2.00	0.02	0.00
				33.00	35.00	133713	2.00	0.02	0.00
				35.00	37.00	133714	2.00	0.04	0.00
				37.00	39.00	133715	2.00	0.04	0.06
38.00	52.40	<b>Monzonite Orange</b>		39.00	41.00	133716	2.00	0.11	0.05
			<i>Medium grain, orange/gray with feldspar alteration. Dark green hornblende with chlorite alteration. 40cm of contact hematite pink calcite alteration mud 30°. Mixed with upper volcanics with epidote/k-spar alteration increase in NC. 45.4 1mm seams NC and dark chlorite 30°, scapolite on fractures. « 48.00- 49.00 Mafic Dyke » Clinopyroxene white altered, non magnetic 50° to CA.</i>	41.00	43.00	133717	2.00	0.10	0.17
				43.00	45.00	133719	2.00	0.11	0.14
				45.00	47.00	133720	2.00	0.09	0.13
				47.00	49.00	133721	2.00	0.08	0.15
				49.00	51.00	133722	2.00	0.12	0.07
				51.00	53.00	133723	2.00	0.01	0.03
52.40	55.00	<b>Volcanic Extrusive</b>		53.00	55.00	133724	2.00	0.03	0.04
			<i>Medium grain, black green, variable amounts of blotchy epidote calcite alteration.</i>						
55.00	81.00	<b>Monzonite Orange</b>		55.00	57.00	133725	2.00	0.03	0.05
			<i>Medium grain, orange/gray with feldspar alteration. Dark green hornblende with chlorite alteration. Variable orange/green with altered volcanic fragments up to 5cm, trace NC, pyrite and chalocpyrite, low magnetite.</i>	57.00	59.00	133726	2.00	0.03	0.03
				59.00	61.00	133727	2.00	0.02	0.00
				61.00	63.00	133729	2.00	0.06	0.07
<b>20/06/2008</b>								<b>Page</b>	<b>1</b>

From	To	Rocktype & Description	From	To	Sample	Width	Cu %	Au g/t
		« 63.60- 66.80 Fault zone » chl/hem shear 45°	63.00	65.00	133730	2.00	0.02	0.04
		66.8 - 68 Healed fault breccia, cal/hem/black chlorite, specks of NC. Strong	65.00	67.00	133731	2.00	0.05	0.06
		1cm seams of hematite 10°	67.00	69.00	133732	2.00	0.04	0.00
		68 - 73 Light pinkish gray albite alteration with calcite spider web fracture	69.00	71.00	133733	2.00	0.02	0.00
		filling, broken, low magnetic susceptibility.	71.00	73.00	133734	2.00	0.02	0.04
		73 - 81 Intense orange to cream feldspar alteration with epidote, variable	73.00	75.00	133735	2.00	0.01	0.00
		mafic accidentals to 3cm , pyrite to 1%	75.00	77.00	133736	2.00	0.01	0.00
			77.00	79.00	133737	2.00	0.01	0.00
			79.00	81.00	133739	2.00	0.02	0.06
		<b>81.00 91.70 Polyolithic Felsic Tuff Breccia</b>	81.00	83.00	133740	2.00	0.06	0.09
		Polyolithic fragments of feldspars varying from fine grain to white speckled	83.00	85.00	133741	2.00	0.13	0.30
		feldspars and feldsparphyritic with some mafics. Medium grained, mottled orange	85.00	87.00	133742	2.00	0.10	0.24
		gray green to brownish with some k-spar and epidote.	87.00	89.00	133743	2.00	0.06	0.13
		Black altered fragments, increase in disseminated magnetite with minor epidote	89.00	91.00	133744	2.00	0.08	0.19
		and chalcopryrite. Sections of saussurization with hematite and pyrite. Black						
		chlorite on fractures, alteration pattern 30°						
		86 - 91 Less accidentals.	91.00	93.00	133745	2.00	0.05	0.17
		<b>91.70 102.00 Monzonite Orange</b>	93.00	95.00	133746	2.00	0.02	0.14
		Medium grain, pinkish orange/gray with feldspar alteration. Dark green	95.00	97.00	133747	2.00	0.01	0.03
		hornblende with chlorite alteration with short sections saussurization and	97.00	99.00	133749	2.00	0.04	0.10
		k-spar, 1% pyrite, trace chalcopryrite. Fine calcite and black chlorite on	99.00	101.00	133750	2.00	0.06	0.07
		fractures 15°						
		100 50cm light feldspar alteration with 1-3% pyrite on fractures.	101.00	103.00	133751	2.00	0.07	0.15
		<b>102.00 107.00 Hydrothermal Breccia</b>	103.00	105.00	133752	2.00	0.20	0.14
		Hydrothermally brecciated monzonite, varying from crackle breccia to framework	105.00	107.00	133753	2.00	0.04	0.19
		supported and matrix supported. Moderate to good development of magnetite as						
		blotches and veinlets. Mottled black and white with light feldspar fragments,						
		Much stronger magnetite.						
		<b>107.00 128.00 Monzonite Orange</b>	107.00	109.00	133754	2.00	0.18	0.40
		Medium grain, orange/gray with feldspar alteration. Dark green hornblende with	109.00	111.00	133756	2.00	0.04	0.10
		chlorite alteration, mottled lighter cream feldspar with green epidote.	111.00	113.00	133757	2.00	0.01	0.04
		Calcite /black and light chlorite gash fracture filling 30 - 45°;	113.00	115.00	133758	2.00	0.00	0.04

From	To	Rocktype & Description	From	To	Sample	Width	Cu %	Au g/t
		<i>lighter</i>						
		<i>feldspar bands 15°, minor pyrite and chalcopyrite, disseminated magnetite in</i>	115.00	117.00	133759	2.00	0.01	0.00
		<i>some places altered to hematite with what appears to be micro specks of NC.</i>	117.00	119.00	133760	2.00	0.01	0.00
		<i>Moderate magnetic susceptibility.</i>	119.00	121.00	133761	2.00	0.01	0.00
		<i>121.7 Black chlorite magnetite stringers parallel to 15°, scattered mafic</i>	121.00	123.00	133762	2.00	0.01	0.00
		<i>accidentals.</i>	123.00	125.00	133763	2.00	0.01	0.05
			125.00	127.00	133764	2.00	0.02	0.08
			127.00	129.00	133765	2.00	0.18	0.39
<b>128.00</b>	<b>141.30</b>	<b>Hydrothermal Breccia</b>	129.00	131.00	133766	2.00	0.01	0.07
		<i>Hydrothermally brecciated monzonite, varying from crackle breccia to framework</i>	131.00	133.00	133768	2.00	0.03	0.07
		<i>supported and matrix supported. Moderate to good development of magnetite as</i>	133.00	135.00	133769	2.00	0.02	0.18
		<i>blotches and veinlets. Mottled black fragments to cream feldspar zones, strong</i>	135.00	137.00	133770	2.00	0.02	0.15
		<i>increase in epidote and disseminated and blotchy magnetite, low overall spotty</i>	137.00	139.00	133771	2.00	0.04	0.13
		<i>chalcopyrite.</i>	139.00	141.00	133772	2.00	0.03	0.13
			141.00	143.00	133773	2.00	0.06	0.18
<b>141.30</b>	<b>145.60</b>	<b>Monzonite Orange</b>	143.00	145.00	133774	2.00	0.03	0.08
		<i>Medium grain, orange/gray with feldspar alteration. Dark green hornblende with</i>						
		<i>chlorite alteration, weak magnetite, trace pyrite and chalcopyrite, some</i>						
		<i>epidote and calcite gash fillings.</i>						
<b>145.60</b>	<b>148.00</b>	<b>Hydrothermal Breccia</b>						
			145.00	147.00	133775	2.00	0.10	0.70
			147.00	149.00	133776	2.00	0.01	0.28
		<i>Hydrothermally brecciated monzonite, varying from crackle breccia to framework</i>						
		<i>supported and matrix supported. Moderate to good development of magnetite as</i>						
		<i>blotches and veinlets with weak chalcopyrite. Contact 15°. Light gray green</i>						
		<i>pinkish alteration. Black chlorite/hematite seams 5°, some minor albite</i>						
		<i>chalcopyrite and pyrite.</i>						
<b>148.00</b>	<b>157.40</b>	<b>Monzonite Gray</b>	149.00	151.00	133778	2.00	0.01	0.00
		<i>Medium grain, light gray, green pinkish hornblende with chlorite alteration.</i>	151.00	153.00	133779	2.00	0.01	0.11
		<i>Black chlorite/hematite seams some albite and minor chalcopyrite</i>	153.00	155.00	133780	2.00	0.01	0.00
		<i>pyrite,</i>						
		<i>accidentals to 2cm, weaker magnetite, fractures 30° with up to 3% fine grain</i>	155.00	157.00	133781	2.00	0.01	0.03
			157.00	159.00	133782	2.00	0.01	0.11
		<i>pyrite on them.</i>						

From	To	Rocktype & Description	From	To	Sample	Width	Cu %	Au g/t
157.40	234.60	<b>Hydrothermal Breccia</b>	159.00	161.00	133783	2.00	<b>0.15</b>	<b>0.33</b>
		<i>Hydrothermally brecciated monzonite, varying from crackle breccia to</i>	161.00	163.00	133784	2.00	<b>0.35</b>	<b>0.54</b>
		<i>framework supported and matrix supported. Moderate to good development of</i>	163.00	165.00	133785	2.00	<b>0.10</b>	<b>0.30</b>
		<i>magnetite as blotches and veinlets.</i>	165.00	167.00	133786	2.00	<b>0.14</b>	<b>0.20</b>
		<i>157.5 - 160.5 Altered darker black green, epidote, black chlorite, calcite</i>	167.00	169.00	133788	2.00	<b>0.18</b>	<b>0.24</b>
		<i>gashes, stronger magnetite, minor pyrite on 20° fractures.</i>	169.00	171.00	133789	2.00	<b>0.38</b>	<b>0.61</b>
		<i>160.5 Increase of red hematite alteration and orange k-spar blotching with</i>	171.00	173.00	133790	2.00	<b>0.19</b>	<b>0.31</b>
		<i>seamlets of coarse magnetite 45° with fine grain bornite and chalcopyrite, Some</i>	173.00	175.00	133791	2.00	<b>0.23</b>	<b>0.39</b>
		<i>amber redish garnet.</i>	175.00	177.00	133792	2.00	<b>0.35</b>	<b>0.61</b>
		<i>175.6 20cm chlorite calcite shear 45°</i>	177.00	179.00	133793	2.00	<b>0.20</b>	<b>0.74</b>
		<i>178 - 181.7 Light gray green albite/chlorite alteration with hematite and</i>	179.00	181.00	133794	2.00	<b>0.10</b>	<b>0.59</b>
		<i>amber redish garnet with hexagonal crystal structure., hard black streak, some</i>	181.00	183.00	133795	2.00	<b>0.22</b>	<b>0.51</b>
		<i>cpy</i>	183.00	185.00	133796	2.00	<b>0.41</b>	<b>0.64</b>
		<i>« 181.70- 185.00 Cpy » orange black feldspar speckled unaltered section,</i>	185.00	187.00	133798	2.00	<b>0.13</b>	<b>0.29</b>
		<i>very fine bornite.</i>	187.00	189.00	133799	2.00	<b>0.07</b>	<b>0.25</b>
		<i>« 185.00- 189.70 Bn » Light gray green albite chlorite alteration with</i>	189.00	191.00	133800	2.00	<b>0.13</b>	<b>0.23</b>
		<i>magnetite altered to hematite, some chalcopyrite. Low grade bornite and</i>	191.00	193.00	133801	2.00	<b>0.17</b>	<b>0.32</b>
		<i>variable chalcopyrite contiunues, possibly up to 0.1 to 0.25 Cu.</i>	193.00	195.00	133802	2.00	<b>0.18</b>	<b>0.42</b>
		<i>198.4 30cm volcanic xenolith k-spar epidote alteration 20°</i>	195.00	197.00	133803	2.00	<b>0.27</b>	<b>0.52</b>
		<i>208.5 - 211.5 More blotchy epidote</i>	197.00	199.00	133805	2.00	<b>0.22</b>	<b>0.37</b>
		<i>« 213.00- 215.00 Bn »</i>	199.00	201.00	133806	2.00	<b>0.19</b>	<b>0.35</b>
		<i>213.3 Stronger fine grain bornite with disseminated magnetite and lesser</i>	201.00	203.00	133807	2.00	<b>0.14</b>	<b>0.24</b>
		<i>chalcopyrite.</i>	203.00	205.00	133808	2.00	<b>0.34</b>	<b>0.39</b>
		<i>Decrease in magnetite stringers and blotches becoming slowly to less of an</i>	205.00	207.00	133809	2.00	<b>0.22</b>	<b>0.30</b>
		<i>obvious hydrothermal breccia.</i>	207.00	209.00	133810	2.00	<b>0.30</b>	<b>0.42</b>
			209.00	211.00	133811	2.00	<b>0.17</b>	<b>0.22</b>
			211.00	213.00	133812	2.00	<b>0.26</b>	<b>0.27</b>
			213.00	215.00	133813	2.00	<b>0.18</b>	<b>0.24</b>
			215.00	217.00	133814	2.00	<b>0.21</b>	<b>0.18</b>
			217.00	219.00	133816	2.00	<b>0.24</b>	<b>0.23</b>
			219.00	221.00	133817	2.00	<b>0.32</b>	<b>0.32</b>
			221.00	223.00	133818	2.00	<b>0.19</b>	<b>0.31</b>
			223.00	225.00	133819	2.00	<b>0.44</b>	<b>0.61</b>
			225.00	227.00	133820	2.00	<b>0.49</b>	<b>0.51</b>
			227.00	229.00	133821	2.00	<b>0.22</b>	<b>0.37</b>
			229.00	231.00	133822	2.00	<b>0.39</b>	<b>0.56</b>
			231.00	233.00	133823	2.00	<b>0.22</b>	<b>0.33</b>

From	To	Rocktype & Description	From	To	Sample	Width	Cu %	Au g/t
			233.00	235.00	133824	2.00	0.28	0.36
<b>234.60</b>	<b>259.90</b>	<b>Monzonite Breccia Orange</b>	235.00	237.00	133825	2.00	0.59	1.14
		<i>Medium grain, orange/gray with feldspar alteration. Dark green hornblende with</i>	237.00	239.00	133827	2.00	0.50	0.78
		<i>chlorite alteration. Feldspar speckled, chlorite/k-spar /epidote as disseminations. light silvery sericite with the light chlorite.</i>	239.00	241.00	133828	2.00	0.09	0.12
		<i>Disseminated magnetite with fine grain bornite more so than cpy.</i>	241.00	243.00	133829	2.00	0.44	0.51
		<i>Short sections</i>	243.00	245.00	133830	2.00	0.40	0.66
		<i>of more coarse hydrothermal breccia, variable epidote/magnetite stringers 30°</i>	245.00	247.00	133831	2.00	0.27	0.40
		<i>with fine grain chalcopyrite.</i>	247.00	249.00	133832	2.00	0.19	0.26
			249.00	251.00	133833	2.00	0.28	0.34
			251.00	253.00	133834	2.00	0.19	0.19
			253.00	255.00	133836	2.00	0.12	0.22
			255.00	257.00	133837	2.00	0.15	0.39
			257.00	259.00	133838	2.00	0.15	0.31
			259.00	261.00	133839	2.00	0.09	0.11
<b>259.90</b>	<b>294.50</b>	<b>Monzonite Orange</b>	261.00	263.00	133840	2.00	0.12	0.08
		<i>Medium grain, orange/gray with feldspar alteration. Dark green hornblende with</i>	263.00	265.00	133841	2.00	0.14	0.09
		<i>chlorite alteration. 20cm black chlorite/magnetite/light chlorite alteration</i>	265.00	267.00	133842	2.00	0.08	0.08
		<i>with calcite, hematite and trace cpy in black chlorite fractures 30°</i>	267.00	269.00	133843	2.00	0.14	0.08
		<i>Orange monzonite cut by black magnetite/chlorite seamlets dominate 45° with</i>	269.00	271.00	133844	2.00	0.07	0.27
		<i>fine grain chalcopyrite, with some interstitial bornite with disseminated</i>	271.00	273.00	133845	2.00	0.04	0.03
		<i>magnetite crystals, also trace cpy with fine grain epidote. Mafic accidentals</i>	273.00	275.00	133847	2.00	0.10	0.06
		<i>up to 5cm with alteration rims, some light feldspar banding 40°.</i>	275.00	277.00	133848	2.00	0.11	0.04
		<i>284.5 - 288 Light green epidote saussurization.</i>	277.00	279.00	133849	2.00	0.05	0.04
		<i>288 Stronger light feldspar stockwork like bands and epidote/magnetite/black</i>	279.00	281.00	133850	2.00	0.05	0.04
		<i>chlorite fracture fillings 45°</i>	281.00	283.00	133851	2.00	0.03	0.00
		<i>« 293.10- 294.50 Dacite-dyke » 45° Black green spots pyrite, non</i>	283.00	285.00	133852	2.00	0.04	0.03
		<i>magnetic, occupies fault zone. «Fault zone » 4 - 5cm coarse pyrite breccia</i>	285.00	287.00	133853	2.00	0.03	0.00
		<i>seam.</i>	287.00	289.00	133854	2.00	0.03	0.03
		<i>294.5 Orange Monzonite</i>	289.00	291.00	133856	2.00	0.01	0.00
			291.00	293.00	133857	2.00	0.06	0.42
<b>294.50</b>	<b>294.50</b>	<b>EOH 294.5</b>						