

**GWR RESOURCES INC.**

**Diamond Drill Log**

**Lac La Hache Mt. Timothy Project**

**Hole: AZ08-60**

Field Log: 2008/02/06

Northing: 5758034

Easting: 617918

Elevation: 1365 m

Area: Aurizon

Length: 341.5 m

Azimuth: 0.00 °

Dip: -90.00°

Logged By: BGG

<b>Project: LAC LA HACHE</b>			<b>Hole Number: AZ08-60</b>					
<b>From</b>	<b>To</b>	<b>Rocktype &amp; Description</b>	<b>From</b>	<b>To</b>	<b>Sample</b>	<b>Width</b>	<b>Cu %</b>	<b>Au g/t</b>
0.00	6.00	Casing						
6.00	119.20	<b>Polyolithic O Felsic Tuff Breccia</b>	6.10	8.00	134051	1.90	0.02	0.07
		<i>Polyolithic fragments of feldspars varying from fine grain to white speckled</i>	8.00	10.00	134052	2.00	0.03	0.13
		<i>feldspars and feldsparphyritic with some mafics. Medium grained, mottled orange</i>	10.00	12.00	134053	2.00	0.15	0.14
		<i>gray green to brownish with some k-spar and epidote. Minor disseminated</i>	12.00	14.00	134055	2.00	0.08	0.14
		<i>chalcopyrite with flecks of NC. Limonite and manganese on fractures, some</i>	14.00	16.00	134056	2.00	0.23	0.54
		<i>malachite stain.</i>	16.00	18.00	134057	2.00	0.08	0.13
		<i>15.2 - 39 Black and light chlorite with strong NC on fractures.</i>	18.00	20.00	134058	2.00	0.14	0.10
		<i>« 10.00- 20.00 NC »</i>	20.00	22.00	134059	2.00	0.08	0.03
		<i>« 24.00- 42.00 Fault zone » Red hematite mud, with green chlorite in</i>	22.00	24.00	134060	2.00	0.09	0.05
		<i>rubble.</i>	24.00	26.00	134061	2.00	0.16	0.14
		<i>30.4 - 33 80% lost core</i>	26.00	28.00	134062	2.00	0.12	0.12
		<i>42 - 57 Increase in epidote alteration and chlorite, weak to no magnetite,</i>	28.00	30.00	134063	2.00	0.52	0.36
		<i>NC.</i>	30.00	32.00	134064	2.00	0.11	0.14
		<i>57 Highly broken, trace chalcopyrite and bornite, some interstitial NC, flecks</i>	32.00	34.00	134066	2.00	0.14	0.07
		<i>on black chlorite fractures.</i>	34.00	36.00	134067	2.00	0.11	0.04
		<i>65.5 50cm of a 3cm black chlorite/calcite/hematite seam 3° to CA, trace</i>	36.00	38.00	134068	2.00	0.07	0.13
		<i>pyrite</i>	38.00	40.00	134069	2.00	0.07	0.06
		<i>67 - 85 Continues broken with NC, some disseminated and minor stringers of</i>	40.00	42.00	134070	2.00	0.11	0.10
		<i>magnetite with epidote and fine grain chalcopyrite. Variable blotches of</i>	42.00	44.00	134071	2.00	0.06	0.03
		<i>k-spar and epidote</i>	44.00	46.00	134072	2.00	0.07	0.04
		<i>« 70.00- 75.00 Cpy »</i>	46.00	48.00	134073	2.00	0.05	0.05
		<i>85 - 106 Highly broken, likely paralleling a fault zone, NC on fractures and</i>	48.00	50.00	134074	2.00	0.10	0.13
		<i>interstitial in unbroken sections.</i>	50.00	52.00	134076	2.00	0.09	0.06
		<i>103 3cm Quartz vein 45° trace pyrite.</i>	52.00	54.00	134077	2.00	0.09	0.03
		<i>106 - 112 Slightly more magnetite in places with hematite alteration of the</i>	54.00	56.00	134078	2.00	0.05	0.07
		<i>magnetite which then has flecks of NC, some interstitial in larger clasts of</i>	56.00	58.00	134079	2.00	0.07	0.08
<b>22/01/2009</b>							<b>Page</b>	<b>1</b>

From	To	Rocktype & Description	From	To	Sample	Width	Cu %	Au g/t
		<i>white speckled feldsparphyrite monzontie at 109.0 and 110.1, minor chalcopyrite</i>	58.00	60.00	134080	2.00	<b>0.06</b>	<b>0.03</b>
		<i>with irregular epidote.</i>	60.00	62.00	134081	2.00	<b>0.07</b>	<b>0.14</b>
		<i>112.73 - 115.8 Broken chlorite on fractures some NC</i>	62.00	64.00	134082	2.00	<b>0.05</b>	<b>0.08</b>
		<i>116 More aquagreen chlorite alteration</i>	64.00	66.00	134083	2.00	<b>0.04</b>	<b>1.38</b>
		<i>« 118.00- 120.50 Fault zone » Chlorite mud and sandy rubble.</i>	66.00	68.00	134085	2.00	<b>0.05</b>	<b>0.06</b>
			68.00	70.00	134086	2.00	<b>0.08</b>	<b>0.12</b>
			70.00	72.00	134087	2.00	<b>0.14</b>	<b>0.62</b>
			72.00	74.00	134088	2.00	<b>0.15</b>	<b>0.31</b>
			74.00	76.00	134089	2.00	<b>0.28</b>	<b>0.59</b>
			76.00	78.00	134090	2.00	<b>0.13</b>	<b>0.69</b>
			78.00	80.00	134091	2.00	<b>0.06</b>	<b>0.34</b>
			80.00	82.00	134092	2.00	<b>0.06</b>	<b>0.06</b>
			82.00	84.00	134093	2.00	<b>0.12</b>	<b>0.22</b>
			84.00	86.00	134095	2.00	<b>0.10</b>	<b>0.14</b>
			86.00	88.00	134096	2.00	<b>0.10</b>	<b>0.15</b>
			88.00	90.00	134097	2.00	<b>0.08</b>	<b>0.11</b>
			90.00	92.00	134098	2.00	<b>0.09</b>	<b>0.12</b>
			92.00	94.00	134099	2.00	<b>0.48</b>	<b>0.77</b>
			94.00	96.00	134100	2.00	<b>0.17</b>	<b>0.44</b>
			96.00	98.00	134101	2.00	<b>0.03</b>	<b>0.06</b>
			98.00	100.00	134102	2.00	<b>0.04</b>	<b>0.04</b>
			100.00	102.00	134103	2.00	<b>0.10</b>	<b>0.21</b>
			102.00	104.00	134104	2.00	<b>0.09</b>	<b>0.13</b>
			104.00	106.00	134106	2.00	<b>0.12</b>	<b>0.43</b>
			106.00	108.00	134107	2.00	<b>0.09</b>	<b>0.11</b>
			108.00	110.00	134108	2.00	<b>0.05</b>	<b>0.10</b>
			110.00	112.00	134109	2.00	<b>0.07</b>	<b>0.11</b>
			112.00	114.00	134110	2.00	<b>0.21</b>	<b>0.47</b>
			114.00	116.00	134111	2.00	<b>0.27</b>	<b>0.40</b>
			116.00	118.00	134112	2.00	<b>0.34</b>	<b>0.60</b>
			118.00	120.00	134113	2.00	<b>0.23</b>	<b>1.37</b>
<b>119.20</b>	<b>175.00</b>	<b>Hydrothermal Breccia</b>	120.00	122.00	134114	2.00	<b>0.09</b>	<b>0.14</b>
		<i>Hydrothermally brecciated monzonite, varying from crackle breccia to framework</i>	122.00	124.00	134115	2.00	<b>0.03</b>	<b>0.09</b>
		<i>supported and matrix supported. Moderate to good development of magnetite as</i>	124.00	126.00	134117	2.00	<b>0.07</b>	<b>0.09</b>
		<i>blotches and veinlets.</i>	126.00	128.00	134118	2.00	<b>0.18</b>	<b>0.24</b>
		<i>119.2 Strong increase in magnetite with chlorite and disseminated cpy</i>	128.00	130.00	134119	2.00	<b>0.27</b>	<b>0.31</b>
		<i>« 121.90- 124.60 Fault zone » 125.3 K-spar and epidote blotching, some</i>	130.00	132.00	134120	2.00	<b>0.03</b>	<b>0.00</b>
		<i>specks of bornite. Coarse 5 - 20cm feldspar clasts.</i>	132.00	134.00	134121	2.00	<b>0.03</b>	<b>0.03</b>
		<i>128.5 3cm quartz vein 45° trace cpy</i>	134.00	136.00	134122	2.00	<b>0.08</b>	<b>0.14</b>
		<i>« 128.00- 133.00 Bn » 128.7 - 132.0 Bn</i>	136.00	138.00	134123	2.00	<b>0.07</b>	<b>0.18</b>
		<i>« 145.00- 148.00 Cpy » Stronger cpy with mottled albite, chlorite and</i>	138.00	140.00	134124	2.00	<b>0.03</b>	<b>0.05</b>

From	To	Rocktype & Description	From	To	Sample	Width	Cu %	Au g/t
		<i>magnetite alteration 30°</i>	140.00	142.00	134125	2.00	<b>0.02</b>	<b>0.03</b>
		<i>168.8 - 175 Increasing monzonite with some disseminated magnetite with fine grain bornite.</i>	142.00	144.00	134127	2.00	<b>0.02</b>	<b>0.07</b>
			144.00	146.00	134128	2.00	<b>0.04</b>	<b>0.10</b>
		<i>168.0 - 175 Black chlorite/calcite seams with pyrite 45 - 55°</i>	146.00	148.00	134129	2.00	<b>0.22</b>	<b>0.37</b>
			148.00	150.00	134130	2.00	<b>0.17</b>	<b>0.25</b>
			150.00	152.00	134131	2.00	<b>0.06</b>	<b>0.26</b>
			152.00	154.00	134132	2.00	<b>0.07</b>	<b>0.51</b>
			154.00	156.00	134133	2.00	<b>0.05</b>	<b>0.12</b>
			156.00	158.00	134134	2.00	<b>0.19</b>	<b>0.22</b>
			158.00	160.00	134136	2.00	<b>0.08</b>	<b>0.07</b>
			160.00	162.00	134137	2.00	<b>0.03</b>	<b>0.17</b>
			162.00	164.00	134138	2.00	<b>0.01</b>	<b>0.52</b>
			164.00	166.00	134139	2.00	<b>0.04</b>	<b>0.38</b>
			166.00	168.00	134140	2.00	<b>0.23</b>	<b>0.66</b>
			168.00	170.00	134141	2.00	<b>0.19</b>	<b>0.35</b>
			170.00	172.00	134142	2.00	<b>0.09</b>	<b>0.21</b>
			172.00	174.00	134143	2.00	<b>0.07</b>	<b>0.10</b>
			174.00	176.00	134144	2.00	<b>0.13</b>	<b>0.20</b>
<b>175.00</b>	<b>329.30</b>	<b>Monzonite Orange</b>	176.00	178.00	134146	2.00	<b>0.43</b>	<b>0.81</b>
		<i>Medium grain, orange/gray with feldspar alteration. Dark green hornblende with chlorite alteration. Varigated with light feldspar alteration bands, mafic accidentals to 2cm, moderate magnetic susceptibility, hematite altered magnetite.</i>	178.00	180.00	134147	2.00	<b>0.16</b>	<b>0.25</b>
		<i>204 - 224 Sections of calcite/hematite/light chlorite fracture shear filling to 3cm 10° some black chlorite and light green saussurization.</i>	180.00	182.00	134148	2.00	<b>0.07</b>	<b>0.12</b>
		<i>226 - 228 Blotchy saussurization giving a polyolithic texture look.</i>	182.00	184.00	134149	2.00	<b>0.01</b>	<b>0.00</b>
		<i>« 238.00- 239.00 Fault zone » Shallow angle chlorite shear mud, increase in calcite black chlorite seams 10°</i>	184.00	186.00	134150	2.00	<b>0.01</b>	<b>0.00</b>
		<i>246.6 - 249.2 Black chlorite with calcite/hematite alteration some magnetite and fine grain pyrite 30°</i>	186.00	188.00	134501	2.00	<b>0.00</b>	<b>0.00</b>
		<i>256 - 266 Broken calcite light chlorite crackle seamlets 10 - 30°</i>	188.00	190.00	134502	2.00	<b>0.02</b>	<b>0.03</b>
		<i>271.9 - 273.8 3cm calcite hematite chlorite seams 15°</i>	190.00	192.00	134503	2.00	<b>0.00</b>	<b>0.00</b>
		<i>285 Less broken, black chlorite/hemaitite on fractures.</i>	192.00	194.00	134504	2.00	<b>0.00</b>	<b>0.00</b>
		<i>292 - 307.9 Calcite/hem/chl crackles and seamlets, minor chalcopryrite with black chlorite on fractures., some 1cm mafic accidentals.</i>	194.00	196.00	134505	2.00	<b>0.00</b>	<b>0.00</b>
		<i>314 - 317 Broken some light chlorite/sericite alteration of hornblende laths.</i>	196.00	198.00	134507	2.00	<b>0.00</b>	<b>0.00</b>
		<i>326.0 Epidote alteration of intermixed angular fragments of volcanics.</i>	198.00	200.00	134508	2.00	<b>0.00</b>	<b>0.00</b>
			200.00	202.00	134509	2.00	<b>0.00</b>	<b>0.00</b>
			202.00	204.00	134510	2.00	<b>0.00</b>	<b>0.00</b>
			204.00	206.00	134511	2.00	<b>0.00</b>	<b>0.00</b>
			206.00	208.00	134512	2.00	<b>0.00</b>	<b>0.00</b>
			208.00	210.00	134513	2.00	<b>0.00</b>	<b>0.00</b>
			210.00	212.00	134514	2.00	<b>0.00</b>	<b>0.00</b>
			212.00	214.00	134515	2.00	<b>0.00</b>	<b>0.00</b>
			214.00	216.00	134517	2.00	<b>0.00</b>	<b>0.00</b>

From	To	Rocktype & Description	From	To	Sample	Width	Cu %	Au g/t
			216.00	218.00	134518	2.00	0.00	0.00
			218.00	220.00	134519	2.00	0.00	0.00
			220.00	222.00	134520	2.00	0.00	0.00
			222.00	224.00	134521	2.00	0.00	0.00
			224.00	226.00	134522	2.00	0.00	0.00
			226.00	228.00	134523	2.00	0.02	0.13
			228.00	230.00	134524	2.00	0.00	0.00
			230.00	232.00	134525	2.00	0.00	0.00
			232.00	234.00	134526	2.00	0.00	0.00
			234.00	236.00	134528	2.00	0.00	0.00
			236.00	238.00	134529	2.00	0.02	0.00
			238.00	240.00	134530	2.00	0.01	0.00
			240.00	242.00	134531	2.00	0.00	0.00
			242.00	244.00	134532	2.00	0.00	0.00
			244.00	247.00	134533	3.00	0.00	0.00
			247.00	250.00	134534	3.00	0.04	0.21
			250.00	253.00	134535	3.00	0.09	0.09
			253.00	256.00	134537	3.00	0.06	0.03
			256.00	259.00	134538	3.00	0.03	0.04
			259.00	262.00	134539	3.00	0.02	0.04
			262.00	265.00	134540	3.00	0.00	0.05
			265.00	268.00	134541	3.00	0.03	0.08
			268.00	271.00	134542	3.00	0.01	0.19
			271.00	274.00	134543	3.00	0.04	0.29
			274.00	277.00	134544	3.00	0.01	0.05
			277.00	280.00	134546	3.00	0.00	0.00
			280.00	283.00	134547	3.00	0.04	0.12
			283.00	286.00	134548	3.00	0.07	0.04
			286.00	289.00	134549	3.00	0.10	0.03
			289.00	292.00	134550	3.00	0.15	0.08
			292.00	295.00	134551	3.00	0.07	0.00
			295.00	298.00	134552	3.00	0.06	0.03
			298.00	301.00	134553	3.00	0.15	0.10
			301.00	304.00	134554	3.00	0.09	0.04
			304.00	307.00	134556	3.00	0.17	0.07
			307.00	310.00	134557	3.00	0.11	0.06
			310.00	313.00	134558	3.00	0.20	0.12
			313.00	316.00	134559	3.00	0.16	0.11
			316.00	319.00	134560	3.00	0.14	0.10
			319.00	322.00	134561	3.00	0.12	0.05
			322.00	325.00	134562	3.00	0.20	0.15
			325.00	328.00	134563	3.00	0.07	0.03
			328.00	331.00	134564	3.00	0.03	0.00
			331.00	334.00	134566	3.00	0.10	0.04
			334.00	337.00	134567	3.00	0.16	0.07
			337.00	340.00	134568	3.00	0.25	0.15
<b>329.30</b>	<b>341.50</b>	<b>Volcanic Extrusive</b>						
		<i>Medium grain, black green, variable amounts of blotchy epidote alteration.</i>						
		<i>Strongly metasomatised and brecciated with k-spar and epidote alteration. Fine</i>						

From	To	Rocktype & Description	From	To	Sample	Width	Cu %	Au g/t
		<i>grained chalcopyrite and possible speck of bonrite in the epidote.</i>	340.00	341.40	134569	1.40	<b>0.09</b>	<b>0.03</b>
		<i>Disseminated</i>						
		<i>magnetite, and biotite alteration.</i>						
<b>341.50</b>	<b>341.50</b>	<b>EOH 341.5</b>						