

GWR RESOURCES INC.

Diamond Drill Log

Lac La Hache Mt. Timothy Project

Hole: AZ08-61

Field Log:2008/02/13

Northing: 5758412

Easting: 617845

Elevation:1358 m

Area:Aurizon

Length: 314.0 m

Azimuth:270.0°

Dip: -60.00°

Logged By:BGG

Project: LAC LA HACHE				Hole Number: AZ08-61					
From	To	Rocktype	& Description	From	To	Sample	Width	Cu %	Au g/t
0.00	3.00	Casing							
3.00	36.50	Polyolithic Felsic Tuff Breccia		3.90	5.00	134601	1.10	0.01	0.00
			<i>Polyolithic fragments of feldspars varying from fine grain to white speckled</i>	5.00	7.00	134602	2.00	0.02	0.00
			<i>feldspars and feldsparphyritic with some mafics. Medium grained, mottled orange</i>	7.00	9.00	134603	2.00	0.02	0.03
			<i>gray green to brownish with some k-spar and epidote. Sections of saussurization,</i>	9.00	11.00	134604	2.00	0.02	0.03
			<i>disseminated interstitial NC and on fractures as specks and flakes. Highly</i>	11.00	13.00	134606	2.00	0.03	0.03
			<i>broken, limonite and manganese first 7m.</i>	13.00	15.00	134607	2.00	0.03	0.05
			<i>25 Epidote chlorite alteration with some albite 30°</i>	15.00	17.00	134608	2.00	0.06	0.09
			<i>« 30.50- 30.70 Quartz Vein » 5cm steel gray sectile mineral-</i>	17.00	19.00	134609	2.00	0.10	0.23
			<i>tetrahedrite? with chalcopyrite.</i>	19.00	21.00	134610	2.00	0.02	0.00
				21.00	23.00	134611	2.00	0.01	0.00
				23.00	25.00	134612	2.00	0.01	0.13
				25.00	27.00	134613	2.00	0.02	0.05
				27.00	29.00	134614	2.00	0.02	0.06
				29.00	31.00	134616	2.00	0.05	0.04
				31.00	33.00	134617	2.00	0.01	0.03
				33.00	35.00	134618	2.00	0.03	0.06
				35.00	37.00	134619	2.00	0.03	0.00
36.50	125.00	Monzonite Orange		37.00	39.00	134620	2.00	0.02	0.00
			<i>Medium grain, orange/gray with feldspar alteration. Dark green hornblende with</i>	39.00	41.00	134621	2.00	0.02	0.00
			<i>chlorite alteration, moderate magnetic susceptibility, with interstitial NC with</i>	41.00	43.00	134622	2.00	0.03	0.03
			<i>magnetite crystals. Black chlorite/magnetite crackle seamlets. 1</i>	43.00	45.00	134623	2.00	0.02	0.00
			<i>- 3cm mafic</i>	45.00	47.00	134624	2.00	0.01	0.00
			<i>accidentals, some chalcopyrite.</i>	47.00	49.00	134626	2.00	0.02	0.00
			<i>Varigated with light feldspar alteration seams 30°</i>	49.00	51.00	134627	2.00	0.01	0.00
			<i>57 - 69 Coarser NC with saussurization and light albite</i>	51.00	53.00	134628	2.00	0.01	0.00
			<i>« 71.30- 73.30 Andesite-dyke » Dark black green with light green</i>	53.00	55.00	134629	2.00	0.01	0.00
			<i>speckles, weak mag</i>	55.00	57.00	134630	2.00	0.02	0.00
			<i>76 Feldspar/k-spar with saussurization 30°, interstitial NC.</i>	57.00	59.00	134631	2.00	0.01	0.00
			<i>« 87.50- 88.40 Fault zone » Chlorite gouge 30°, black chl/mag/albite.</i>	59.00	61.00	134632	2.00	0.01	0.00
			<i>88.6 Minor chalcopyrite with disseminated epidote.</i>	61.00	63.00	134633	2.00	0.02	0.00

From	To	Rocktype & Description	From	To	Sample	Width	Cu %	Au g/t
95 - 99		Broken with hematite and chlorite on fractures with NC. Weak mag,	63.00	65.00	134635	2.00	0.01	0.00
		black chlorite epidote seams 15 - 30° Some k-spar epidote seams 30°	65.00	67.00	134636	2.00	0.02	0.00
104		Lighter gray crystallithic with feldspar laths. Green speckles with hornblende laths and disseminated magnetite.	67.00	69.00	134637	2.00	0.02	0.00
		Larger mafic xenoliths to 20cm epidote altered.	69.00	71.00	134638	2.00	0.03	0.00
		106 3cm magnetite/epidote seam 30°, increasing bright orange k-spar blotches.	71.00	73.00	134639	2.00	0.01	0.00
		106 - 116 Light cream feldspar alteration bands 30° as well as up to 30cm black chlorite epidote and fine grain magnetite seam. Fine grain NC interstial in the monzonite. Weak magnetic susceptibility, spotty saussurization.	73.00	75.00	134640	2.00	0.01	0.00
			75.00	77.00	134641	2.00	0.02	0.00
			77.00	79.00	134642	2.00	0.03	0.04
			79.00	81.00	134643	2.00	0.03	0.00
			81.00	83.00	134644	2.00	0.01	0.00
			83.00	85.00	134646	2.00	0.02	0.00
			85.00	87.00	134647	2.00	0.02	0.08
			87.00	89.00	134648	2.00	0.03	0.07
			89.00	91.00	134649	2.00	0.00	0.04
			91.00	93.00	134650	2.00	0.00	0.03
			93.00	95.00	134651	2.00	0.03	0.00
			95.00	97.00	134652	2.00	0.14	0.69
			97.00	99.00	134653	2.00	0.02	0.04
			99.00	101.00	134655	2.00	0.01	0.00
			101.00	103.00	134656	2.00	0.01	0.00
			103.00	105.00	134657	2.00	0.02	0.00
			105.00	107.00	134658	2.00	0.01	0.00
			107.00	109.00	134659	2.00	0.02	1.05
			109.00	111.00	134660	2.00	0.02	0.00
			111.00	113.00	134661	2.00	0.02	0.00
			113.00	115.00	134662	2.00	0.02	0.00
			115.00	117.00	134663	2.00	0.01	0.00
			117.00	119.00	134665	2.00	0.03	0.00
			119.00	121.00	134666	2.00	0.05	0.00
			121.00	123.00	134667	2.00	0.03	0.00
			123.00	125.00	134668	2.00	0.02	0.00
125.00	151.00	Monzonite Gray	125.00	127.00	134669	2.00	0.02	0.00
		Medium grain, Dark to light gray, hornblende with chlorite alteration. More stockwork of light pinkish feldspar dominant 30°	127.00	129.00	134670	2.00	0.02	0.03
		132 Stockwork forms breccia like large fragment look with altered rims.	129.00	131.00	134671	2.00	0.01	0.00
		137.2 Broken, increase in epidote alteration	131.00	133.00	134672	2.00	0.01	0.00
		139 - 146 Strong saussurization, k-spar/hem/black chl/fine grain magnetite	133.00	135.00	134673	2.00	0.01	0.00
		142.5 143 Magnetite albite breccia with coarse chalcopyrite 30°	135.00	137.00	134675	2.00	0.02	0.00
		144.5 Epidote with 3mm hematite blob with primary? NC.	137.00	139.00	134676	2.00	0.01	0.00
			139.00	141.00	134677	2.00	0.02	0.03

From	To	Rocktype & Description	From	To	Sample	Width	Cu %	Au g/t
150		Crackle stringers of magnetite and epidote with light feldspar alteration, moderate disseminated magnetite.	141.00	143.00	134678	2.00	0.02	0.06
			143.00	145.00	134679	2.00	0.01	0.00
			145.00	147.00	134680	2.00	0.02	0.00
			147.00	150.00	134681	3.00	0.01	0.00
			150.00	153.00	134682	3.00	0.02	0.05
151.00	314.00	Monzonite Orange	153.00	156.00	134684	3.00	0.01	0.00
		Medium grain, orange/gray with feldspar alteration. Dark green hornblende with chlorite alteration. Becomes more orange than gray, the orange feldspar envelopes the gray like stockwork alteration.	156.00	159.00	134685	3.00	0.02	0.00
			159.00	162.00	134686	3.00	0.01	0.00
			162.00	165.00	134687	3.00	0.01	0.00
		152 - 153 Broken, black and light chlorite on fractures, sections of bright orange k-spar and green epidote, specks of chalcopyrite in the epidote.	165.00	168.00	134688	3.00	0.01	0.00
			168.00	171.00	134689	3.00	0.02	0.00
		161.3 - 162.5 Albite with magnetite.	171.00	174.00	134690	3.00	0.03	0.00
		Core generally broken, heavy black chlorite on fractures 30°	174.00	177.00	134691	3.00	0.02	0.00
		169 Coarser feldsparphyritic texture, weaker magnetite	177.00	180.00	134692	3.00	0.02	0.00
		183.5 - 193.7 Bright orange k-spar section with green epidote mottling similar to AZ07- 13 @ 79m and in lower section of AZ06-08.	180.00	183.00	134693	3.00	0.02	0.09
			183.00	186.00	134695	3.00	0.01	0.00
		194 Becomes mixed orange gray monzonite with white and pink calcite fractures	186.00	189.00	134696	3.00	0.01	0.00
		20°	189.00	192.00	134697	3.00	0.01	0.00
		198 Increase in disseminated magnetite with trace pyrite specks.	192.00	195.00	134698	3.00	0.01	0.00
		200 Stronger magnetite seams with dark chlorite/epidote 30°, with mottled k-spar/epidote blotches	195.00	198.00	134699	3.00	0.02	0.00
			198.00	201.00	134700	3.00	0.03	0.00
		213 Increase in black chlorite fractures with fine grain pyrite and magnetite	201.00	204.00	134701	3.00	0.03	0.04
		218.5 - 224 Shear 30°, strong chlorite alteration with up to 10% pyrite with red hematite alteration.	204.00	207.00	134702	3.00	0.01	0.00
			207.00	210.00	134703	3.00	0.00	0.00
		224 - 235 Light cream feldspar albite with black chlorite and pyrite on fractures	210.00	213.00	134704	3.00	0.01	0.00
			213.00	216.00	134706	3.00	0.02	0.63
		235 - 259 Stockwork crackles of black chlorite and black magnetite/epidote/k-spar with some amber mineral.	216.00	219.00	134707	3.00	0.02	0.15
			219.00	222.00	134708	3.00	0.01	0.09
		255 - 258 Albite/chl/hem alteration	222.00	225.00	134709	3.00	0.01	0.13
		264 - 275 Lighter gray monzonite with weak saussurization and feldspar 15°	225.00	228.00	134710	3.00	0.00	0.05
		279 Orange stockwork alteration of the gray monzonite	228.00	231.00	134711	3.00	0.00	0.04
		303.7 Broken light chlorite/hem shear.	231.00	234.00	134712	3.00	0.01	0.00
			234.00	237.00	134713	3.00	0.01	0.00
			237.00	240.00	134714	3.00	0.01	0.00
			240.00	243.00	134716	3.00	0.01	0.00
			243.00	246.00	134717	3.00	0.01	0.00
			246.00	249.00	134718	3.00	0.01	0.00

From	To	Rocktype & Description	From	To	Sample	Width	Cu %	Au g/t
			249.00	252.00	134719	3.00	0.68	1.25
			252.00	255.00	134720	3.00	0.01	0.00
			255.00	258.00	134721	3.00	0.00	0.06
			258.00	261.00	134722	3.00	0.01	0.03
			261.00	264.00	134723	3.00	0.01	0.00
			264.00	267.00	134724	3.00	0.02	0.00
			267.00	270.00	134725	3.00	0.01	0.00
			270.00	273.00	134727	3.00	0.01	0.00
			273.00	276.00	134728	3.00	0.00	0.00
			276.00	279.00	134729	3.00	0.00	0.00
			279.00	282.00	134730	3.00	0.02	0.00
			282.00	285.00	134731	3.00	0.01	0.00
			285.00	288.00	134732	3.00	0.01	0.00
			288.00	291.00	134733	3.00	0.01	0.00
			291.00	294.00	134734	3.00	0.00	0.00
			294.00	297.00	134736	3.00	0.01	0.09
			297.00	300.00	134737	3.00	0.01	0.00
			300.00	303.00	134738	3.00	0.01	0.00
			303.00	306.00	134739	3.00	0.01	0.00
			306.00	309.00	134740	3.00	0.01	0.00
			309.00	312.00	134741	3.00	0.02	0.03
			312.00	314.00	134742	2.00	0.01	0.00
314.00	314.00	EOH 314.0						