

GWR RESOURCES INC.

Diamond Drill Log

Lac La Hache Mt. Timothy Project

Hole: AZ08-62

Field Log:2008/02/15

Northing: 5758000

Easting: 617994

Elevation:1341 m

Area:Aurizon

Length: 307.8 m

Azimuth:270.0°

Dip: -60.00°

Logged By:BGG

Project: LAC LA HACHE			Hole Number: AZ08-62					
From	To	Rocktype & Description	From	To	Sample	Width	Cu %	Au g/t
0.00	3.00	Casing						
3.00	16.00	Monzonite Orange <i>Medium grain, orange/gray with feldspar alteration. Dark green hornblende with chlorite alteration. Highly broken with limonite chlorite and scapolite on fractures, minor NC.</i>	7.10	9.00	134751	1.90	0.02	0.00
			9.00	11.00	134752	2.00	0.01	0.00
			11.00	13.00	134753	2.00	0.01	0.00
			13.00	15.00	134754	2.00	0.02	0.00
			15.00	17.00	134755	2.00	0.01	0.00
16.00	58.00	Polyolithic Felsic Tuff Breccia <i>Polyolithic fragments of feldspars and volcanics varying from fine grain to white speckled feldspars and feldsparphyritic with some mafics. Medium grained, mottled orange gray green to brownish with some k-spar and epidote. Bright orange lapilli fragments. Calcite crackle texture with some fine grain epidote and minor chalcopyrite.</i>	17.00	19.00	134757	2.00	0.02	0.00
			19.00	21.00	134758	2.00	0.03	0.05
			21.00	23.00	134759	2.00	0.07	0.11
			23.00	25.00	134760	2.00	0.15	0.31
			25.00	27.00	134761	2.00	0.18	0.35
			27.00	29.00	134762	2.00	0.25	0.28
			29.00	31.00	134763	2.00	0.27	0.42
			31.00	33.00	134765	2.00	0.16	0.31
			33.00	35.00	134766	2.00	0.08	0.16
			35.00	37.00	134767	2.00	0.08	0.07
			37.00	39.00	134768	2.00	0.05	0.08
			39.00	41.00	134769	2.00	0.03	0.00
			41.00	43.00	134770	2.00	0.10	0.16
			43.00	45.00	134771	2.00	0.11	0.11
			45.00	47.00	134772	2.00	0.23	0.31
			47.00	49.00	134773	2.00	0.16	0.30
			49.00	51.00	134774	2.00	0.03	0.19
			51.00	53.00	134776	2.00	0.07	0.12
			53.00	55.00	134777	2.00	0.08	0.18
			55.00	57.00	134778	2.00	0.12	0.20
			57.00	59.00	134779	2.00	0.08	0.17
58.00	165.00	Hydrothermal Breccia	59.00	61.00	134780	2.00	0.08	0.20

From	To	Rocktype & Description	From	To	Sample	Width	Cu %	Au g/t
		<i>Hydrothermally brecciated monzonite, varying from crackle breccia to framework</i>	61.00	63.00	134781	2.00	0.06	0.15
		<i>supported and matrix supported. Moderate to good development of magnetite as</i>	63.00	65.00	134782	2.00	0.18	0.26
		<i>blotches and veinlets. Gradual boundary, unit basically a more k-spar/epidote</i>	65.00	67.00	134783	2.00	0.19	0.27
		<i>albite altered polyolithic tuff with a strong increase in magnetite.</i>	67.00	69.00	134784	2.00	0.34	0.94
		<i>58 - 64 Calcite sealets with NC.</i>	69.00	71.00	134786	2.00	0.29	0.68
		« 58.00- 63.00 NC »	71.00	73.00	134787	2.00	0.28	0.40
		« 64.00- 68.00 Bn »	73.00	75.00	134788	2.00	0.21	0.27
		<i>64 Start of chalcopyrite bornite with sections of 1 - 2 sulphides</i>	75.00	77.00	134789	2.00	0.10	0.16
		<i>67.5 - 75.5 Broken</i>	77.00	79.00	134790	2.00	0.07	0.12
		<i>82 - 87.5 Broken, black and light chlorite on fractures with flecks of NC.</i>	79.00	81.00	134791	2.00	0.12	0.13
		<i>89 - 97.7 Broken with NC on fractures.</i>	81.00	83.00	134792	2.00	0.15	0.28
		<i>97.7 - 104 NC in hair line calcite fractures with hematite alteration</i>	83.00	85.00	134793	2.00	0.24	0.42
		<i>104.9 cal/chl shear 10°, broken</i>	85.00	87.00	134795	2.00	0.49	0.66
		« 108.00- 112.00 Cpy »	87.00	89.00	134796	2.00	0.37	0.36
		<i>108 Disseminated chalcopyrite in epidote with minor bornite.</i>	89.00	91.00	134797	2.00	0.21	0.25
		<i>121 - 125 chl/hem/cal shear fracture 2 - 5° some red hematite.</i>	91.00	93.00	134798	2.00	0.53	1.22
		<i>125 Increase in chalcopyrite and bornite to approximately 0.5 - 1% sulphides</i>	93.00	95.00	134799	2.00	0.66	0.62
		<i>131 - 132.5 Black chlorite hematite calcite shear filling 15° trace pyrite</i>	95.00	97.00	134800	2.00	0.25	0.34
		« 139.70- 145.00 Mineral Zone » 139.7 - 157.3 1- 3% sulphides	97.00	99.00	134801	2.00	0.25	0.41
		<i>chalcopyrite and bornite.</i>	99.00	101.00	134802	2.00	0.09	0.38
		« 147.00- 157.00 Mineral Zone »	101.00	103.00	134803	2.00	0.09	0.16
		« Dacite dyke » 158 - 165, Fine grain dark gray brown, non magnetic,	103.00	105.00	134804	2.00	0.15	0.17
		<i>156 - 158 broken, contact 30°?</i>	105.00	107.00	134806	2.00	0.12	0.53
			107.00	109.00	134807	2.00	0.14	0.58
			109.00	111.00	134808	2.00	0.44	2.88
			111.00	113.00	134809	2.00	0.32	0.38
			113.00	115.00	134810	2.00	0.38	0.62
			115.00	117.00	134811	2.00	0.12	0.19
			117.00	119.00	134812	2.00	0.09	0.18
			119.00	121.00	134814	2.00	0.09	0.14
			121.00	123.00	134815	2.00	0.06	0.07
			123.00	125.00	134816	2.00	0.27	0.82
			125.00	127.00	134817	2.00	0.23	0.39
			127.00	129.00	134818	2.00	0.13	0.28
			129.00	131.00	134819	2.00	0.30	0.62
			131.00	133.00	134820	2.00	0.16	0.30
			133.00	135.00	134821	2.00	0.20	0.26
			135.00	137.00	134822	2.00	0.33	0.50
			137.00	139.00	134823	2.00	0.18	0.20

From	To	Rocktype & Description	From	To	Sample	Width	Cu %	Au g/t
			139.00	141.00	134825	2.00	0.15	0.12
			141.00	143.00	134826	2.00	0.31	0.34
			143.00	145.00	134827	2.00	0.78	0.81
			145.00	147.00	134828	2.00	0.88	1.08
			147.00	149.00	134829	2.00	0.86	1.95
			149.00	151.00	134830	2.00	0.65	1.56
			151.00	153.00	134831	2.00	0.98	1.62
			153.00	155.00	134832	2.00	0.48	0.80
			155.00	157.00	134833	2.00	0.48	0.95
			157.00	159.00	134835	2.00	0.30	0.53
			159.00	161.00	134836	2.00	0.27	0.44
			161.00	163.00	134837	2.00	0.12	0.26
			163.00	165.00	134838	2.00	0.01	0.00
165.00	194.00	Polyolithic Felsic Tuff Breccia	165.00	167.00	134839	2.00	0.09	0.14
		<i>Polyolithic fragments of feldspars varying from fine grain to white speckled</i>	167.00	169.00	134840	2.00	0.08	0.19
		<i>feldspars and feldsparphyritic with some mafics. Medium grained, mottled orange</i>	169.00	171.00	134841	2.00	0.10	0.20
		<i>gray green to brownish with some k-spar and epidote.</i>	171.00	173.00	134842	2.00	0.06	0.13
		<i>165 - 166.5 Less mineral, calcite crackles</i>	173.00	175.00	134844	2.00	0.23	0.29
		<i>167 Blotchy k-spar/epidote disseminated magnetite, has sections of more</i>	175.00	177.00	134845	2.00	0.38	0.53
		<i>unified monzonite than tuff.</i>	177.00	179.00	134846	2.00	0.11	0.13
		<i>« 183.50- 188.00 Fault zone » Highly broken with</i>	179.00	181.00	134847	2.00	0.13	0.12
		<i>chlorite/calcite rubble</i>	181.00	183.00	134848	2.00	0.08	0.08
		<i>and hematite alteration.</i>	183.00	185.00	134849	2.00	0.07	0.06
		<i>189 Qtz/calcite vein 1cm with pyrite</i>	185.00	187.00	134850	2.00	0.11	0.12
			187.00	189.00	134401	2.00	0.21	0.29
			189.00	191.00	134402	2.00	0.31	0.53
			191.00	193.00	134403	2.00	0.44	0.62
			193.00	195.00	134404	2.00	0.19	0.35
194.00	198.00	Hydrothermal Breccia	195.00	197.00	134406	2.00	0.16	0.18
			197.00	199.00	134407	2.00	0.11	0.32
		<i>Hydrothermally brecciated monzonite, varying from crackle breccia to framework</i>						
		<i>supported and matrix supported. Short section of more classic hydrothermal</i>						
		<i>breccia with seams 30° with albite and sharp fragments of black magnetite and</i>						
		<i>coarse chalcopyrite, k-spar and amber alteration mineral.</i>						
198.00	246.00	Polyolithic Felsic Tuff Breccia	199.00	201.00	134408	2.00	0.30	1.49
		<i>Polyolithic fragments of feldspars varying from fine grain to white speckled</i>	201.00	203.00	134409	2.00	0.08	0.07
		<i>feldspars and feldsparphyritic with some mafics. Medium grained, mottled orange</i>	203.00	205.00	134410	2.00	0.08	0.09
		<i>gray green to brownish with some k-spar and epidote. Strong epidote magnetite</i>	205.00	207.00	134411	2.00	0.10	0.07
		<i>alteration with chalcopyrite in the epidote. More of a</i>	207.00	209.00	134412	2.00	0.14	0.14

From	To	Rocktype & Description	From	To	Sample	Width	Cu %	Au g/t
		<i>hydrothermal saturation</i>						
		<i>of magnetite and epidote than a breccia.</i>	209.00	211.00	134413	2.00	0.08	0.10
		<i>201 - 212 Blotches of chalcopyrite in epidote</i>	211.00	213.00	134414	2.00	0.12	0.04
		<i>« 211.50- 213.00 Fault zone », Broken hem/chl alteration with</i>	213.00	215.00	134416	2.00	0.09	0.06
		<i>qtz/cal</i>						
		<i>vein 30°</i>	215.00	217.00	134417	2.00	0.08	0.12
		<i>213 - 215 Magnetite/epidote seams with black chlorite</i>	217.00	219.00	134418	2.00	0.07	0.04
		<i>215.8 - 219.5 Broken chl/hem/cal</i>	219.00	221.00	134419	2.00	0.14	0.22
		<i>219.5 Feathery calcite fractures parallel to CA.</i>	221.00	223.00	134420	2.00	0.17	0.16
		<i>220 - 221.5 Broken chl/hem/cal/epidote</i>	223.00	225.00	134421	2.00	0.04	0.00
		<i>223 - 225 Coarse pyrite sections</i>	225.00	227.00	134422	2.00	0.08	0.05
		<i>227 - 228 Broken 1mm dark aqua blue chlorite on fractures</i>	227.00	229.00	134423	2.00	0.06	0.06
		<i>228 - 239.8 Tight compression dark chlorite/hematite/magnetite</i>	229.00	231.00	134424	2.00	0.07	0.00
		<i>with some</i>						
		<i>pyrite and chalcopyrite 30 - 45°</i>	231.00	233.00	134425	2.00	0.15	0.11
		<i>« 239.80- 243.30 Dacite dyke » Fine grain gray green minor</i>	233.00	235.00	134427	2.00	0.14	0.14
		<i>white</i>						
		<i>vecicles, non magnetic.</i>	235.00	237.00	134428	2.00	0.12	0.12
			237.00	239.00	134429	2.00	0.29	0.47
			239.00	241.00	134430	2.00	0.27	0.41
			241.00	243.00	134431	2.00	0.61	0.66
			243.00	245.00	134432	2.00	0.46	0.78
			245.00	247.00	134433	2.00	0.14	0.11
		246.00 307.80 Monzonite Orange	247.00	249.00	134434	2.00	0.01	0.00
		<i>Medium grain, orange/gray with feldspar alteration. Dark green</i>	249.00	251.00	134435	2.00	0.13	0.24
		<i>hornblende with</i>						
		<i>chlorite alteration. Highly compressed schist like, with hematite</i>	251.00	253.00	134437	2.00	0.13	0.23
		<i>and black</i>						
		<i>chlorite alteration 30° , weak magnetite susceptibility, occassional</i>	253.00	256.00	134438	3.00	0.02	0.96
		<i>1 - 2cm</i>						
		<i>mafic accidentals. Sections of light epidote alteration. Strong</i>	256.00	259.00	134439	3.00	0.01	0.00
		<i>narrow</i>						
		<i>chl/hem shears 1 - 5cm 15 - 30° at 246.6, 251, 253, 254.5,</i>	259.00	262.00	134440	3.00	0.00	0.00
		<i>259.7, 265.5.</i>						
		<i>« 268.00- 271.00 Fault zone »</i>	262.00	265.00	134441	3.00	0.02	0.00
		<i>« 282.00- 285.00 Fault zone » 60cm fault gouge with epidote</i>	265.00	268.00	134442	3.00	0.01	0.29
		<i>alteration on</i>						
		<i>either side.</i>	268.00	271.00	134443	3.00	0.00	0.00
		<i>286 Continues broken with light chlorite alteraion on fractures.</i>	271.00	274.00	134444	3.00	0.00	0.00
		<i>299 - 203 Calcite hematite chlorite alteration.</i>	274.00	277.00	134446	3.00	0.02	0.00
			277.00	280.00	134447	3.00	0.01	0.08
			280.00	283.00	134448	3.00	0.01	0.00
			283.00	286.00	134449	3.00	0.00	0.00
			286.00	289.00	134450	3.00	0.00	0.00
			289.00	292.00	134451	3.00	0.00	0.00
			292.00	295.00	134452	3.00	0.00	0.00
			295.00	298.00	134453	3.00	0.00	0.00
			298.00	301.00	134454	3.00	0.00	0.00

From	To	Rocktype & Description	From	To	Sample	Width	Cu %	Au g/t
			301.00	304.00	134455	3.00	0.00	0.00
			304.00	307.00	134457	3.00	0.01	0.00
			307.00	307.80	134458	0.80	0.01	0.00
307.80	307.80	EOH 307.8						