

GWR RESOURCES INC.

Diamond Drill Log

Lac La Hache Mt. Timothy Project

Hole: AZ08-63

Field Log: 2008/02/20

Northing: 5758000

Easting: 617994

Elevation: 1341 m

Area: Aurizon

Length: 356.6 m

Azimuth: 0.00 °

Dip: -90.00 °

Logged By: BGG

Project: LAC LA HACHE				Hole Number: AZ08-63					
From	To	Rocktype	& Description	From	To	Sample	Width	Cu %	Au g/t
0.00	3.60	Casing							
3.60	15.20	Monzonite Gray		3.60	6.00	138501	2.40	0.02	0.00
			<i>Medium grain, Dark to light gray, hornblende with chlorite alteration. Highly broken limonite on fractures, some NC interstitial as at surface outcrop. Mixed contact with lower andesite.</i>	6.00	9.00	138502	3.00	0.02	0.00
				9.00	12.00	138503	3.00	0.03	0.00
				12.00	15.00	138504	3.00	0.03	0.00
				15.00	18.00	138506	3.00	0.02	0.00
15.20	29.10	Andesite		18.00	21.00	138507	3.00	0.01	0.00
			<i>Medium grain, grayish green, epidote alteration bands 30°. Lower contact sharp 30°, epidote crackle texture, weak mag.</i>	21.00	24.00	138508	3.00	0.02	0.00
				24.00	27.00	138509	3.00	0.00	0.00
				27.00	30.00	138510	3.00	0.01	0.00
29.10	60.00	Monzonite Gray		30.00	33.00	138511	3.00	0.01	0.00
			<i>Medium grain, Dark to light gray slightly pinkish, hornblende with chlorite alteration. Weak to moderat magnetic susceptibility. Black and light chlorite on fractures.</i>	33.00	36.00	138512	3.00	0.01	0.00
			<i>31 - 10cm Albite with hematite 30°</i>	36.00	39.00	138514	3.00	0.01	0.00
			<i>39.3 Increase k-spar and epidote mottling, weak disseminated magnetite with hematite alteration rims.</i>	39.00	42.00	138515	3.00	0.00	0.00
			<i>41 - 42 Calcite alteration of hornblende</i>	42.00	45.00	138516	3.00	0.03	0.00
			<i>42 - 42.5 Black chlorite/hem/calcite alteration</i>	45.00	48.00	138517	3.00	0.01	0.00
			<i>46.5 - 53 Calcite feathering and seams and seams 2 - 5°, light feldspar and epidote original alteration 30 - 45°, occassional 1cm mafic accidental.</i>	48.00	51.00	138518	3.00	0.03	0.00
			<i>57 - 61.5 Epidote calcite alteration.</i>	51.00	54.00	138519	3.00	0.02	0.00
			<i>58.7 - 59.9 Mafic dyke Clinopyroxene speckled, medium grain, non magnetic sharp contact 30° with specks NC.</i>	54.00	57.00	138520	3.00	0.03	0.00
			<i>58 Monzonite interfingering with polyolithic tuff.</i>	57.00	60.00	138521	3.00	0.02	0.00
60.00	74.00	Polyolithic Felsic Tuff Breccia		60.00	63.00	138522	3.00	0.02	0.00
			<i>Polyolithic fragments of feldspars varying from fine gain to white speckled feldspars and feldsparphyritic with some mafics. Medium grained,</i>	63.00	66.00	138523	3.00	0.01	0.00
				66.00	69.00	138524	3.00	0.02	0.00

From	To	Rocktype & Description	From	To	Sample	Width	Cu %	Au g/t
		<i>mottled orange</i>						
		<i>gray green to brownish with some k-spar and epidote.</i>	69.00	72.00	138525	3.00	0.11	0.17
			72.00	75.00	138527	3.00	0.06	0.08
74.00	161.50	Hybrid Monzonite/Volcanics	75.00	78.00	138528	3.00	0.02	0.00
		<i>Metasomatized volcanics intermixed with Gray to Orange</i>	78.00	81.00	138529	3.00	0.02	0.04
		<i>Medium Grained</i>						
		<i>Monzonite, Monzonite of all types and black volcanics to green</i>	81.00	84.00	138530	3.00	0.01	0.00
		<i>andesite.</i>						
		<i>Metasomatic k-spar/epidote alteration, variable magnetic,</i>	84.00	87.00	138531	3.00	0.02	0.00
		<i>occasional speck cpy.</i>						
			87.00	90.00	138532	3.00	0.01	0.00
		« 76.20- 76.40 Mafic Dyke » <i>Clinopyroxene black green,</i>	90.00	93.00	138533	3.00	0.01	0.00
		<i>speckled lighter</i>						
		<i>green, sharp 30° contact, non magnetic. Core randomly broken.</i>	93.00	96.00	138534	3.00	0.03	0.03
		« 122.00- 123.00 Fault zone » <i>Broken chl/hem/rubble; some</i>	96.00	99.00	138536	3.00	0.01	0.00
		<i>epi/k-spar</i>						
		<i>alteration 15 - 30°</i>	99.00	102.00	138537	3.00	0.01	0.00
			102.00	105.00	138538	3.00	0.00	0.00
			105.00	108.00	138539	3.00	0.00	0.00
			108.00	111.00	138540	3.00	0.01	0.00
			111.00	114.00	138541	3.00	0.02	0.00
			114.00	117.00	138542	3.00	0.00	0.05
			117.00	120.00	138543	3.00	0.02	0.00
			120.00	123.00	138544	3.00	0.01	0.00
			123.00	126.00	138545	3.00	0.13	0.00
			126.00	129.00	138547	3.00	0.01	0.00
			129.00	132.00	138548	3.00	0.01	0.00
			132.00	135.00	138549	3.00	0.03	1.00
			135.00	138.00	138550	3.00	0.01	0.00
			138.00	141.00	138551	3.00	0.00	0.00
			141.00	144.00	138552	3.00	0.01	0.00
			144.00	147.00	138553	3.00	0.01	0.00
			147.00	150.00	138554	3.00	0.00	0.00
			150.00	153.00	138556	3.00	0.00	0.05
			153.00	156.00	138557	3.00	0.01	0.00
			156.00	159.00	138558	3.00	0.01	0.00
			159.00	162.00	138559	3.00	0.00	0.00
161.50	169.00	Andesite	162.00	165.00	138560	3.00	0.04	0.07
		<i>Medium green, fine grain with epidote alteration weak mag,</i>	165.00	168.00	138561	3.00	0.05	0.03
		<i>contact 30°</i>						
			168.00	171.00	138562	3.00	0.07	0.06
169.00	236.20	Hybrid Monzonite/Volcanics	171.00	174.00	138564	3.00	0.05	0.00
		<i>Metasomatized black volcanics intermixed with Gray to Orange</i>	174.00	177.00	138565	3.00	0.03	0.00
		<i>Medium Grained</i>						
		<i>Monzonite. Metasomatized with k-spar and epidote alteration as</i>	177.00	180.00	138566	3.00	0.01	0.00
		<i>blotches,</i>						
		<i>smaller blebs and veinlets.</i>	180.00	183.00	138567	3.00	0.02	0.00
		<i>170 10cm chlorite shear seam, core becoming more schistose</i>	183.00	186.00	138568	3.00	0.06	0.15

From	To	Rocktype & Description	From	To	Sample	Width	Cu %	Au g/t
		<i>with chl/hem alteration 30°</i>	186.00	189.00	138569	3.00	0.04	0.29
		<i>179 20cm red hematite mud shear 30°</i>	189.00	192.00	138570	3.00	0.05	0.07
		<i>179.5 - 184 volcanic fragments, 30cm qtz/cal with pyrite.</i>	192.00	195.00	138571	3.00	0.03	0.03
		<i>« 179.00- 184.00 Breccia »</i>	195.00	198.00	138572	3.00	0.05	0.07
		<i>184 - 219 Sections chl/hem/cal shearing 15°</i>	198.00	201.00	138573	3.00	0.14	0.28
		<i>230 Strong light chlorite/cal/hem shearing 5°, mixed andesite/black volcanics and monzonite.</i>	201.00	204.00	138574	3.00	0.07	0.05
			204.00	207.00	138575	3.00	0.03	0.03
		<i>« 231.00- 236.00 Altered Zone »</i>	207.00	210.00	138577	3.00	0.03	0.00
		<i>231 - 236.2 Albite/chl/hem 2 - 5° with coarse chalcopryrite and pyrite</i>	210.00	213.00	138578	3.00	0.03	0.03
			213.00	216.00	138579	3.00	0.04	0.04
			216.00	219.00	138580	3.00	0.03	0.03
			219.00	222.00	138581	3.00	0.06	0.05
			222.00	225.00	138582	3.00	0.04	0.05
			225.00	228.00	138583	3.00	0.03	0.04
			228.00	231.00	138584	3.00	0.02	0.03
			231.00	234.00	138586	3.00	0.02	0.04
			234.00	237.00	138587	3.00	0.03	0.05
			237.00	240.00	138588	3.00	0.26	0.08
236.20	348.00	Volcanic Extrusive	240.00	243.00	138589	3.00	0.05	0.04
		<i>Medium grain, black green, variable amounts of blotchy epidote alteration.</i>						
		<i>Metasomatized with epidote/k-spar disseminated magneite trace pyrite and</i>	243.00	246.00	138590	3.00	0.16	0.08
		<i>chalcopryrite, sections of flow breccia.</i>	246.00	249.00	138591	3.00	0.05	0.03
		<i>252 - 254 Broken hematite alteration.</i>	249.00	252.00	138592	3.00	0.02	0.00
		<i>256 Calcite/epidote seams 15 & 45°</i>	252.00	255.00	138593	3.00	0.04	0.00
		<i>264.7 - 265.2 10cm cal/hem/chl shear breccia</i>	255.00	258.00	138594	3.00	0.03	0.00
		<i>275.8 50cm stronger k-spar/epidote alteration with trace cpy, core continues</i>	258.00	261.00	138595	3.00	0.07	0.06
		<i>epidote mottled and crackled with stress fracture fillings 30°</i>	261.00	264.00	138597	3.00	0.04	0.03
		<i>278.8 3cm cal/chl/hem seam 15°</i>	264.00	267.00	138598	3.00	0.08	0.05
		<i>290.9 70cm Dacite dyke fine grain brownly orange with 5cm cal/chl shear</i>	267.00	270.00	138599	3.00	0.03	0.04
		<i>breccia on both contacts 45° with pyrite.</i>	270.00	273.00	138600	3.00	0.02	0.06
		<i>292.1 10cm cal/k-spar seam with 70% pyrite 45°</i>	273.00	276.00	138601	3.00	0.06	0.05
		<i>302 Stronger shear compression with calcite crackle texture.</i>	276.00	279.00	138602	3.00	0.05	0.03
		<i>307.00- 311.50 Fault zone crushed chl/hem shearing 15° with calcite and</i>	279.00	282.00	138603	3.00	0.09	0.05
		<i>light chlorite seams 2 - 5 °</i>	282.00	285.00	138604	3.00	0.09	0.08
		<i>« 307.00- 311.00 Fault zone »</i>	285.00	288.00	138606	3.00	0.14	0.07
		<i>« 319.00- 325.00 Fault zone » Crushed chl/cal/hem gouge mud with</i>	288.00	291.00	138607	3.00	0.02	0.04
		<i>intermixed crushed orange feldspar.</i>	291.00	294.00	138608	3.00	0.03	0.06
		<i>329 Mixed metasomatized volcanics with epidote and feldspar alteration, short</i>	294.00	297.00	138609	3.00	0.04	0.05
		<i>10cm sections of epidote matrix 1cm polyolithic fragments.</i>	297.00	300.00	138610	3.00	0.03	0.03

From	To	Rocktype & Description	From	To	Sample	Width	Cu %	Au g/t
329 - 333		Local increase in pyrite/chalcopyrite to 1%	300.00	303.00	138611	3.00	0.02	0.03
335		Becoming sheared 20°	303.00	306.00	138612	3.00	0.07	0.06
338		20cm black volcanic mud	306.00	309.00	138613	3.00	0.04	0.03
		« 341.60- 346.00 Fault zone » crushed chl/talcous/cal rubble.	309.00	312.00	138614	3.00	0.05	0.05
341.5		10cm magnetite rich with cpy.	312.00	315.00	138616	3.00	0.01	0.03
348		Feldspar/hem/chl alteration of the volcanics.	315.00	318.00	138617	3.00	0.01	0.00
			318.00	321.00	138618	3.00	0.02	0.00
			321.00	324.00	138619	3.00	0.04	0.04
			324.00	327.00	138620	3.00	0.02	0.00
			327.00	330.00	138621	3.00	0.02	0.00
			330.00	333.00	138622	3.00	0.04	0.06
			333.00	336.00	138623	3.00	0.26	0.30
			336.00	339.00	138624	3.00	0.06	0.06
			339.00	342.00	138626	3.00	0.02	0.03
			342.00	345.00	138627	3.00	0.09	0.10
			345.00	348.00	138628	3.00	0.24	0.24
348.00	353.60	Monzonite Orange	348.00	351.00	138629	3.00	0.27	0.58
			351.00	354.00	138630	3.00	0.12	0.26
		Medium grain, orange/gray with feldspar alteration. Dark green hornblende with chlorite alteration. Highly altered chlorite volcanics near contact. Strong disseminated magnetite with chalcopyrite and bornite, approximately 0.2% cu. « 350.00- 356.60 Cpy »						
353.60	356.60	EOH 356.6	354.00	356.60	138631	2.60	0.80	1.57
356.60	356.60	EOH						