

GWR RESOURCES INC.

Diamond Drill Log

Lac La Hache Mt. Timothy Project

Hole: AZ08-70

Field Log:2008/03/04

Northing: 5757991

Easting: 617956

Elevation:1360 m

Area:Aurizon

Length: 313.9 m

Azimuth: 0.00 °

Dip: -90.00°

Logged By:BGG

Project: LAC LA HACHE				Hole Number: AZ08-70				
From	To	Rocktype & Description	From	To	Sample	Width	Cu %	Au g/t
0.00	3.00	Casing						
3.00	61.00	Polyolithic Felsic Tuff Breccia	3.00	5.00	140651	2.00	0.05	0.17
		<i>Polyolithic fragments of feldspars varying from fine grain to white speckled</i>	5.00	7.00	140652	2.00	0.04	0.14
		<i>feldspars and feldsparphyritic with some mafics. Medium grained, mottled orange</i>	7.00	9.00	140653	2.00	0.03	0.10
		<i>gray green to brownish with some k-spar and epidote.</i>	9.00	11.00	140654	2.00	0.04	0.33
		<i>3 - 18.2 Highly broken, limonite 3 - 10, chl/hem 10 - 18.2</i>	11.00	13.00	140655	2.00	0.03	0.04
		<i>« 15.20- 18.80 Mafic Dyke » Dark green clinopyroxene, non magnetic</i>	13.00	15.00	140657	2.00	0.01	0.03
		<i>Lower contact 1cm calcite hematite shear 30°</i>	15.00	17.00	140658	2.00	0.03	0.00
		<i>21.3 Disseminated NC , broken, limonite, pronounced feldspar fragments</i>	17.00	19.00	140659	2.00	0.01	0.00
		<i>27.4 - 48 Seamlets NC, broken</i>	19.00	21.00	140660	2.00	0.06	0.09
		<i>28 - 30 Broken NC on fractures</i>	21.00	23.00	140661	2.00	0.04	0.13
		<i>45 - 54 Some blotchy k-spar and epidote with NC.</i>	23.00	25.00	140662	2.00	0.06	0.14
			25.00	27.00	140663	2.00	0.04	0.11
			27.00	29.00	140665	2.00	0.10	0.30
			29.00	31.00	140666	2.00	0.04	0.04
			31.00	33.00	140667	2.00	0.13	0.18
			33.00	35.00	140668	2.00	0.07	0.09
			35.00	37.00	140669	2.00	0.23	0.34
			37.00	39.00	140670	2.00	0.17	0.39
			39.00	41.00	140671	2.00	0.17	0.28
			41.00	43.00	140672	2.00	0.16	0.15
			43.00	45.00	140673	2.00	0.24	0.32
			45.00	47.00	140675	2.00	0.27	0.32
			47.00	49.00	140676	2.00	0.18	0.40
			49.00	51.00	140677	2.00	0.10	0.39
			51.00	53.00	140678	2.00	0.07	0.33
			53.00	55.00	140679	2.00	0.15	0.28
			55.00	57.00	140680	2.00	0.20	0.29
			57.00	59.00	140681	2.00	0.16	0.20
			59.00	61.00	140682	2.00	0.11	0.21
61.00	87.00	Hydrothermal Breccia	61.00	63.00	140684	2.00	0.18	0.43
		<i>Hydrothermally brecciated monzonite, varying from crackle breccia to framework</i>	63.00	65.00	140685	2.00	0.11	0.27
		<i>supported and matrix supported. Moderate to good development of magnetite as</i>	65.00	67.00	140686	2.00	0.10	0.39
		<i>blotches and veinlets. Stronger magnetite component, difficult to</i>	67.00	69.00	140687	2.00	0.18	0.50

From	To	Rocktype & Description	From	To	Sample	Width	Cu %	Au g/t
		<i>discern any</i>						
		<i>specific contact. Some good chalcopyrite in epidote, broken chlorite and NC on fractures, occasional speck of bornite.</i>	69.00	71.00	140688	2.00	0.26	0.38
		<i>62 Chalcopyrite 5mm seams 60°, chl/hem alteration with NC.</i>	71.00	73.00	140689	2.00	0.15	0.17
			73.00	75.00	140690	2.00	0.15	0.20
			75.00	77.00	140691	2.00	0.20	0.35
			77.00	79.00	140692	2.00	0.11	0.58
			79.00	81.00	140694	2.00	0.29	0.43
			81.00	83.00	140695	2.00	0.42	0.53
			83.00	85.00	140696	2.00	0.19	0.39
			85.00	87.00	140697	2.00	0.12	0.19
87.00	101.00	Polyolithic Felsic Tuff Breccia	87.00	89.00	140698	2.00	0.07	0.10
		<i>Sections of calcite/hematite/calcite compression shearing 30°</i>	89.00	91.00	140699	2.00	0.06	0.08
			91.00	93.00	140700	2.00	0.24	0.72
			93.00	95.00	140701	2.00	0.22	0.44
			95.00	97.00	140702	2.00	0.27	1.82
			97.00	99.00	140703	2.00	0.23	1.00
			99.00	101.00	140704	2.00	0.16	0.72
101.00	163.80	Monzonite Orange	101.00	103.00	140706	2.00	0.04	0.22
		<i>Medium grain, brick orange with feldspar laths and light banded alteration.</i>	103.00	105.00	140707	2.00	0.06	0.07
		<i>Dark green hornblende with chlorite alteration. Broken 1 - 3cm mafic</i>	105.00	107.00	140708	2.00	0.02	0.06
		<i>accidentals, black and light chlorite on fractures with NC.</i>	107.00	109.00	140709	2.00	0.05	0.06
		<i>Varigated with light feldspar bands 15 - 30</i>	109.00	111.00	140710	2.00	0.03	0.07
		<i>100 - 109 Interstitial NC.</i>	111.00	113.00	140711	2.00	0.05	0.04
		<i>144.2 - 146.3 Strong hem/chl/cal shear alteration with 5cm 3% pyrite and on fractures.</i>	113.00	115.00	140712	2.00	0.01	0.00
		<i>« 149.00- 154.40 Fault zone » Intense hematite/chlorite/calcite shearing with gouge and "S" pattern shearing 5 - 30°.</i>	115.00	117.00	140714	2.00	0.02	0.00
		<i>155 - 156 Black chlorite/calcite on fractures 30°</i>	117.00	119.00	140715	2.00	0.02	0.05
		<i>158 - 160.1 Black chlorite/hematite/k-spar 5° with spots of chalcopyrite,</i>	119.00	121.00	140716	2.00	0.01	0.00
		<i>light feldspar bands 15°</i>	121.00	123.00	140717	2.00	0.01	0.00
			123.00	125.00	140718	2.00	0.01	0.00
			125.00	127.00	140719	2.00	0.03	0.17
			127.00	129.00	140720	2.00	0.01	0.00
			129.00	131.00	140721	2.00	0.00	0.00
			131.00	133.00	140723	2.00	0.01	0.03
			133.00	135.00	140724	2.00	0.01	0.04
			135.00	137.00	140725	2.00	0.00	0.03
			137.00	139.00	140726	2.00	0.01	0.04
			139.00	141.00	140727	2.00	0.00	0.04
			141.00	143.00	140728	2.00	0.00	0.00
			143.00	145.00	140729	2.00	0.02	0.28
			145.00	147.00	140730	2.00	0.06	0.17
			147.00	149.00	140731	2.00	0.04	0.08
			149.00	151.00	140733	2.00	0.01	0.03

From	To	Rocktype & Description	From	To	Sample	Width	Cu %	Au g/t
			151.00	153.00	140734	2.00	0.01	0.04
			153.00	155.00	140735	2.00	0.07	0.11
			155.00	157.00	140736	2.00	0.01	0.00
			157.00	159.00	140737	2.00	0.27	0.15
			159.00	161.00	140738	2.00	0.70	0.33
			161.00	163.00	140739	2.00	0.01	0.00
			163.00	165.00	140740	2.00	0.02	0.00
163.80	180.30	Monzonite Gray	165.00	167.00	140741	2.00	0.01	0.00
		<i>Medium grain, Dark to light gray, hornblende with chlorite alteration. Shallow</i>	167.00	169.00	140742	2.00	0.03	0.00
		<i>contact 10° with black chlorite, moderate to strong magnetite susceptibility</i>	169.00	171.00	140743	2.00	0.04	0.00
		<i>with disseminated magnetite.</i>	171.00	173.00	140745	2.00	0.05	0.00
		<i>« 172.70- 176.00 Cpy » Fine grain magnetite/epidote seams</i>	173.00	175.00	140746	2.00	0.12	0.00
		<i>30° to CA with</i>	175.00	177.00	140747	2.00	0.08	0.00
		<i>fine grain chalcopyrie and bornite.</i>	177.00	179.00	140748	2.00	0.03	0.00
			179.00	181.00	140749	2.00	0.06	0.04
180.30	251.00	Volcanic Extrusive	181.00	184.00	140750	3.00	0.13	0.08
		<i>Dark green medium grained meta andesite moderate to strong magnetite with</i>	184.00	187.00	140751	3.00	0.04	0.10
		<i>epidote banding and mottling with minor metasomatic k-spar alteration. Minor</i>	187.00	190.00	140752	3.00	0.16	0.16
		<i>chalcopyrite in the epidote. Biotite hornfelsing of mafics.</i>	190.00	193.00	140753	3.00	0.08	0.09
		<i>206.8 More intense feldspar/epidote varigated metasomatism with an increase of</i>	193.00	196.00	140754	3.00	0.06	0.07
		<i>fine grain chalcopyrite and bornite in the epidote.</i>	196.00	199.00	140756	3.00	0.07	0.08
		<i>217 - 217.9 Black chlorite/calcite/hematite/epidote seam 15° 3 to 5cm with 10%</i>	199.00	202.00	140757	3.00	0.08	0.08
		<i>chalcopyrite, broken</i>	202.00	205.00	140758	3.00	0.10	0.09
		<i>219.4 Strong epidote mottling and banding, varigated metasomatic alteration up</i>	205.00	208.00	140759	3.00	0.31	0.64
		<i>to 30° epidote with minor spots of cpy. Alteration 15°</i>	208.00	211.00	140760	3.00	0.13	0.39
		<i>244 Increase in small veinlets of metasomatic k-spar with the epidote</i>	211.00	214.00	140761	3.00	0.04	0.06
		<i>250.4 Black chlorite/calcite/hematite/k-spar shear filling 15° to CA.</i>	214.00	217.00	140762	3.00	0.15	0.15
			217.00	220.00	140763	3.00	2.38	1.58
			220.00	223.00	140764	3.00	0.05	0.08
			223.00	226.00	140766	3.00	0.03	0.05
			226.00	229.00	140767	3.00	0.02	0.00
			229.00	232.00	140768	3.00	0.07	0.07
			232.00	235.00	140769	3.00	0.03	0.04
			235.00	238.00	140770	3.00	0.04	0.05
			238.00	241.00	140771	3.00	0.05	0.05
			241.00	244.00	140772	3.00	0.05	0.19
			244.00	247.00	140773	3.00	0.08	0.12
			247.00	250.00	140774	3.00	0.09	0.30
			250.00	253.00	140776	3.00	0.07	0.08

From	To	Rocktype & Description	From	To	Sample	Width	Cu %	Au g/t
251.00	313.90	Monzonite Gray	253.00	256.00	140777	3.00	0.00	0.00
		<i>Medium grain, Dark to light gray, hornblende with chlorite alteration.</i>	256.00	259.00	140778	3.00	0.05	0.03
		<i>Metavolcanics and dark black gray monzonite mix. Shallow contact angle 15°.</i>	259.00	262.00	140779	3.00	0.01	0.00
		<i>Strong epidote with lighter feldspars.</i>	262.00	265.00	140780	3.00	0.01	0.00
		<i>« 283.00- 286.00 Fault zone » Light green chlorite/hematite rubble,</i>	265.00	268.00	140781	3.00	0.05	0.00
		<i>shallow angle fault 5 - 15°</i>	268.00	271.00	140782	3.00	0.01	0.00
		<i>292.6 - 304 Less epidote, but varigated with light feldspars 5, 15, 30, 45°</i>	271.00	274.00	140783	3.00	0.02	0.00
		<i>304 Stronger epidote, darker with mixed volcanics</i>	274.00	277.00	140784	3.00	0.01	0.00
			277.00	280.00	140786	3.00	0.03	0.00
			280.00	283.00	140787	3.00	0.01	0.00
			283.00	286.00	140788	3.00	0.01	0.04
			286.00	289.00	140789	3.00	0.01	0.04
			289.00	292.00	140790	3.00	0.01	0.00
			292.00	295.00	140791	3.00	0.03	0.03
			295.00	298.00	140792	3.00	0.09	0.04
			298.00	301.00	140793	3.00	0.05	0.00
			301.00	304.00	140794	3.00	0.04	0.04
			304.00	307.00	140796	3.00	0.03	0.09
			307.00	310.00	140797	3.00	0.01	0.09
			310.00	313.90	140798	3.90	0.01	0.74
313.90	313.90	EOH 313.9						