

GWR RESOURCES INC.

Diamond Drill Log

Lac La Hache Mt. Timothy Project

Hole: AZ08-71

Field Log:2008/03/08

Northing: 5758373

Easting: 617926

Elevation:1329 m

Area:Aurizon

Length: 286.5 m

Azimuth:270.0°

Dip: -60.00°

Logged By:BGG

Project: LAC LA HACHE				Hole Number: AZ08-71				
From	To	Rocktype & Description	From	To	Sample	Width	Cu %	Au g/t
0.00	6.00	Casing						
6.00	17.00	Monzonite Orange	6.10	9.00	138901	2.90	0.04	0.00
		<i>Medium grain, orange/gray with feldspar alteration. Dark green hornblende with chlorite alteration. Feldsparphyritic lath texture, broken limonite/hematite</i>	9.00	12.00	138902	3.00	0.04	0.00
			12.00	15.00	138903	3.00	0.06	0.00
		<i>on fractures, weakly magnetic with disseminated magnetite, some NC.</i>	15.00	18.00	138904	3.00	0.05	0.00
17.00	38.00	Monzonite Gray	18.00	21.00	138906	3.00	0.07	0.00
		<i>Medium grain, Black dark to light gray, hornblende with chlorite alteration.</i>	21.00	24.00	138907	3.00	0.07	0.06
		<i>Blacker matrix with feldspar laths, moderate magnetitic susceptibility, light feldspar and epidote alteration 30 - 45°, weak NC.</i>	24.00	27.00	138908	3.00	0.07	0.06
		<i>23.8 Broken bright red hematite-cuprite?</i>	27.00	30.00	138909	3.00	0.06	0.00
		<i>27.1 - 27.6 Broken</i>	30.00	33.00	138910	3.00	0.11	0.12
		<i>31.9 Malachite stain, weak NC.</i>	33.00	36.00	138911	3.00	0.07	0.08
		<i>32.5 Fine grain chalcopryrite and bornite in feldspar/epidote alteration bands, also weak NC.</i>						
		<i>« 31.00- 33.00 Cpy »</i>						
			36.00	39.00	138912	3.00	0.09	0.10
38.00	56.30	Monzonite Dyke	39.00	42.00	138913	3.00	0.01	0.00
		<i>Brick orange, medium grain with white average 5mm calcite crystals and occasional quartz-eye, some altered hornblende, non magnetic. Lower contact appears to be 30° (broken).</i>	42.00	45.00	138914	3.00	0.03	0.00
			45.00	48.00	138916	3.00	0.01	0.00
			48.00	51.00	138917	3.00	0.01	0.00
			51.00	54.00	138918	3.00	0.02	0.00
			54.00	57.00	138919	3.00	0.09	0.10
56.30	116.50	Monzonite Gray	57.00	60.00	138920	3.00	0.14	0.20
		<i>Medium grain, Dark to light gray, hornblende with chlorite alteration. Becoming more criss - crossed with lighter cream feldspar, epidote with minor k-spar alteration edges, 30, 45, 60°.</i>	60.00	63.00	138921	3.00	0.13	0.20
		<i>« 54.80- 56.30 Fault zone » Broken with limonite and manganese on</i>	63.00	66.00	138922	3.00	0.08	0.12
			66.00	69.00	138923	3.00	0.07	0.10
			69.00	72.00	138924	3.00	0.06	0.12

From	To	Rocktype & Description	From	To	Sample	Width	Cu %	Au g/t
		fractures, 15cm chlorite/hematite gouge.	72.00	75.00	138925	3.00	0.07	0.14
		58 Some fine grain chalcopyrite in feldspar/epidote alteration, weak NC,	75.00	78.00	138927	3.00	0.08	0.16
		moderately magnetic.	78.00	81.00	138928	3.00	0.09	0.12
		« 58.00- 61.00 NC » 59 Thin seamlets of NC, with hematite altered	81.00	84.00	138929	3.00	0.04	0.06
		magnetite	84.00	87.00	138930	3.00	0.04	0.00
		64 - 70 Broken, limonite/manganese on fracture, also a black chlorite/calcite	87.00	90.00	138931	3.00	0.12	0.36
		fracture filling 10°.	90.00	93.00	138932	3.00	0.11	0.24
		« 84.00- 86.00 Fault zone » Broken, limonite rubble	93.00	96.00	138933	3.00	0.04	0.08
		90 - 91.4 Broken	96.00	99.00	138934	3.00	0.04	0.06
		93 - 95 Broken	99.00	102.00	138936	3.00	0.04	0.03
		101 - 102 Broken limonite	102.00	105.00	138937	3.00	0.04	0.06
		105.1 - 105.6 Narrow Fault	105.00	108.00	138938	3.00	0.04	0.06
		106 - 107 Broken, limonite fractures	108.00	111.00	138939	3.00	0.04	0.00
		Core showing and increase in variegated light feldspar/epidote with some k-spar	111.00	114.00	138940	3.00	0.03	0.00
		alteration, trace chalcopyrite in the epidote, weak NC throughout.						
		112.7 Stronger blotch epidote and k-spar 15 - 30°, weak NC.						
			114.00	117.00	138941	3.00	0.02	0.00
116.50	148.00	Monzonite Orange	117.00	120.00	138942	3.00	0.01	0.00
		Medium grain, orange/gray with feldspar alteration. Brick orange with 5mm to	120.00	123.00	138943	3.00	0.01	0.00
		10mm epidote mottled feldspars as in holes AZ06-8, AZ0713-79 and AZ08-61: 183	123.00	126.00	138944	3.00	0.01	0.00
		- 193 also leads to magnetite crackle breccia and section of 10% pyrite.	126.00	129.00	138945	3.00	0.01	0.00
		1 - 3cm mafic accidentals, non magnetic.	129.00	132.00	138947	3.00	0.01	0.00
		116.5 - 130 Saussurization, hematite alteration 10°, some k-spar alteration	132.00	135.00	138948	3.00	0.01	0.00
		seams. Matrix equigranular, poor lath development.	135.00	138.00	138949	3.00	0.01	0.00
		« 135.70- 137.70 Fault zone » Limonite and manganese rubble	138.00	141.00	138950	3.00	0.01	0.00
		142.8 - 144.4 Broken, limonite and manganese rubble	141.00	144.00	138951	3.00	0.02	0.00
		« 143.00- 148.00 Saus » Saussurization	144.00	147.00	138952	3.00	0.01	0.00
			147.00	150.00	138953	3.00	0.03	0.00
148.00	182.90	Monzonite Gray	150.00	153.00	138954	3.00	0.04	0.40
		Medium grain, Dark to light gray, hornblende with chlorite alteration. Semi	153.00	156.00	138956	3.00	0.06	0.24
		brecciated albite epidote contact, some k-spar, moderately magnetic with	156.00	159.00	138957	3.00	0.03	0.12
		disseminated magnetite. Variegated light feldspar. Texture becomes trachytoid	159.00	162.00	138958	3.00	0.03	0.08
		with feldsparphyritic variable orientated blotches, white speckled laths in	162.00	165.00	138959	3.00	0.03	0.00

From	To	Rocktype & Description	From	To	Sample	Width	Cu %	Au g/t
		darker matrix.	165.00	168.00	138960	3.00	0.03	0.00
		156 - 160 Orange monzonite alteration some saussurization.	168.00	171.00	138961	3.00	0.04	0.00
		164.4 2cm quartz vein 15°	171.00	174.00	138962	3.00	0.04	0.00
		170 - 175 Trachytoid feldspar giving an almost feldspar tuff look, light	174.00	177.00	138963	3.00	0.02	0.00
		feldspar banding 30°, 1 - 3cm mafic accidentals.	177.00	180.00	138964	3.00	0.14	0.08
		176.5 Stronger k-spar/epidote/black chlorite/magnetite trace py, cpy.						
		« 178.00- 179.00 Fault zone » Chlorite rubble						
		179 - 181 saussurization						
			180.00	183.00	138966	3.00	0.02	0.00
182.90	187.00	Hydrothermal Breccia	183.00	186.00	138967	3.00	0.01	0.00
			186.00	189.00	138968	3.00	0.17	0.36
		Hydrothermally brecciated monzonite, varying from crackle breccia to framework						
		supported and matrix supported. Moderate to good development of magnetite as						
		blotches and veinlets. Magnetite, chlorite, epidote crackle breccia 15°						
		187 15cm calcite/chlorite seam 15° with 10 pyrite similar to hole AZ08-61.						
187.00	227.20	Monzonite Orange	189.00	192.00	138969	3.00	0.07	0.10
		Medium grain, Dark to light gray, increasing to brick orange, hornblende with	192.00	195.00	138970	3.00	0.01	0.10
		chlorite alteration. Broken, black chlorite alteration.	195.00	198.00	138971	3.00	0.02	0.00
		193.5 - 200 Black chlorite on fractures with fine grain magnetite 15° some	198.00	201.00	138972	3.00	0.13	0.22
		pyrite with black chlorite/hematite/calcite alteration.	201.00	204.00	138973	3.00	0.01	0.06
		« 199.50- 200.80 Fault zone »	204.00	207.00	138974	3.00	0.01	0.00
		« 200.30- 200.80 Quartz Vein » 30° chalcopyrite, bonrite & tetrahedrite.	207.00	210.00	138975	3.00	0.01	0.00
			210.00	213.00	138977	3.00	0.01	0.06
		Core brick orange monzonite medium grain, non magnetic with calcite crackles	213.00	216.00	138978	3.00	0.00	0.00
		and light chlorite/hematite alteration.	216.00	219.00	138979	3.00	0.01	0.10
		« 211.20- 218.40 Andesite-dyke », Fine grain black -brown calcite	219.00	222.00	138980	3.00	0.01	0.04
		crackles, weakly magnetic	222.00	225.00	138981	3.00	0.00	0.00
		« 224.40- 225.00 Quartz Vein » Hematite chalcopyrite and amber						
		alteration mineral.						
			225.00	228.00	138982	3.00	0.01	0.00
227.20	268.20	Polyolithic Felsic Tuff Breccia	228.00	231.00	138983	3.00	0.01	0.00
		Polyolithic fragments of feldspars varying from fine gain to white speckled	231.00	234.00	138984	3.00	0.01	0.00
		feldspars and feldsparphyritic with some mafics. Medium grained, mottled orange	234.00	237.00	138986	3.00	0.00	0.00
		gray green to brownish with some k-spar and epidote. Clasts up to 10cm, fine	237.00	240.00	138987	3.00	0.01	0.00
		grain black magnetite flooding .	240.00	243.00	138988	3.00	0.02	0.00

From	To	Rocktype & Description	From	To	Sample	Width	Cu %	Au g/t
228 - 241.8		Albite/chlorite/hematite/epidote/k-spar mottling, occasional spot	243.00	246.00	138989	3.00	0.01	0.00
		chalcopyrite.	246.00	249.00	138990	3.00	0.02	0.00
241.8 - 268.2		K-spar/hematite alteration with magnetite crackles and veinlets	249.00	252.00	138991	3.00	0.01	0.06
		with epidote mottling.. Black chlorite on fractures, good magnetite epidote	252.00	255.00	138992	3.00	0.01	0.00
		preparation but no mineral.	255.00	258.00	138993	3.00	0.01	0.00
			258.00	261.00	138994	3.00	0.01	0.00
			261.00	264.00	138996	3.00	0.01	0.00
			264.00	267.00	138997	3.00	0.02	0.06
			267.00	270.00	138998	3.00	0.04	0.12
268.20	286.50	Monzonite Orange	270.00	273.00	138999	3.00	0.00	0.00
		Medium grain, brick orange with feldspar alteration. Dark green hornblende with	273.00	276.00	139000	3.00	0.00	0.00
		chlorite alteration, weak lathe development, weakly magnetic, some 3cm	276.00	279.00	139001	3.00	0.01	0.00
		triangular green mafic accidentals with alteration rims.	279.00	282.00	139002	3.00	0.00	0.06
274.3		Light feldspar alteration bands 30°	282.00	285.00	139003	3.00	0.00	0.00
277.3 - 286.5		Light albite alteration, some k-spar/epidote disseminated	285.00	286.50	139004	1.50	0.00	0.00
		magnetite and sections of rusty orange feldspar with some saussurization.						
286.50	286.50	EOH 286.5						