

## GWR RESOURCES INC.

## Diamond Drill Log

Lac La Hache Mt. Timothy Project

Hole: AZ08-74

Field Log: 2008/03/11

Northing: 5757950

Easting: 617938

Elevation: 1372 m

Area: Aurizon

Length: 265.1 m

Azimuth: 270.0°

Dip: -60.00°

Logged By: BGG

<b>Project: LAC LA HACHE</b>				<b>Hole Number: AZ08-74</b>					
<b>From</b>	<b>To</b>	<b>Rocktype</b>	<b>&amp; Description</b>	<b>From</b>	<b>To</b>	<b>Sample</b>	<b>Width</b>	<b>Cu %</b>	<b>Au g/t</b>
0.00	10.60	Casing							
10.60	12.00	Andesite	Medium grain, black green, possibly an andesite, weakly magnetic; becoming interfingered with orange monzonite at a shallow angle, contact, 10° ? calcite/hematite alteration, trace NC.	10.70	12.00	140951	1.30	0.02	0.11
12.00	69.00	Polyolithic Felsic Tuff Breccia	Polyolithic fragments of feldspars varying from fine grain to white speckled feldspars and feldsparphyritic with some mafics. Medium grained, mottled orange gray green to brownish with some k-spar and epidote. Intense chl/calhem alteration, broken with limonite on fractures, NC. « 14.80- 19.80 Fault zone » Chl/hem rubble and sandy gouge. « 19.80- 33.50 Lost Core » Recased to 33.5 33.5 - 38.7 Broken with splints 15°, black chlorite/hematite alteration « 39.80- 43.50 Fault zone » Chlorite hematite gouge, 15° splints, stronger NC. « 43.00- 63.00 NC » 45 - 63 Coarse NC to seamlets 4mm thick, estimate 2 - 5% Cu, epidote chlorite, spots of hematite altered magnetite, moderately magnetic sections of good chalcocite. « 57.40- 59.00 Fault zone » Chlorite rubble. 59 - 60.4 Strong NC 1mm seams with albite. « 60.40- 64.40 Fault zone » Broken some ground core 65 - 69 Intense chlorite/epidote alteration in other holes has occurred just above hydrothermal zone.	12.00	14.00	140952	2.00	0.02	0.19
				14.00	16.00	140953	2.00	0.02	0.09
				16.00	18.00	140955	2.00	0.03	0.26
				18.00	19.80	140956	1.80	0.04	0.15
				33.50	36.00	140957	2.50	0.04	0.17
				36.00	38.00	140958	2.00	0.09	0.12
				38.00	40.00	140959	2.00	0.12	0.11
				40.00	42.00	140960	2.00	0.07	0.09
				42.00	44.00	140961	2.00	0.08	0.08
				44.00	46.00	140963	2.00	0.09	0.20
				46.00	48.00	140964	2.00	0.14	0.10
				48.00	50.00	140965	2.00	0.09	0.10
				50.00	52.00	140966	2.00	0.12	0.14
				52.00	54.00	140967	2.00	0.61	0.81
				54.00	56.00	140968	2.00	0.07	0.38
				56.00	58.00	140969	2.00	0.09	5.45
				58.00	60.00	140970	2.00	0.23	1.58
				60.00	62.00	140972	2.00	0.47	2.90
				62.00	64.00	140973	2.00	0.27	0.36
				64.00	66.00	140974	2.00	0.44	0.51
				66.00	68.00	140975	2.00	0.17	0.45
				68.00	70.00	140976	2.00	0.49	0.72
69.00	116.00	Hydrothermal Breccia	Hydrothermally brecciated monzonite, varying from crackle	70.00	72.00	140977	2.00	0.26	0.34
				72.00	74.00	140978	2.00	0.20	0.45

From	To	Rocktype & Description	From	To	Sample	Width	Cu %	Au g/t
		<i>breccia to framework supported and matrix supported. Moderate to good development of magnetite as blotches and veinlets. Increase in black chlorite and blotchy k-spar</i>	74.00	76.00	140979	2.00	0.16	0.39
		<i>altertation, zone is non magnetic to weakly magnetic with strong NC.</i>	76.00	78.00	140980	2.00	0.30	0.33
		<i>76.6 Slickenside 70°</i>	78.00	80.00	140982	2.00	0.29	0.42
		<i>69 - 103.5 Strong NC with black chlorite on fractures.</i>	80.00	82.00	140983	2.00	0.13	0.44
		« 70.00- 80.00 NC »	82.00	84.00	140984	2.00	0.13	0.30
		« 96.00- 100.00 NC » <i>Epidote alteration NC and chalcocite.</i>	84.00	86.00	140985	2.00	0.11	1.73
		<i>111.7 Albite with amber mineral</i>	86.00	88.00	140986	2.00	0.24	0.31
		<i>104 40cm of strong magnetite, begins strong chalcopyrite bornite zone.</i>	88.00	90.00	140987	2.00	0.23	0.36
		« 104.00- 110.00 Cpy »	90.00	92.00	140988	2.00	0.14	0.22
		« 110.00- 116.00 Mineral Zone »	92.00	94.00	140989	2.00	0.18	0.48
		<i>112 - 116 Coarse 2 -4cm splotches of bornite and chalcopyrite.</i>	94.00	96.00	140990	2.00	0.16	3.56
			96.00	98.00	140991	2.00	0.20	0.69
			98.00	100.00	140993	2.00	0.35	0.80
			100.00	102.00	140994	2.00	0.22	0.71
			102.00	104.00	140995	2.00	0.90	0.92
			104.00	106.00	140996	2.00	1.03	0.95
			106.00	108.00	140997	2.00	0.56	1.25
			108.00	110.00	140998	2.00	1.01	1.77
			110.00	112.00	140999	2.00	0.52	1.26
			112.00	114.00	141000	2.00	0.76	1.69
			114.00	116.00	141001	2.00	2.83	2.96
		<b>116.00 148.00 Polyolithic Felsic Tuff Breccia</b>	116.00	118.00	141002	2.00	0.71	1.77
		<i>Polyolithic fragments of feldspars varying from fine grain to white speckled</i>	118.00	120.00	141003	2.00	0.13	0.81
		<i>feldspars and feldsparphyritic with some mafics. Medium grained, mottled orange</i>	120.00	123.00	141004	3.00	0.05	0.41
		<i>gray green to brownish with some k-spar and epidote.</i>	123.00	126.00	141006	3.00	0.05	0.35
		<i>116 Rock unit becoming highly sheared with intense hematite chlorite</i>	126.00	129.00	141007	3.00	0.07	0.24
		<i>alteration, It is highly broken and rubbled and may be an orange monzonite.</i>	129.00	132.00	141008	3.00	0.11	0.11
		<i>116 - 118 Weak NC underlying rich bornite chalcopyrite zone.</i>	132.00	135.00	141009	3.00	0.04	0.13
		« 124.00- 135.30 Fault zone »	135.00	138.00	141010	3.00	0.01	0.03
		« 135.30- 142.50 Dacite dyke » <i>Fine grain light tan green, moderately</i>	138.00	141.00	141011	3.00	0.06	0.12
		<i>magnetic, sheared and brecciated.</i>	141.00	144.00	141012	3.00	0.10	0.14
		<i>143.5 Shearing chlorite/hematite/talcous</i>	144.00	147.00	141013	3.00	0.08	0.10
		« 144.00- 146.00 Fault zone »						
		<i>146.3 - 148 Volcanic xenolith chlorite/hematite alteration sheared.</i>						
			147.00	150.00	141015	3.00	0.11	0.30
		<b>148.00 185.90 Monzonite Orange</b>	150.00	153.00	141016	3.00	0.01	0.05
		<i>Brick orange medium grained, intense black chlorite/hematite/calcite alteration,</i>	153.00	156.00	141017	3.00	0.02	0.00

From	To	Rocktype & Description	From	To	Sample	Width	Cu %	Au g/t
		<i>non magnetic.</i>	156.00	159.00	141018	3.00	<b>0.02</b>	<b>0.03</b>
		« 150.00- 159.00 Fault zone » <i>chlorite/hematite gouge</i>	159.00	162.00	141019	3.00	<b>0.01</b>	<b>0.00</b>
		161 - 169 <i>Broken chlorite/hematite alteration with calcite crackle veinlets</i>	162.00	165.00	141020	3.00	<b>0.01</b>	<b>0.13</b>
		« 176.00- 180.90 Fault zone » 180.2 - 180.9 <i>calcite annealed fault breccia</i>	165.00	168.00	141021	3.00	<b>0.01</b>	<b>0.10</b>
			168.00	171.00	141022	3.00	<b>0.02</b>	<b>0.00</b>
			171.00	174.00	141023	3.00	<b>0.01</b>	<b>0.21</b>
			174.00	177.00	141024	3.00	<b>0.02</b>	<b>0.20</b>
			177.00	180.00	141026	3.00	<b>0.00</b>	<b>0.00</b>
			180.00	183.00	141027	3.00	<b>0.00</b>	<b>0.00</b>
			183.00	186.00	141028	3.00	<b>0.01</b>	<b>0.00</b>
<b>185.90</b>	<b>265.10</b>	<b>Monzonite Gray</b>	186.00	189.00	141029	3.00	<b>0.02</b>	<b>0.00</b>
		<i>Medium grain, medium to light gray, hornblende with chlorite alteration. Phases of more orange alteration with black chlorite and hematite. Shows an increase of epidote/chlorite/magnetite and medium orange feldspar.</i>	189.00	192.00	141030	3.00	<b>0.00</b>	<b>0.00</b>
		191.8 - 192 <i>Epidote with a 4cm blotch pyrite chalcopyrite.</i>	192.00	195.00	141031	3.00	<b>0.08</b>	<b>0.06</b>
		200 <i>Lighter feldspar alteration 30°, 1 - 3cm mafic accidentals</i>	195.00	198.00	141032	3.00	<b>0.00</b>	<b>0.00</b>
		203.3 <i>30cm mafic xenolith.</i>	198.00	201.00	141033	3.00	<b>0.00</b>	<b>0.00</b>
		« 214.50- 220.00 <i>Andesite-dyke</i> » <i>Black gray fine grained, magnetic with trace pyrite.</i>	201.00	204.00	141034	3.00	<b>0.01</b>	<b>0.00</b>
			204.00	207.00	141035	3.00	<b>0.01</b>	<b>0.03</b>
			207.00	210.00	141037	3.00	<b>0.01</b>	<b>0.00</b>
			210.00	213.00	141038	3.00	<b>0.01</b>	<b>0.00</b>
		221 - 221.5 <i>Quartz/carbonate/chlorite alteration 15°, trace pyrite.</i>	213.00	216.00	141039	3.00	<b>0.02</b>	<b>0.03</b>
		224.7 - 226.0 <i>Orange monzonite phase.</i>	216.00	219.00	141040	3.00	<b>0.01</b>	<b>0.00</b>
		226.9 <i>30cm mafic xenolith</i>	219.00	222.00	141041	3.00	<b>0.01</b>	<b>0.00</b>
		228 <i>Broken black chlorite, fine grain magnetite/hematite on fractures, 1 - 3cm accidentals.</i>	222.00	225.00	141042	3.00	<b>0.01</b>	<b>0.00</b>
			225.00	228.00	141043	3.00	<b>0.01</b>	<b>0.04</b>
		234 <i>Slight overall saussurization.</i>	228.00	231.00	141044	3.00	<b>0.02</b>	<b>0.18</b>
		235.5 <i>60cm albitization/black chlorite trace pyrite.</i>	231.00	234.00	141045	3.00	<b>0.01</b>	<b>0.00</b>
		243.6 - 245.4 <i>Slight albitization with epidote 30°, trace pyrite.</i>	234.00	237.00	141047	3.00	<b>0.01</b>	<b>0.04</b>
		249 - 258 <i>Light gray green mottled and varigated with lighter orange feldspar alteration and green saussurization, weak to moderate magnetite.</i>	237.00	240.00	141048	3.00	<b>0.01</b>	<b>0.03</b>
			240.00	243.00	141049	3.00	<b>0.00</b>	<b>0.00</b>
		258.5 <i>Medium green with darker hematite cast.</i>	243.00	246.00	141050	3.00	<b>0.01</b>	<b>0.00</b>
			246.00	249.00	141051	3.00	<b>0.01</b>	<b>0.00</b>
			249.00	252.00	141052	3.00	<b>0.02</b>	<b>0.00</b>
			252.00	255.00	141054	3.00	<b>0.01</b>	<b>0.00</b>
			255.00	258.00	141055	3.00	<b>0.00</b>	<b>0.00</b>
			258.00	261.00	141056	3.00	<b>0.01</b>	<b>0.00</b>
			261.00	265.10	141057	4.10	<b>0.00</b>	<b>0.00</b>
<b>265.10</b>	<b>265.10</b>	<b>EOH 265.1</b>						