

GWR RESOURCES INC.

Diamond Drill Log

Lac La Hache Mt. Timothy Project

Hole: AZ08-78

Field Log:2008/03/21

Northing: 5757948

Easting: 617913

Elevation:1373 m

Area:Auirzon

Length: 199.0 m

Azimuth:270.0°

Dip: -60.00°

Logged By:BGG

Project: LAC LA HACHE			Hole Number: AZ08-78					
From	To	Rocktype & Description	From	To	Sample	Width	Cu %	Au g/t
0.00	4.50	Casing						
4.50	36.00	Poly lithic Felsic Tuff Breccia	4.60	6.00	139351	1.40	0.05	0.17
		<i>Poly lithic fragments of feldspars varying from fine grain to white speckled</i>	6.00	8.00	139352	2.00	0.03	0.18
		<i>feldspars and feldsparphyritic with some mafics. Medium grained, mottled orange</i>	8.00	10.00	139353	2.00	0.05	0.82
		<i>gray green to brownish with some k-spar and epidote. Good NC. Magnetite altered</i>	10.00	12.00	139354	2.00	0.02	0.21
		<i>to hematite, variable magnetic intensity.</i>	12.00	14.00	139356	2.00	0.02	0.16
		« 7.00- 13.00 Fault zone » <i>Broken, limonite rubble.</i>	14.00	16.00	139357	2.00	0.05	0.30
		« 15.00- 18.00 Fault zone » <i>Broken chlorite alteration, NC flakes</i>	16.00	18.00	139358	2.00	0.02	0.06
		24 <i>Increase in slight pinkish albite alteration with chlorite and calcite</i>	18.00	20.00	139359	2.00	0.05	0.08
		<i>crinkles, weakly magnetic</i>	20.00	22.00	139360	2.00	0.19	0.91
		« 25.00- 35.00 NC » <i>Flakes and 1mm veinlets, broken, non magnetic</i>	22.00	24.00	139361	2.00	0.12	0.27
		« 34.80- 35.30 Fault zone » <i>Chlorite gouge, core non magnetic.</i>	24.00	26.00	139362	2.00	0.22	0.52
			26.00	28.00	139363	2.00	0.38	0.76
			28.00	30.00	139365	2.00	0.45	1.18
			30.00	32.00	139366	2.00	0.30	1.51
			32.00	34.00	139367	2.00	0.22	0.89
			34.00	36.00	139368	2.00	0.13	1.64
36.00	103.00	Hydrothermal Breccia	36.00	38.00	139369	2.00	0.12	0.79
		<i>Hydrothermally brecciated monzonite, varying from crackle breccia to framework</i>	38.00	40.00	139370	2.00	0.10	0.62
		<i>supported and matrix supported. Moderate to good development of magnetite and</i>	40.00	42.00	139371	2.00	0.21	10.00
		<i>epidote as blotches and veinlets. Magnetite altered to dark black hematite,</i>	42.00	44.00	139372	2.00	0.22	10.60
		<i>weakly magnetic some albite with chlorite and hematite.</i>	44.00	46.00	139373	2.00	0.10	0.72
		36 - 64 <i>Strong NC and black chlorite on fractures and as seamlets to 1mm</i>	46.00	48.00	139375	2.00	0.21	0.42
		« 43.00- 45.00 Fault zone » <i>Broken black chlorite/hematite 15°</i>	48.00	50.00	139376	2.00	0.06	0.14
		58 - 61 <i>k-spar/albite mottling, weakly magnetic, good NC.</i>	50.00	52.00	139377	2.00	0.07	0.90
		64 <i>Increase in seamlets of epidote with trace fine grain chalcocopyrite.</i>	52.00	54.00	139378	2.00	0.05	0.11
		« 66.00- 71.10 Mineral Zone » <i>Coarse chalcocopyrite with</i>	54.00	56.00	139379	2.00	0.06	0.12

From	To	Rocktype & Description	From	To	Sample	Width	Cu %	Au g/t
		<i>minor bornite</i>						
		<i>and chalcocite, approximately 1 - 3% Cu</i>	56.00	58.00	139380	2.00	0.08	0.27
		« 70.10- 79.00 NC » <i>Coarse NC 1mm seamlets and flakes on black</i>	58.00	60.00	139381	2.00	0.13	0.52
		<i>chlorite fractures, specularite crystals.</i>	60.00	62.00	139382	2.00	0.05	0.38
		« 87.00- 96.00 Cpy » <i>Weaker chalcopyrite with minor bornite.</i>	62.00	64.00	139383	2.00	0.22	0.79
		« 99.00- 105.00 Fault zone » <i>Broken chlorite/hematite alteration weak</i>	64.00	66.00	139385	2.00	0.29	0.92
		<i>NC.</i>	66.00	68.00	139386	2.00	0.68	1.14
			68.00	70.00	139387	2.00	0.41	0.70
			70.00	72.00	139388	2.00	0.29	0.75
			72.00	74.00	139389	2.00	0.94	1.57
			74.00	76.00	139390	2.00	0.99	0.76
			76.00	78.00	139391	2.00	0.45	0.82
			78.00	80.00	139392	2.00	0.55	0.62
			80.00	82.00	139393	2.00	0.22	0.22
			82.00	84.00	139395	2.00	0.23	0.38
			84.00	86.00	139396	2.00	0.19	0.34
			86.00	88.00	139397	2.00	0.35	0.71
			88.00	90.00	139398	2.00	0.25	0.61
			90.00	92.00	139399	2.00	0.21	0.44
			92.00	94.00	139400	2.00	0.49	3.10
			94.00	96.00	139401	2.00	0.55	1.17
			96.00	98.00	139402	2.00	0.40	1.17
			98.00	100.00	139403	2.00	0.12	0.84
			100.00	102.00	139405	2.00	0.14	1.69
			102.00	104.00	139406	2.00	0.13	0.57
103.00	183.00	Polyolithic Felsic Tuff Breccia	104.00	106.00	139407	2.00	0.09	0.68
		<i>Polyolithic fragments of feldspars varying from fine grain to white speckled</i>	106.00	109.00	139408	3.00	0.15	0.56
		<i>feldspars and feldsparphyritic with some mafics. Medium grained, mottled orange</i>	109.00	112.00	139409	3.00	0.20	0.62
		<i>gray green to brownish with some k-spar and epidote. Less magnetite and epidote</i>	112.00	115.00	139410	3.00	0.11	0.69
		<i>crackle texture matrix, weak to non magnetic. Magnetite has been altered to</i>	115.00	118.00	139411	3.00	0.18	0.82
		<i>specularite.</i>	118.00	121.00	139412	3.00	0.09	0.18
		« 106.00- 115.00 NC » <i>NC on interstitial with specularite and on fractures</i>	121.00	124.00	139414	3.00	0.05	0.15
			124.00	127.00	139415	3.00	0.03	0.03
		« 118.00- 125.00 Fault zone » <i>Fault breccia and gouge intruded by Gray</i>	127.00	130.00	139416	3.00	0.06	0.37
		<i>green weakly magnetic dacite dyke.</i>	130.00	133.00	139417	3.00	0.13	0.47
		« 118.60- 122.30 Dacite dyke »	133.00	136.00	139418	3.00	0.14	0.23
		« 125.0- 128.0 Dacite dyke » <i>Fine grain brown non magnetic dacite dyke.</i>	136.00	139.00	139419	3.00	0.10	0.42
		« 128.50- 135.80 Fault zone » <i>128.5 - 129.5 Hematite/chlorite rubble</i>	139.00	142.00	139420	3.00	0.49	0.56

From	To	Rocktype & Description	From	To	Sample	Width	Cu %	Au g/t
134.8 - 135.8		Red hematite gouge.	142.00	145.00	139421	3.00	0.21	0.26
		« 135.80- 137.20 Dacite dyke » Shear contact 15° Gray green weakly	145.00	148.00	139423	3.00	0.21	0.26
		magnetic similar to upper dyke, possibly a faulted fragment.	148.00	151.00	139424	3.00	0.38	0.44
137.2		intense compression shearing and fragmentation with calcite/hematite/chlorite alteration.	151.00	154.00	139425	3.00	0.12	0.20
			154.00	157.00	139426	3.00	0.15	0.31
143.2		Intense chlorite hematite calcite shearing	157.00	160.00	139427	3.00	0.01	0.03
		« 143 - 156 Fault zone » Sections of chlorite hematite gouge shearing 5° to CA,	160.00	163.00	139428	3.00	0.01	0.00
		black chlorite on shear fractures.	163.00	166.00	139429	3.00	0.01	0.03
			166.00	169.00	139430	3.00	0.00	0.04
			169.00	172.00	139432	3.00	0.00	0.00
			172.00	175.00	139433	3.00	0.01	0.05
			175.00	178.00	139434	3.00	0.00	0.05
			178.00	181.00	139435	3.00	0.01	0.07
			181.00	184.00	139436	3.00	0.00	0.05
183.00	188.00	Monzonite Orange	184.00	187.00	139437	3.00	0.00	0.03
			187.00	190.00	139438	3.00	0.00	0.06
		Medium grain, orange/gray with feldspar alteration. Dark green hornblende with chlorite alteration. Weak to non magnetic, calcite fractures.						
		161 - 164 Becoming bleached with calcite hematite alteration.						
		164.5 - 176 Intense bleaching to light pinkish feldspar, brecciated with a red hematite and green chlorite matrix.						
		Core broken with light to dark chlorite on fractures, possibly a G Monzonite						
		strongly variegated with light feldspar. 5mm to 20mm mafic accidentals.						
		173.3 minor epidote seams 30°						
		186.5 Minor epidote/black chlorite blotching trace cpy, moderately magnetic.						
188.00	199.00	Monzonite Gray	190.00	193.00	139439	3.00	0.00	0.03
		Medium grain, Dark to light gray, hornblende with chlorite alteration. Light pinkish albite and green chlorite with variable epidote.	193.00	196.00	139440	3.00	0.01	0.03
			196.00	199.00	139442	3.00	0.02	0.06
		« 194.00- 197.70 Andesite-dyke » Andesite fine grain dark green,						
		magnetic trace pyrite, contact 30°						
199.00	199.00	EOH 199.0						