

GWR RESOURCES INC.

Diamond Drill Log

Lac La Hache Mt. Timothy Project

Hole: AZ08-81

Field Log:2008/03/24

Northing: 5758349

Easting: 617954

Elevation:1340 m

Area:Aurizon

Length: 263.3 m

Azimuth:270.0°

Dip: -60.00°

Logged By:BGG

Project: LAC LA HACHE				Hole Number: AZ08-81					
From	To	Rocktype	& Description	From	To	Sample	Width	Cu %	Au g/t
0.00	11.30	Casing							
11.30	40.50	Monzonite Gray		11.40	13.00	141451	1.60	0.03	0.04
			<i>Medium grain, medium to light gray, hornblende speckled with chlorite</i>	13.00	16.00	141452	3.00	0.04	0.04
			<i>alteration. Equigranular, weakly magnetic, variable epidote</i>	16.00	19.00	141453	3.00	0.05	0.03
			<i>30.4 - 31 Epidote/k-spar/hematite alteration and 2cm seam 15°</i>	19.00	22.00	141454	3.00	0.03	0.04
			<i>36.5 - 40 Broken, intermixed fragment contact</i>	22.00	25.00	141456	3.00	0.06	0.05
				25.00	28.00	141457	3.00	0.04	0.05
				28.00	31.00	141458	3.00	0.05	0.05
				31.00	34.00	141459	3.00	0.10	0.08
				34.00	37.00	141460	3.00	0.09	0.08
				37.00	40.00	141461	3.00	0.07	0.07
				40.00	43.00	141462	3.00	0.03	0.07
40.50	52.00	Polyolithic Felsic Tuff Breccia		43.00	46.00	141463	3.00	0.01	0.04
			<i>Polyolithic fragments of feldspars varying from fine grain to white speckled</i>	46.00	49.00	141465	3.00	0.01	0.04
			<i>feldspars and feldsparphyritic with some mafics. Medium grained, mottled orange</i>	49.00	52.00	141466	3.00	0.05	0.08
			<i>gray green to brownish with some k-spar and epidote. Moderately magnetic.</i>						
			<i>40.5 - 42 Fine grain chalcopyrite in epidote seamlets.</i>						
			<i>« 49.00- 52.00 Fault zone » 20cm chlorite gouge.</i>						
			<i>« 49.20- 51.50 Mafic Dyke » Clinopyroxene dyke or xenolith, dark</i>						
			<i>green, pyroxene crystals, slightly magnetic.</i>						
52.00	69.00	Monzonite Gray		52.00	55.00	141467	3.00	0.03	0.06
			<i>Medium grain, Dark to light gray, hornblende with chlorite alteration. Contains</i>	55.00	58.00	141468	3.00	0.10	0.09
			<i>some sharp angle fragments possibly from a shallow angle contact.</i>	58.00	61.00	141469	3.00	0.08	0.12
			<i>52 - 57 Slight saussurization, hematite and black chlorite, broken</i>	61.00	64.00	141470	3.00	0.04	0.06
				64.00	67.00	141471	3.00	0.01	0.05
				67.00	70.00	141472	3.00	0.00	0.00
69.00	81.00	Monzonite Dyke		70.00	73.00	141474	3.00	0.00	0.03
			<i>Brick orange, medium grain with white average 5mm calcite crystals and</i>	73.00	76.00	141475	3.00	0.00	0.04
			<i>occasional quartz-eye, some altered hornblende, non magnetic.</i>	76.00	79.00	141476	3.00	0.00	0.04
				79.00	82.00	141477	3.00	0.00	0.04
81.00	93.00	Monzonite Gray		82.00	85.00	141478	3.00	0.01	0.03
			<i>Finer grained than medium, greenish brown , highly saussurized</i>						

From	To	Rocktype & Description	From	To	Sample	Width	Cu %	Au g/t
		contact 45°, non magnetic, broken, specks of NC.						
		« 93.00- 94.00 Fault zone » Narrow fault zone, broken chlorite alteration.	85.00	88.00	141479	3.00	0.02	0.03
			88.00	91.00	141480	3.00	0.04	0.06
			91.00	93.00	141481	2.00	0.05	0.08
93.00 185.70		Polyolithic Felsic Tuff Breccia	93.00	95.00	141483	2.00	0.07	0.10
		Polyolithic fragments of feldspars varying from fine grain to white speckled feldspars and feldsparphyritic with some mafics. Medium grained, mottled orange gray green to brownish with some k-spar and epidote. Fine grain chalcopyrite in epidote, scattered NC, generally broken	95.00	97.00	141484	2.00	0.03	0.05
			97.00	99.00	141485	2.00	0.07	0.09
			99.00	101.00	141486	2.00	0.14	0.13
			101.00	103.00	141487	2.00	0.16	0.16
		« 122.80- 133.10 Fault zone » Some non broken sections.	103.00	105.00	141488	2.00	0.08	0.07
		124.9 Start of albite/saussurization. Interstitial NC to 182.8, with k-spar and albite, NC replacing hematite/magnetite, some chalcopyrite with epidote.	105.00	107.00	141489	2.00	0.12	0.17
			107.00	109.00	141490	2.00	0.09	0.10
		152 - 167 Albite with crackle texture of chlorite and magnetite, some chalcopyrite.	109.00	111.00	141491	2.00	0.06	0.07
			111.00	113.00	141493	2.00	0.08	0.10
		167 Stronger variagated texture of magnetite and epidote with fine grain cpy.	113.00	115.00	141494	2.00	0.05	0.05
			115.00	117.00	141495	2.00	0.09	0.07
		« 176.10- 181.60 Cpy » Chalcopyrite and specks of bornite with disseminated and crackles of magnetite and epidote.	117.00	119.00	141496	2.00	0.09	0.21
			119.00	121.00	141497	2.00	0.07	0.18
		181.6 - 185.9 Finer grained felsic tuff looks more like a gray green chlorite/epidote gray monzonite.	121.00	123.00	141498	2.00	0.05	0.10
			123.00	125.00	141499	2.00	0.02	0.04
			125.00	127.00	141500	2.00	0.01	0.04
			127.00	129.00	141501	2.00	0.03	0.05
			129.00	131.00	141502	2.00	0.03	0.06
			131.00	133.00	141503	2.00	0.05	0.04
			133.00	135.00	141505	2.00	0.14	0.31
			135.00	137.00	141506	2.00	0.07	1.49
			137.00	139.00	141507	2.00	0.09	0.11
			139.00	141.00	141508	2.00	0.07	0.16
			141.00	143.00	141509	2.00	0.07	0.21
			143.00	145.00	141510	2.00	0.08	0.19
			145.00	147.00	141511	2.00	0.21	0.28
			147.00	149.00	141512	2.00	0.17	0.55
			149.00	151.00	141514	2.00	0.12	0.17
			151.00	153.00	141515	2.00	0.01	0.21
			153.00	155.00	141516	2.00	0.05	0.30
			155.00	157.00	141517	2.00	0.01	0.06

From	To	Rocktype & Description	From	To	Sample	Width	Cu %	Au g/t
			157.00	159.00	141518	2.00	0.03	0.12
			159.00	161.00	141519	2.00	0.05	0.17
			161.00	163.00	141520	2.00	0.04	0.46
			163.00	165.00	141521	2.00	0.01	0.03
			165.00	167.00	141523	2.00	0.02	0.11
			167.00	169.00	141524	2.00	0.01	0.08
			169.00	171.00	141525	2.00	0.01	0.10
			171.00	173.00	141526	2.00	0.02	0.12
			173.00	175.00	141527	2.00	0.01	0.08
			175.00	177.00	141528	2.00	0.03	0.16
			177.00	179.00	141529	2.00	0.05	0.43
			179.00	181.00	141530	2.00	0.03	0.30
			181.00	183.00	141532	2.00	0.01	0.11
			183.00	185.00	141533	2.00	0.01	0.09
128.00	167.00	Albite	129.00	131.00	141502	2.00	0.03	0.06
			131.00	133.00	141503	2.00	0.05	0.04
			133.00	135.00	141505	2.00	0.14	0.31
			135.00	137.00	141506	2.00	0.07	1.49
			137.00	139.00	141507	2.00	0.09	0.11
			139.00	141.00	141508	2.00	0.07	0.16
			141.00	143.00	141509	2.00	0.07	0.21
			143.00	145.00	141510	2.00	0.08	0.19
			145.00	147.00	141511	2.00	0.21	0.28
			147.00	149.00	141512	2.00	0.17	0.55
			149.00	151.00	141514	2.00	0.12	0.17
			151.00	153.00	141515	2.00	0.01	0.21
			153.00	155.00	141516	2.00	0.05	0.30
			155.00	157.00	141517	2.00	0.01	0.06
			157.00	159.00	141518	2.00	0.03	0.12
			159.00	161.00	141519	2.00	0.05	0.17
			161.00	163.00	141520	2.00	0.04	0.46
			163.00	165.00	141521	2.00	0.01	0.03
			165.00	167.00	141523	2.00	0.02	0.11
			185.00	188.00	141534	3.00	0.07	0.20
185.70	203.00	Monzonite Orange	188.00	191.00	141535	3.00	0.08	0.24
		<i>Medium grain, orange/gray with feldspar alteration. Dark green hornblende with chlorite alteration. Weak to non magnetic, many small to 1.5cm sharp angle mafic accidentals to 192, with black chlorite on fractures. 195 Light and dark chlorite on fractures, broken. 201 - 203 Light pink feldspar/epidote alteration , broken limonite on fractures.</i>	191.00	194.00	141536	3.00	0.05	0.21
			194.00	197.00	141537	3.00	0.05	0.17
			197.00	200.00	141538	3.00	0.05	0.09
			200.00	203.00	141539	3.00	0.01	0.04
203.00	218.00	Polyolithic Felsic Tuff Breccia	203.00	206.00	141540	3.00	0.02	0.06
		<i>Polyolithic fragments of feldspars varying from fine grain to white speckled</i>	206.00	209.00	141542	3.00	0.00	0.05

From	To	Rocktype & Description	From	To	Sample	Width	Cu %	Au g/t
		<i>feldspars and feldsparphyritic with some mafics. Medium grained, mottled orange</i>	209.00	212.00	141543	3.00	0.01	0.05
		<i>gray green to brownish with some k-spar and epidote.</i>	212.00	215.00	141544	3.00	0.04	0.08
		<i>203 - 206 Strong black magnetite filled seamlets 45°</i>	215.00	218.00	141545	3.00	0.02	0.06
		<i>« 205.00- 206.00 Fault zone » Broken, limonite alteration</i>						
		<i>206 - 218 Blotches of epidote/albite alteration with crackle textured magnetite.</i>						
218.00	263.30	Monzonite Orange	218.00	221.00	141546	3.00	0.03	0.08
		<i>Medium grain, Dark to light gray, hornblende with chlorite alteration. More</i>	221.00	224.00	141547	3.00	0.02	0.07
		<i>orangish gray green with saussurization, black magnetite and chlorite, broken,</i>	224.00	227.00	141548	3.00	0.03	0.07
		<i>minor hematite alteration.</i>	227.00	230.00	141549	3.00	0.01	0.04
		<i>224.4 40cm albite/chl/mag, minor hematite alteration.</i>	230.00	233.00	141550	3.00	0.01	0.03
		<i>224.9 5cm bull quartz vein, broken</i>	233.00	236.00	141551	3.00	0.00	0.03
		<i>234.7 - 235.5 Limonite with a 3cm carbonate seam.</i>	236.00	239.00	141552	3.00	0.01	0.00
		<i>236.0 - 237 Black chlorite and calcite seamlets.</i>	239.00	242.00	141554	3.00	0.00	0.04
		<i>242 - 252 Black magnetite and chlorite seams with alteration into the</i>	242.00	245.00	141555	3.00	0.01	0.00
		<i>monzonite 5 to 30° with specks of pyrite.</i>	245.00	248.00	141556	3.00	0.01	0.00
		<i>« 250.50- 253.00 Quartz Vein » 20cm quartz vein with magnetite and</i>	248.00	251.00	141557	3.00	0.01	0.00
		<i>pyrite 30°</i>	251.00	254.00	141558	3.00	0.01	0.19
		<i>Black chlorite and hematite alteration to end.</i>	254.00	257.00	141559	3.00	0.02	0.03
			257.00	260.00	141560	3.00	0.01	0.00
			260.00	263.30	141561	3.30	0.01	0.03
263.30	263.30	EOH 263.3						