

**GWR RESOURCES INC.**

**Diamond Drill Log**

**Lac La Hache Mt. Timothy Project**

**Hole: AZ08-84**

Field Log:2008/03/28

Northing: 5757913

Easting: 617943

Elevation:1368 m

Area:Aurizon

Length: 97.5 m

Azimuth:270.0°

Dip: -60.00°

Logged By:BGG

<b>Project: LAC LA HACHE</b>			<b>Hole Number: AZ08-84</b>					
<b>From</b>	<b>To</b>	<b>Rocktype &amp; Description</b>	<b>From</b>	<b>To</b>	<b>Sample</b>	<b>Width</b>	<b>Cu %</b>	<b>Au g/t</b>
0.00	4.20	<b>Casing</b>	4.00	8.00	139751	4.00	0.00	0.03
4.20	16.60	<b>Monzonite Orange</b>	8.00	11.00	139752	3.00	0.00	0.00
		<i>Medium grain, orange/gray with feldspar alteration. Dark green hornblende with chlorite alteration. Bleached with limonite and hematite alteration, highly broken. Fragments with long angles,drilling semi paralle to fault break, non magnetic. Magnetite converted to specularite.</i>	11.00	14.00	139753	3.00	0.00	0.03
		« 13.10- 17.60 Fault zone » Limonite and hematite mud and rubble.						
		18.6 - 22.8 Fault, chlorite sand and rubble.						
			14.00	17.00	139755	3.00	0.00	0.03
16.60	97.50	<b>Monzonite Gray</b>	17.00	20.00	139756	3.00	0.01	0.03
		<i>Medium grain, green orangish light gray, hornblende with chlorite alteration with slight saussurization and hemaitte alteration, weakly magnetic. Hematite on fractures 5° with hematite shear filling and alteration 30°</i>	20.00	23.00	139757	3.00	0.01	0.04
		« 24.00- 27.00 Fault zone »	23.00	26.00	139758	3.00	0.00	0.00
		31 - 31.8 Fault with 40cm annealed breccia	26.00	29.00	139759	3.00	0.00	0.03
		33.7 20cm quartz breccia with black magnetite and spotty chalcopryrite 15°	29.00	32.00	139760	3.00	0.04	0.07
		34 - 36 Fault, hematite mud and rubble.	32.00	35.00	139761	3.00	0.03	0.07
		« 38.00- 41.40 Fault zone » Hematite/chlorite rubble.	35.00	38.00	139762	3.00	0.00	0.03
		43 - 48 Fault zone continues broken with some gouge and rubble.	38.00	41.00	139764	3.00	0.01	0.08
		38 - 48 Trace of interstial NC	41.00	44.00	139765	3.00	0.01	0.00
		51.6 10cm quartz/carbonate/magnetite/chlorite 30°, broken	44.00	47.00	139766	3.00	0.02	0.04
		« 53.00- 57.00 Fault zone » Highly broken wit hematite/chlore on fractures. 2 - 5°	47.00	50.00	139767	3.00	0.01	0.06
		« 64.00- 66.00 Fault zone » Heamtite/chlorite gouge and rubble	50.00	53.00	139768	3.00	0.01	0.06
		67 - 72 Compression shearing with calcite/hematite/chlorite, semi brecciated	53.00	56.00	139769	3.00	0.00	0.03
		15°	56.00	59.00	139770	3.00	0.01	0.08
		« 76.20- 82.50 Fault zone »Major Fault with hematite gouge	59.00	62.00	139771	3.00	0.00	0.05
			62.00	65.00	139773	3.00	0.00	0.25
			65.00	68.00	139774	3.00	0.01	0.00
			68.00	71.00	139775	3.00	0.00	0.03

From	To	Rocktype & Description	From	To	Sample	Width	Cu %	Au g/t
		<i>and rubble</i>						
		<i>85 - 96 Hematite/chlorite shear filling 5 - 15°, some albite alteration, speck</i>	71.00	74.00	139776	3.00	0.00	0.03
		<i>cpy</i>	74.00	77.00	139777	3.00	0.01	0.23
		<i>« 95.00- 97.50 Fault zone » A 60cm and a 50cm section of chlorite</i>	77.00	80.00	139778	3.00	0.02	0.32
		<i>hematite gouge med. Hole lost because of jammed rods. Hole drilled at a</i>	80.00	83.00	139779	3.00	0.02	0.08
		<i>shallow angle to dip of fault.</i>	83.00	86.00	139780	3.00	0.00	0.05
			86.00	89.00	139781	3.00	0.00	0.05
			89.00	92.00	139783	3.00	0.01	0.04
			92.00	95.00	139784	3.00	0.00	0.06
			95.00	97.50	139785	2.50	0.00	0.05
97.50	97.50	EOH 97.5						