

**GWR RESOURCES INC.**

**Diamond Drill Log**

**Lac La Hache Mt. Timothy Project**

**Hole: AZ08-85**

Field Log:2008/03/30

Northing: 5758300

Easting: 617975

Elevation:1338 m

Area:Aurizon

Length: 295.6 m

Azimuth:270.0°

Dip: -60.00°

Logged By:BGG

<b>Project: LAC LA HACHE</b>				<b>Hole Number: AZ08-85</b>					
<b>From</b>	<b>To</b>	<b>Rocktype</b>	<b>&amp; Description</b>	<b>From</b>	<b>To</b>	<b>Sample</b>	<b>Width</b>	<b>Cu %</b>	<b>Au g/t</b>
0.00	3.00	<b>Casing</b>							
3.00	34.70	<b>Monzonite Gray</b>		3.00	6.00	141701	3.00	0.02	0.00
			<i>Medium grain, orangish light gray, hornblende with chlorite alteration, weakly magnetic, some light colored feldspar bands 30°, highly broken with red hematite alteration.</i>	6.00	9.00	141702	3.00	0.03	0.00
			<i>« 8.00- 10.00 Fault zone » Broken hematite alteration on rubble., some weak NC.</i>	9.00	12.00	141703	3.00	0.03	0.00
			<i>« 24.00- 27.00 Fault zone » Strong hematite alteration and bleaching, weak NC, aqua blue chlorite on fractures with NC.</i>	12.00	15.00	141705	3.00	0.02	0.00
				15.00	18.00	141706	3.00	0.04	0.00
				18.00	21.00	141707	3.00	0.05	0.00
				21.00	24.00	141708	3.00	0.03	0.00
				24.00	27.00	141709	3.00	0.03	0.00
				27.00	30.00	141710	3.00	0.03	0.00
				30.00	33.00	141711	3.00	0.03	0.00
				33.00	36.00	141712	3.00	0.04	0.00
34.70	52.60	<b>Monzonite Dyke</b>		36.00	39.00	141713	3.00	0.01	0.00
			<i>Brick orange, medium grain with white average 5mm calcite crystals and occasional quartz-eye, some altered hornblende, non magnetic.</i>	39.00	42.00	141715	3.00	0.01	0.00
				42.00	45.00	141716	3.00	0.00	0.00
				45.00	48.00	141717	3.00	0.00	0.00
				48.00	51.00	141718	3.00	0.02	0.00
				51.00	54.00	141719	3.00	0.03	0.00
52.60	77.20	<b>Monzonite Orange</b>		54.00	57.00	141720	3.00	0.06	0.00
			<i>Medium grain, orange/gray with feldspar alteration. Dark green hornblende with chlorite alteration. More orange feldspar with weak epidote and black chlorite on fractures. Trace of pyrite and chalcopyrite, weakly magnetic.</i>	57.00	60.00	141721	3.00	0.05	0.00
				60.00	63.00	141722	3.00	0.06	0.00
				63.00	66.00	141724	3.00	0.06	0.03
				66.00	69.00	141725	3.00	0.03	0.00
				69.00	72.00	141726	3.00	0.01	0.00
				72.00	75.00	141727	3.00	0.01	0.00
				75.00	78.00	141728	3.00	0.01	0.00
77.20	91.00	<b>Poly lithic Felsic Tuff Breccia</b>		78.00	81.00	141729	3.00	0.02	0.00
			<i>Poly lithic fragments of feldspars varying from fine grain to white speckled feldspars and feldsparphyritic with some mafics with 4m of meta volcanics dark black green highly epidote altered with some k-spar, possibly a large clast.</i>	81.00	84.00	141730	3.00	0.02	0.00
				84.00	87.00	141731	3.00	0.00	0.00
				87.00	90.00	141733	3.00	0.03	0.00

From	To	Rocktype & Description	From	To	Sample	Width	Cu %	Au g/t
		« 77.20- 81.50 Volcanic Extrusive »						
		« 83.00- 84.00 Mafic Dyke » Clinopyroxene dark green mottled, non magnetic.						
		« 87.70- 91.00 Fault zone » Thick chlorite mud, broken.						
			90.00	93.00	141734	3.00	0.03	0.00
<b>91.00</b>	<b>168.00</b>	<b>Monzonite Orange</b>	93.00	96.00	141735	3.00	0.01	0.00
		Medium grain, orange/gray with feldspar alteration. Dark green hornblende with chlorite alteration. Increasing k-spar and light pale grey albite alteration, weakly magnetic, scattered mafic accidentals.	96.00	99.00	141736	3.00	0.02	0.00
			99.00	102.00	141737	3.00	0.01	0.00
			102.00	105.00	141738	3.00	0.01	0.00
		« 104.00- 106.00 Albite » Strong albitization trace cpy and NC non magnetic, broken.	105.00	108.00	141739	3.00	0.01	0.00
			108.00	111.00	141740	3.00	0.02	0.00
		« 115.00- 118.00 Albite »	111.00	114.00	141741	3.00	0.02	0.00
		121.9 Light cream orange feldspar alteration 30°	114.00	117.00	141742	3.00	0.02	0.00
		128.3 Seamlets of NC.	117.00	120.00	141744	3.00	0.04	0.00
		« 128.60- 132.30 Albite » Pinkish gray trace pyrite	120.00	123.00	141745	3.00	0.03	0.00
		132.5 - 135.6 Orange monzonite with epidote/chlorite, trace chalcopyrite	123.00	126.00	141746	3.00	0.03	0.00
		136.8 - 137 Broken, rubble	126.00	129.00	141747	3.00	0.03	0.03
		« 160.90- 163.70 Albite » Albite magnetite chlorite seamlets 15° and "S" compression shearing.	129.00	132.00	141748	3.00	0.01	0.00
			132.00	135.00	141749	3.00	0.07	0.04
			135.00	138.00	141750	3.00	0.05	0.04
			138.00	141.00	141751	3.00	0.03	0.03
			141.00	144.00	141752	3.00	0.05	0.00
			144.00	147.00	141754	3.00	0.06	0.00
			147.00	150.00	141755	3.00	0.13	0.00
			150.00	153.00	141756	3.00	0.06	0.08
			153.00	156.00	141757	3.00	0.03	0.00
			156.00	159.00	141758	3.00	0.02	0.00
			159.00	162.00	141759	3.00	0.00	0.00
			162.00	165.00	141760	3.00	0.02	0.00
			165.00	168.00	141761	3.00	0.01	0.00
<b>168.00</b>	<b>197.80</b>	<b>Hydrothermal Breccia</b>	168.00	171.00	141762	3.00	0.14	0.17
		Hydrothermally brecciated monzonite, varying from crackle breccia to framework supported and matrix supported. Moderate to good development of magnetite as blotches and veinlets. Trace chalcopyrite and pyrite with epidote. Moderately magnetic.	171.00	174.00	141763	3.00	0.04	0.06
			174.00	177.00	141765	3.00	0.02	0.09
			177.00	180.00	141766	3.00	0.02	0.07
			180.00	183.00	141767	3.00	0.01	0.08
		« 185.00- 186.00 Fault zone » 20cm gouge.	183.00	186.00	141768	3.00	0.02	0.08
		188.5 Fine grain black magnetite and chlorite silicified 5°, broken, becoming mixed with orange monzonite.	186.00	189.00	141769	3.00	0.01	0.06
			189.00	192.00	141770	3.00	0.02	0.05

From	To	Rocktype & Description	From	To	Sample	Width	Cu %	Au g/t
193 - 196		Broken with fine grained magnetite/light chlorite with some 3% pyrite.	192.00	195.00	141771	3.00	0.03	0.11
			195.00	198.00	141772	3.00	0.04	0.12
<b>197.80</b>	<b>204.10</b>	<b>Andesite</b>	198.00	201.00	141773	3.00	0.02	0.05
		Medium grain dark green with light green epidote chlorite alteration, strong	201.00	204.00	141775	3.00	0.08	0.12
			204.00	207.00	141776	3.00	0.12	0.28
		hornblende laths randomly orientated, weaker magnetite.						
<b>204.10</b>	<b>236.50</b>	<b>Polyolithic Felsic Tuff Breccia</b>	207.00	210.00	141777	3.00	0.17	1.80
		Polyolithic fragments of feldspars varying from fine grain to white speckled	210.00	213.00	141778	3.00	0.04	0.33
		feldspars and feldsparphyritic with some mafics. Medium grained, mottled orange	213.00	216.00	141779	3.00	0.02	0.12
		gray green to brownish with some k-spar and epidote. Coarser fragments, some	216.00	219.00	141780	3.00	0.02	0.07
		epidote/chlorite/k-spar alteration with crackle texture magnetite trace	219.00	222.00	141781	3.00	0.04	0.18
		chalcopyrite and pyrite, broken.	222.00	225.00	141782	3.00	0.03	0.06
		« 220.00- 222.00 Fault zone » Chlorite gouge and rubble	225.00	228.00	141783	3.00	0.02	0.13
		227.2 - 228 Albite, possible fragments with magnetite chlorite alteration.	228.00	231.00	141785	3.00	0.04	0.19
		The polyolithic tuff appears to have a syngenetic magnetite component.	231.00	234.00	141786	3.00	0.06	0.14
			234.00	237.00	141787	3.00	0.10	0.45
		231 - 232.2 Orange monzonite lense, broken						
<b>236.50</b>	<b>248.00</b>	<b>Hydrothermal Breccia</b>	237.00	240.00	141788	3.00	0.21	2.92
		Hydrothermally brecciated monzonite, varying from crackle breccia to framework	240.00	243.00	141789	3.00	0.04	0.64
		supported and matrix supported. Moderate to good development of magnetite as	243.00	246.00	141790	3.00	0.01	0.07
		blotches and veinlets, some albite. Contacts have pyrite veins. Minor						
		chalcopyrite and pyrite.						
		« 236.50- 237.10 Quartz Vein » 10° to CA, 10 - 20% pyrite.						
		« 242.00- 242.60 Quartz Vein » 15° to CA, 10% pyrite.						
			246.00	249.00	141791	3.00	0.01	0.08
<b>248.00</b>	<b>269.50</b>	<b>Monzonite Orange</b>	249.00	252.00	141792	3.00	0.01	0.03
		Medium grain, orange/gray with feldspar alteration. Dark green hornblende with	252.00	255.00	141793	3.00	0.02	0.03
		chlorite alteration. Slight saussurization 1 - 3cm mafic accidentals, broken,	255.00	258.00	141794	3.00	0.01	0.00
		black chlorite on fractures, black magnetite/chlorite stringers 30°.	258.00	261.00	141796	3.00	0.00	0.00
		260 - 263 Broken rubble.	261.00	264.00	141797	3.00	0.01	0.00
		268 Monzonite becoming mixed with more felsic fragments.	264.00	267.00	141798	3.00	0.02	0.00
			267.00	270.00	141799	3.00	0.02	0.00
<b>269.50</b>	<b>287.70</b>	<b>Polyolithic Felsic Tuff Breccia</b>	270.00	273.00	141800	3.00	0.00	0.03
		Polyolithic fragments of feldspars varying from fine grain to white	273.00	276.00	141801	3.00	0.00	0.00

From	To	Rocktype & Description	From	To	Sample	Width	Cu %	Au g/t
		<i>speckled feldspars and feldsparphyritic. Medium grained, medium gray with a granite like look with albite and chloritized fragments. Moderately magnetic with 1 - 2% scattered pyrite and trace chalcopyrite. Silicified in places with shallow</i>	276.00	279.00	141802	3.00	0.03	0.05
		<i>angle black slightly magnetic quartz veins, trace chalcopyrite, broken.</i>	279.00	282.00	141803	3.00	0.01	0.00
			282.00	285.00	141805	3.00	0.00	0.00
			285.00	288.00	141806	3.00	0.02	0.06
<b>287.70</b>	<b>294.00</b>	<b>Volcanic Extrusive</b>	288.00	291.00	141807	3.00	0.02	0.07
		<i>Medium grain, black green, variable amounts of blotchy epidote alteration.</i>	291.00	294.00	141808	3.00	0.01	0.04
		« 287.90- 289.00 Fault Breccia »						
<b>294.00</b>	<b>295.60</b>	<b>Polyolithic Felsic Tuff Breccia</b>	294.00	295.60	141809	1.60	0.01	0.05
		<i>Polyolithic fragments of feldspars varying from fine gain to white speckled feldspars and feldsparphyritic with some mafics. Medium grained, mottled orange gray green to brownish with some k-spar and epidote. Highly altered calcite, chlorite and albite, broken.</i>						
<b>295.60</b>	<b>295.60</b>	<b>EOH 295.6</b>						