

GWR RESOURCES INC.

Diamond Drill Log

Lac La Hache Mt. Timothy Project

Hole: AZ08-86

Field Log: 2008/03/31

Northing: 5757913

Easting: 617943

Elevation: 1368 m

Area: Aurizon

Length: 240.7 m

Azimuth: 0.00 °

Dip: -90.00°

Logged By: BGG

Project: LAC LA HACHE			Hole Number: AZ08-86					
From	To	Rocktype & Description	From	To	Sample	Width	Cu %	Au g/t
0.00	3.90	Casing						
3.90	28.50	Monzonite Orange <i>Medium grain, orange/gray with feldspar alteration. Dark green hornblende with chlorite alteration. Bleached, highly broken strong limonite alteration.</i>	3.90	6.00	139801	2.10	0.01	0.00
			6.00	9.00	139802	3.00	0.01	0.00
			9.00	12.00	139803	3.00	0.01	0.00
		« 7.60- 18.20 Fault zone » <i>Limonite chlorite sandy rubble/</i>	12.00	15.00	139804	3.00	0.01	0.00
		<i>27.4 - 28.5 Hematite calcite chlorite crackle texture, bleached.</i>	15.00	18.00	139806	3.00	0.02	0.00
			18.00	21.00	139807	3.00	0.01	0.04
			21.00	24.00	139808	3.00	0.01	0.04
			24.00	27.00	139809	3.00	0.02	0.06
			27.00	30.00	139810	3.00	0.01	0.00
28.50	125.00	Monzonite Gray <i>Medium grain, Dark to light gray, hornblende with chlorite alteration. Core becomes more grayish orange with lighter feldspar banding with epidote and k-spar alteration 30°. Generally broken, weak to moderate magnetic susceptibility with magnetite being altered to specularite, strong red hematite on fractures with light green chlorite.</i>	30.00	33.00	139811	3.00	0.02	0.00
			33.00	36.00	139812	3.00	0.02	0.00
		<i>45.7 Medium gray monzonite becoming variegated with light feldspar, epidote,</i>	36.00	39.00	139813	3.00	0.02	0.03
		<i>k-spar stockwork 30°, some weak biotite development, occasional speck of NC, 1 - 3cm mafic accidentals.</i>	39.00	42.00	139815	3.00	0.03	0.00
		<i>69 - 70.1 Broken, increase of k-spar/epidote at shallow angles 5° to CA.</i>	42.00	45.00	139816	3.00	0.01	0.03
		<i>73 - 74.2 Magnetite/k-spar seams 10 - 15° with weak chalcopyrite.</i>	45.00	48.00	139817	3.00	0.02	0.00
		<i>75 Lighter feldspar forming stockwork., broken, hem/cal/chl alteration.</i>	48.00	51.00	139818	3.00	0.02	0.00
		« 79.20- 82.20 Fault zone » <i>Broken, sharp angle chlorite rubble.</i>	51.00	54.00	139819	3.00	0.02	0.03
		<i>86 - 87 Aquablue chlorite on 5° fractures.</i>	54.00	57.00	139820	3.00	0.03	0.00
		« 94.60- 113.00 Fault zone » <i>Major fault zone with chlorite/calcite/hematite gouge and sand, 99.5 - 102.8; 103.2 - 105; 106 - 108;</i>	57.00	60.00	139821	3.00	0.02	0.00
		<i>110 - 113; 116 - 117</i>	60.00	63.00	139823	3.00	0.02	0.00
			63.00	66.00	139824	3.00	0.02	0.00
			66.00	69.00	139825	3.00	0.02	0.00
			69.00	72.00	139826	3.00	0.04	0.00
			72.00	75.00	139827	3.00	0.14	0.50
			75.00	78.00	139828	3.00	0.04	0.00
			78.00	81.00	139829	3.00	0.04	0.21

From	To	Rocktype & Description	From	To	Sample	Width	Cu %	Au g/t
			207.00	210.00	139877	3.00	0.00	0.00
			210.00	213.00	139878	3.00	0.00	0.42
			213.00	216.00	139879	3.00	0.01	0.03
			216.00	219.00	139880	3.00	0.01	0.03
			219.00	222.00	139882	3.00	0.00	0.04
			222.00	225.00	139883	3.00	0.00	0.05
			225.00	228.00	139884	3.00	0.00	0.00
			228.00	231.00	139885	3.00	0.00	0.05
			231.00	234.00	139886	3.00	0.00	0.00
			234.00	237.00	139887	3.00	0.00	0.00
			237.00	240.70	139888	3.70	0.12	0.11
240.70	240.70	EOH 240.7						