

GWR RESOURCES INC.

Diamond Drill Log

Lac La Hache Mt. Timothy Project

Hole: AZ08-87

Field Log: 2008/04/05

Northing: 5758301

Easting: 618001

Elevation: 1329 m

Area: Aurizon

Length: 332.2 m

Azimuth: 270.0°

Dip: -60.00°

Logged By: BGG

Project: LAC LA HACHE				Hole Number: AZ08-87					
From	To	Rocktype & Description		From	To	Sample	Width	Cu %	Au g/t
0.00	12.20	Casing							
12.20	23.00	Monzonite Orange		12.20	15.20	141851	3.00	0.05	0.04
		<i>Medium grain, orange/gray with feldspar alteration. Dark green hornblende with chlorite alteration. Pinkish orange feldspar matrix, broken limonite and manganese on fractures, trace malachite, hematite alteration, weakly magnetic.</i>		15.20	18.20	141852	3.00	0.08	0.03
				18.20	21.00	141853	2.80	0.07	0.05
				21.00	24.00	141854	3.00	0.06	0.00
23.00	66.00	Monzonite Gray		24.00	27.00	141856	3.00	0.05	0.00
		<i>Medium grain, Dark to light gray, hornblende with chlorite alteration. Gray equigranular feldspa laths, broken, hematite/chlorite alteration, some epidote k-spar.</i>		27.00	30.00	141857	3.00	0.05	0.00
		<i>26 Start of stronger interstitial NC, replacing magnetite/specularite.</i>		30.00	33.00	141858	3.00	0.04	0.00
		<i>« 33.50- 35.00 Fault zone » Hematite chlorite gouge</i>		33.00	36.00	141859	3.00	0.05	0.10
		<i>36 Core varigated with light feldspar criss-cross pattern, weakly magnetic with magnetite altered to hematite and replaced by NC. 1 - 3cm mafic accidentals, generally broken.</i>		36.00	39.00	141860	3.00	0.05	0.04
				39.00	42.00	141861	3.00	0.05	0.00
				42.00	45.00	141862	3.00	0.04	0.00
				45.00	48.00	141863	3.00	0.05	0.00
				48.00	51.00	141864	3.00	0.01	0.00
				51.00	54.00	141865	3.00	0.02	0.07
				54.00	57.00	141867	3.00	0.03	0.00
				57.00	60.00	141868	3.00	0.02	0.00
				60.00	63.00	141869	3.00	0.02	0.00
				63.00	66.00	141870	3.00	0.01	0.00
66.00	79.70	Monzonite Crystal Dyke		66.00	69.00	141871	3.00	0.02	0.00
		<i>Brick orange, medium grain with white average 5mm calcite crystals and occassional quartz-eye, some altered hornblende, non magnetic.</i>		69.00	72.00	141872	3.00	0.00	0.00
				72.00	75.00	141873	3.00	0.00	0.00
				75.00	78.00	141874	3.00	0.00	0.00
				78.00	81.00	141875	3.00	0.00	0.00
79.70	89.60	Monzonite Orange		81.00	84.00	141877	3.00	0.00	0.00
		<i>Medium grain, orange/gray with feldspar alteration. Dark green</i>		84.00	87.00	141878	3.00	0.02	0.00

From	To	Rocktype & Description	From	To	Sample	Width	Cu %	Au g/t
		<i>hornblende with</i>						
		<i>chlorite alteration, weakly magnetic, trace NC.</i>						
89.60	107.40	Polyolithic O Felsic Tuff Breccia	87.00	90.00	141879	3.00	0.05	0.00
		<i>Polyolithic fragments of feldspars varying from fine grain to white speckled</i>	90.00	93.00	141880	3.00	0.01	0.00
		<i>feldspars and feldsparphyritic with some mafics. Medium grained, mottled orange</i>	93.00	96.00	141881	3.00	0.04	0.04
		<i>gray green to brownish with some k-spar and epidote. Black with a fine grain</i>	96.00	99.00	141882	3.00	0.01	0.05
		<i>feldspar matrix. Minor chalcopyrite with some epidote.</i>	99.00	102.00	141883	3.00	0.10	0.00
			102.00	105.00	141884	3.00	0.06	0.11
			105.00	108.00	141886	3.00	0.07	0.05
107.40	156.00	Monzonite Orange	108.00	111.00	141887	3.00	0.12	0.12
		<i>Medium grain, orange/gray with feldspar alteration. Dark green hornblende with</i>	111.00	114.00	141888	3.00	0.02	0.04
		<i>chlorite alteration, weakly magnetic, scattered interstitial NC.</i>	114.00	117.00	141889	3.00	0.01	0.00
		<i>« 110.30- 111.90 Mafic Dyke » Clinopyroxene, dark green, non magnetic.</i>	117.00	120.00	141890	3.00	0.03	0.03
		<i>123 - 146.3 Orange to yellowish monzonite weakly magnetic, alteration banding</i>	120.00	123.00	141891	3.00	0.00	0.00
		<i>30°</i>	123.00	126.00	141892	3.00	0.00	0.00
		<i>146.3 - 148 Seamless of black magnetite, 4cm magnetite/albite breccia 30° with</i>	126.00	129.00	141893	3.00	0.01	0.00
		<i>coarse chalcopyrite.</i>	129.00	132.00	141894	3.00	0.01	0.00
		<i>146.3 - 156 Contact zone black magnetite/chlorite fragments with pyrite</i>	132.00	135.00	141895	3.00	0.00	0.29
		<i>chalcopyrite.</i>	135.00	137.00	141897	2.00	0.00	0.00
			137.00	139.00	141898	2.00	0.00	0.00
			139.00	141.00	141899	2.00	0.00	0.00
			141.00	143.00	141900	2.00	0.00	0.00
			143.00	145.00	141901	2.00	0.00	0.00
			145.00	147.00	141902	2.00	0.00	0.00
			147.00	149.00	141904	2.00	0.02	0.00
			149.00	151.00	141905	2.00	0.18	0.07
			151.00	153.00	141906	2.00	0.04	0.00
			153.00	155.00	141907	2.00	0.09	0.05
			155.00	157.00	141908	2.00	0.00	0.00
156.00	195.00	Hydrothermal Breccia	157.00	159.00	141909	2.00	0.00	0.00
		<i>Hydrothermally brecciated monzonite, varying from crackle breccia to framework</i>	159.00	161.00	141910	2.00	0.00	0.00
		<i>supported and matrix supported. Moderate to good development of magnetite as</i>	161.00	163.00	141911	2.00	0.04	0.05
		<i>blotches and veinlets. Cream to orangish pink albite with dark magnetite</i>	163.00	165.00	141913	2.00	0.12	0.06
		<i>chlorite/epidote matrix. Traces of chalcopyrite with the epidote.</i>	165.00	167.00	141914	2.00	0.16	0.22
		<i>160 - 162 Calcite/quartz breccia 5°</i>	167.00	169.00	141915	2.00	0.18	0.15
		<i>« 189.00- 193.00 Cpy » Coarse chalcopyrite, speck of bornite with albite</i>	169.00	171.00	141916	2.00	0.01	0.00

From	To	Rocktype & Description	From	To	Sample	Width	Cu %	Au g/t
		<i>and black chlorite/magnetite matrix.</i>	171.00	173.00	141917	2.00	0.00	0.00
			173.00	175.00	141918	2.00	0.00	0.00
			175.00	177.00	141919	2.00	0.01	0.03
			177.00	179.00	141920	2.00	0.12	0.00
			179.00	181.00	141922	2.00	0.08	0.06
			181.00	183.00	141923	2.00	0.01	0.03
			183.00	185.00	141924	2.00	0.01	0.00
			185.00	187.00	141925	2.00	0.00	0.00
			187.00	189.00	141926	2.00	0.07	0.08
			189.00	191.00	141927	2.00	0.74	0.19
			191.00	193.00	141928	2.00	0.10	0.06
			193.00	195.00	141929	2.00	0.00	0.00
195.00	210.00	Polyolithic O Felsic Tuff Breccia	195.00	197.00	141931	2.00	0.00	0.00
		<i>Polyolithic fragments of feldspars varying from fine grain to white speckled</i>	197.00	199.00	141932	2.00	0.01	0.00
		<i>feldspars and feldsparphyritic with some mafics. Medium grained, mottled orange</i>	199.00	201.00	141933	2.00	0.00	0.03
		<i>gray green to brownish with some k-spar and epidote. Mixed with some gray</i>	201.00	203.00	141934	2.00	0.02	0.04
		<i>monzonite, altered towards lower contact with increase of albite with traces of</i>	203.00	205.00	141935	2.00	0.01	0.00
		<i>pyrite and chalcopyrite, moderately magnetic., broken</i>	205.00	207.00	141936	2.00	0.00	0.00
			207.00	209.00	141937	2.00	0.02	0.04
			209.00	211.00	141938	2.00	0.05	0.08
210.00	233.00	Hydrothermal Breccia	211.00	213.00	141939	2.00	0.12	0.35
		<i>Hydrothermally brecciated albite monzonite with framework to matrix supported</i>	213.00	215.00	141940	2.00	0.01	0.04
		<i>fragments. Matrix of chlorite, epidote, black chlorite and magnetite, specks</i>	215.00	217.00	141942	2.00	0.00	0.00
		<i>of chalcopyrite with the epidote.</i>	217.00	219.00	141943	2.00	0.00	0.00
			219.00	221.00	141944	2.00	0.00	0.00
			221.00	223.00	141945	2.00	0.01	0.03
			223.00	225.00	141946	2.00	0.02	0.03
			225.00	227.00	141947	2.00	0.00	0.03
			227.00	229.00	141948	2.00	0.01	0.10
			229.00	230.00	141949	1.00	0.00	0.05
			230.00	233.00	141950	3.00	0.00	0.06
233.00	283.40	Polyolithic O Felsic Tuff Breccia	233.00	235.00	141951	2.00	0.00	0.04
		<i>Polyolithic fragments of feldspars varying from fine grain to white speckled</i>	235.00	237.00	141952	2.00	0.01	0.11
		<i>feldspars and feldsparphyritic with some mafics. Medium grained, highly mottled</i>	237.00	240.00	141953	3.00	0.01	0.10
		<i>orange gray green to brownish with some k-spar and epidote.</i>	240.00	243.00	141955	3.00	0.01	0.05
		<i>246 - 248 Traces of chalcopyrite with epidote</i>	243.00	246.00	141956	3.00	0.04	0.10
		<i>258 - 263 Broken shallow angle fragments with black chlorite.</i>	246.00	249.00	141957	3.00	0.07	0.21
		<i>« 266.00- 268.00 Fault zone » Chlorite/hematite rubble</i>	249.00	252.00	141958	3.00	0.06	0.21
		<i>270 - 272 Calcite/hematite/light chlorite on fractures.</i>	252.00	255.00	141959	3.00	0.02	0.07
		<i>276 Stronger small blotches and disseminated magnetite,</i>	255.00	258.00	141960	3.00	0.01	0.07

From	To	Rocktype & Description	From	To	Sample	Width	Cu %	Au g/t
		<i>epidote and chlorite.</i>						
			258.00	261.00	141961	3.00	0.00	0.06
			261.00	264.00	141963	3.00	0.00	0.04
			264.00	267.00	141964	3.00	0.00	0.06
			267.00	270.00	141965	3.00	0.01	0.00
			270.00	273.00	141966	3.00	0.01	0.03
			273.00	276.00	141967	3.00	0.00	0.03
			276.00	279.00	141968	3.00	0.01	0.00
			279.00	282.00	141969	3.00	0.00	0.06
			282.00	285.00	141970	3.00	0.00	0.09
283.40	332.20	Monzonite Gray	285.00	288.00	141971	3.00	0.00	0.06
		<i>Medium grain, brownish red moderately magnetic hornblende with chlorite alteration. Lighter feldspar alteration bands 15°.</i>	288.00	291.00	141973	3.00	0.00	0.03
		<i>« 286.50- 292.60 Fault zone » Major fault zone at shallow angle to drill</i>	291.00	294.00	141974	3.00	0.01	0.00
		<i>core axis, 90% core loss, ground core.</i>	294.00	297.00	141975	3.00	0.00	0.00
		<i>Black chlorite on fractures 5 - 10°, some calcite tension fractures 70°</i>	297.00	300.00	141976	3.00	0.01	0.00
		<i>« 304.80- 308.00 Saus » Saussurization, black chlorite/magnetite 5°</i>	300.00	303.00	141977	3.00	0.01	0.00
		<i>312 Minor k-spar, chlorite/hematite alteration</i>	303.00	306.00	141978	3.00	0.01	0.00
		<i>316 - 326.1 Some saussurization with black chlorite/magnetite alteration seams</i>	306.00	309.00	141979	3.00	0.00	0.00
		<i>45°</i>	309.00	312.00	141980	3.00	0.00	0.00
		<i>326 Minor k-spar/epidote moderately magnetic.</i>	312.00	315.00	141981	3.00	0.01	0.04
		<i>327 Hematite/chlorite/calcite alteration, with some calcite crinkle texture.</i>	315.00	318.00	141982	3.00	0.00	0.00
			318.00	321.00	141984	3.00	0.01	0.00
			321.00	324.00	141985	3.00	0.02	0.00
			324.00	327.00	141986	3.00	0.00	0.04
			327.00	330.00	141987	3.00	0.01	0.00
			330.00	332.20	141988	2.20	0.00	0.00
332.20	332.20	EOH 332.2						