

GWR RESOURCES INC.

Diamond Drill Log

Lac La Hache Mt. Timothy Project

Hole: AZ08-89

Field Log: 2008/04/10

Northing: 5758301

Easting: 618027

Elevation: 1316 m

Area: Aurizon

Length: 293.8 m

Azimuth: 270.0°

Dip: -60.00°

Logged By: BGG

Project: LAC LA HACHE**Hole Number: AZ08-89**

From	To	Rocktype & Description	From	To	Sample	Width	Cu %	Au g/t
0.00	5.10	Casing						
5.10	24.90	Monzonite Gray <i>Medium grain, equigranular grayish green, strong hornblende unaltered laths, magnetic weak hematite alteration, trace NC. Broken, light green epidote on fractures 30°.</i> <i>5.1 - 16 Broken with limonite and manganese on fractures.</i>	5.10	8.00	142001	2.90	0.02	0.00
			8.00	11.00	142002	3.00	0.01	0.00
			11.00	14.00	142003	3.00	0.02	0.00
			14.00	17.00	142005	3.00	0.01	0.00
			17.00	20.00	142006	3.00	0.03	0.00
			20.00	23.00	142007	3.00	0.02	0.00
			23.00	26.00	142008	3.00	0.03	0.00
24.90	94.00	Polyolithic G Monzonite Tuff Breccia <i>Polyolithic fragments of feldspars varying from fine grain to white speckled feldspars and feldsparphyritic with some mafics. Dark gray to black with various shades of lath speckled feldspar fragments. Strongly magnetic in places, some hematite replacement of magnetite. Epidote blotching and banding at 15°. Some of the epidote bands of feldspar metasomatic alteration rims and carry fine grain chalcopyrite and some coarser NC as at 52.6. Core generally broken with scattered NC throughout.</i> <i>« 73.00- 83.00 Fault zone » Rubble and rounded core. Some breccia filled with light color feldspar. Increase in metasomatic alteration of epidote and k-spar.</i> <i>77 - 79 Stronger NC.</i> <i>89 - 94 Stronger K-spar epidote alteration, trace chalcopyrite.</i>	26.00	29.00	142009	3.00	0.02	0.00
			29.00	32.00	142010	3.00	0.05	0.00
			32.00	35.00	142011	3.00	0.02	0.00
			35.00	38.00	142013	3.00	0.04	0.00
			38.00	41.00	142014	3.00	0.05	0.00
			41.00	44.00	142015	3.00	0.05	0.00
			44.00	47.00	142016	3.00	0.03	0.00
			47.00	50.00	142017	3.00	0.02	0.00
			50.00	53.00	142018	3.00	0.16	0.00
			53.00	56.00	142019	3.00	0.14	0.06
			56.00	59.00	142020	3.00	0.06	0.00
			59.00	62.00	142022	3.00	0.01	0.00
			62.00	65.00	142023	3.00	0.02	0.00
			65.00	68.00	142024	3.00	0.04	0.00
			68.00	71.00	142025	3.00	0.04	0.00
			71.00	74.00	142026	3.00	0.19	0.00
			74.00	77.00	142027	3.00	0.10	0.00
			77.00	80.00	142028	3.00	0.18	0.06
			80.00	83.00	142029	3.00	0.15	0.05
			83.00	86.00	142030	3.00	0.09	0.00
			86.00	89.00	142031	3.00	0.08	0.03
			89.00	92.00	142033	3.00	0.03	0.00
			92.00	95.00	142034	3.00	0.03	0.00

From	To	Rocktype & Description	From	To	Sample	Width	Cu %	Au g/t
94.00	112.00	Monzonite Crystal Dyke	95.00	98.00	142035	3.00	0.01	0.00
		<i>Brick orange, medium grain with white average 5mm calcite crystals and</i>	98.00	101.00	142036	3.00	0.00	0.00
		<i>occasional quartz-eye, some altered hornblende, non magnetic.</i>	101.00	104.00	142037	3.00	0.00	0.00
			104.00	107.00	142038	3.00	0.00	0.00
			107.00	110.00	142039	3.00	0.00	0.00
			110.00	113.00	142040	3.00	0.01	0.00
112.00	132.80	Polyolithic G Monzonite Tuff Breccia	113.00	116.00	142041	3.00	0.08	0.05
		<i>Dark black matrix, polyolithic fragments of feldspars varying from fine grain to</i>	116.00	119.00	142042	3.00	0.09	0.00
		<i>white speckled feldspars and feldsparphyritic with some mafics. Increase in</i>	119.00	122.00	142044	3.00	0.10	0.04
		<i>metasomatic k-spar/epidote alteration, some biotite developments. Trace of NC.</i>	122.00	125.00	142045	3.00	0.05	0.00
		<i>Epidote seams 15° with NC.</i>	125.00	128.00	142046	3.00	0.11	0.07
		<i>« 131.00- 132.80 Mafic Dyke » Clinopyroxene, dark mottled green, non</i>	128.00	131.00	142047	3.00	0.10	0.07
		<i>magnetic.</i>						
132.80	135.20	Monzonite Gray	131.00	134.00	142048	3.00	0.03	0.00
			134.00	137.00	142049	3.00	0.04	0.00
		<i>Medium grain, Dark to light gray, hornblende with chlorite alteration, biotite development.</i>						
		<i>133.8 20cm orange monzonite dykelet 60°.</i>						
135.20	149.00	Polyolithic G Monzonite Tuff Breccia	137.00	140.00	142050	3.00	0.04	0.00
		<i>Dark gray black matrix with polyolithic fragments of feldspars varying from fine</i>	140.00	143.00	142051	3.00	0.17	0.07
		<i>gain to white speckled feldspars and feldsparphyritic with some mafics.</i>	143.00	146.00	142053	3.00	0.19	0.22
		<i>Strongly magnetic.</i>	146.00	149.00	142054	3.00	0.12	0.09
		<i>135.5 - 136.7 NC in orange feldspar seams, appears to phase related rather</i>						
		<i>than secondary.</i>						
		<i>138 - 149 Scattered traces of fine grain chalcopyrite associated with the</i>						
		<i>feldspar/epidote seams, one speck of bornite.</i>						
149.00	199.00	Monzonite Orange	149.00	152.00	142055	3.00	0.01	0.00
		<i>Medium grain, light orange/gray with feldspar alteration. Dark green hornblende</i>	152.00	155.00	142056	3.00	0.03	0.00
		<i>with chlorite alteration. Light pinkish albite seams and flooding with some</i>	155.00	158.00	142057	3.00	0.00	0.00
		<i>fine grain pyrite and chalcopyrite. Dark chlorite on fractures.</i>	158.00	161.00	142058	3.00	0.00	0.00
		<i>165 Starts more k-spar with balck chlorite and fine grain magnetite seams 2 -</i>	161.00	164.00	142059	3.00	0.00	0.00
		<i>45°</i>	164.00	167.00	142060	3.00	0.00	0.00
		<i>181 Increase in light albite with epidote and light chlorite, traces of fine</i>	167.00	170.00	142061	3.00	0.05	0.00

From	To	Rocktype & Description	From	To	Sample	Width	Cu %	Au g/t
		<i>grain chalcopyrite with some coarser pyrite. Moderately magnetic with some</i>	170.00	173.00	142062	3.00	0.01	0.00
		<i>hematite alteration of the magnetite.</i>	173.00	176.00	142064	3.00	0.00	0.00
		<i>192 Coarser pyrite with epidote, k-spar and albite.</i>	176.00	179.00	142065	3.00	0.01	0.00
			179.00	182.00	142066	3.00	0.01	0.00
			182.00	185.00	142067	3.00	0.02	0.00
			185.00	188.00	142068	3.00	0.00	0.00
			188.00	191.00	142069	3.00	0.00	0.00
			191.00	194.00	142070	3.00	0.03	0.00
			194.00	197.00	142071	3.00	0.01	0.00
			197.00	200.00	142072	3.00	0.04	0.00
199.00	206.00	Hydrothermal Breccia	200.00	202.00	142074	2.00	0.04	0.00
		<i>Hydrothermally brecciated monzonite, varying from crackle breccia to framework</i>	202.00	204.00	142075	2.00	0.02	0.00
		<i>supported and matrix supported. Moderate to good development of magnetite as</i>	204.00	206.00	142076	2.00	0.01	0.00
		<i>blotches and veinlets. Strongly magnetic, albite fragments matrix supported</i>						
		<i>with dark chlorite, magnetite and epidote.. Some fine grain chalcopyrite with</i>						
		<i>spots of pyrite.</i>						
206.00	210.00	Monzonite Orange	206.00	208.00	142077	2.00	0.01	0.00
		<i>Highly saussurized monzonite.</i>	208.00	210.00	142078	2.00	0.00	0.00
		« 206.00- 210.00 Saus »						
210.00	218.40	Hydrothermal Breccia	210.00	212.00	142079	2.00	0.02	0.00
		<i>Dark black green polyolithic fragments of feldspars varying from fine gain to</i>	212.00	214.00	142080	2.00	0.00	0.00
		<i>white speckled feldspars and feldsparphyritic with some mafics.</i>	214.00	216.00	142081	2.00	0.03	0.00
		<i>Medium grained,</i>	216.00	218.00	142082	2.00	0.03	0.03
		<i>mottled orange gray green to brownish with some k-spar and epidote.</i>	218.00	220.00	142084	2.00	0.10	0.11
218.40	223.00	Monzonite Orange	220.00	222.00	142085	2.00	0.12	0.24
			222.00	224.00	142086	2.00	0.05	0.04
		<i>Medium grain, orange/gray with feldspar alteration. Dark green hornblende with</i>						
		<i>black chlorite and hematite alteration.</i>						
223.00	235.00	Hydrothermal Breccia	224.00	226.00	142087	2.00	0.02	0.04
		<i>Hydrothermally brecciated monzonite, strong albite, chlorite, magnetite</i>	226.00	228.00	142088	2.00	0.00	0.00
		<i>alteration with trace chalcopyrite.</i>	228.00	230.00	142089	2.00	0.06	0.12
			230.00	232.00	142090	2.00	0.03	0.04
			232.00	234.00	142091	2.00	0.00	0.00
			234.00	236.00	142092	2.00	0.01	0.04
235.00	265.00	Monzonite Orange	236.00	238.00	142093	2.00	0.02	0.06
		<i>Medium grain, orange/gray with feldspar alteration. Dark green hornblende with</i>	238.00	240.00	142094	2.00	0.01	0.04

From	To	Rocktype & Description	From	To	Sample	Width	Cu %	Au g/t
		<i>chlorite alteration. First three metres lightly albite altered, broken</i>	240.00	242.00	142096	2.00	0.01	0.06
		<i>throughout. Sections of albite with black chlorite and fine grain magnetite.</i>	242.00	244.00	142097	2.00	0.01	0.00
		« 244.00- 245.50 Fault zone » Ground core.	244.00	246.00	142098	2.00	0.00	0.00
		248 - 261 Brownly orange monzonite with lighter alteration banding 15 -45°	246.00	248.00	142099	2.00	0.01	0.00
		also balck chlorite and fine grain magnetite 30° with hematite alteration.	248.00	250.00	142100	2.00	0.00	0.00
		Fracturing 5 - 15°.	250.00	252.00	142101	2.00	0.01	0.00
		261 - 262 Ground core.	252.00	254.00	142102	2.00	0.00	0.00
		263 - 264.3 Pinkish albite with chlorite, trace chalcopyrite.	254.00	256.00	142103	2.00	0.01	0.00
			256.00	258.00	142105	2.00	0.00	0.04
			258.00	260.00	142106	2.00	0.01	0.00
			260.00	262.00	142107	2.00	0.01	0.00
			262.00	264.00	142108	2.00	0.00	0.00
			264.00	266.00	142109	2.00	0.02	0.04
265.00	269.00	Hydrothermal Breccia	266.00	268.00	142110	2.00	0.02	0.00
			268.00	270.00	142111	2.00	0.04	0.05
		<i>Hydrothermally brecciated monzonite, albite with dark chlorite, magnetite and epidote, minor chalcopyrite in the epidote.</i>						
269.00	293.80	Monzonite Orange	270.00	272.00	142112	2.00	0.02	0.00
		Medium grain, orange/gray with feldspar alteration. Dark green hornblende with chlorite alteration. Some albite/chlorite/magnetite sections.	272.00	274.00	142114	2.00	0.02	0.03
		272.5 - 273.5 Albite	274.00	276.00	142115	2.00	0.01	0.00
		275.2 - 276.7 Albite	276.00	278.00	142116	2.00	0.00	0.00
		« 272.00- 276.00 Albite »	278.00	280.00	142117	2.00	0.01	0.03
		280.00 - 282.00 Albite	280.00	282.00	142118	2.00	0.03	0.00
		284 - 293.8 Orange monzonite, slight k-spar/black chlrorite and epidote alteration, weak magnetite, trace pyrite and chalcopyrite with epidote, barren towards end of hole.	282.00	284.00	142119	2.00	0.04	0.00
			284.00	286.00	142120	2.00	0.07	0.19
			286.00	288.00	142121	2.00	0.04	0.00
			288.00	290.00	142122	2.00	0.03	0.00
			290.00	292.00	142124	2.00	0.03	0.00
			292.00	293.80	142125	1.80	0.02	0.00
293.80	293.80	EOH 293.8						